

VERSLAGEN EN TECHNISCHE GEGEVENS

Instituut voor Taxonomische Zoölogie (Zoölogisch Museum)

Universiteit van Amsterdam

No. 21

Index to the writings of Charles P. Alexander

mainly

on

T I P U L O I D E A

(incl. some other nematocerous families)

Part I

- a. List of publications 1-1000
- b. Geographical index
- c. Index to the keys

compiled by Pj. Oosterbroek & Br. Theowald

Verslagen en technische gegevens no. 21

1980

Instituut voor Taxonomische Zoölogie (Zoölogisch Museum)

Plantage Middenlaan 64 - 1018 DH Amsterdam - Nederland

Index to the writings of Charles P. Alexander

on

Tipuloidea

(incl. some other nematocerous families)

Part I

- a. List of publications 1-1000 ....p. 4
- b. Geographical index .....p. 69
- c. Index to the keys .....p. 87

compiled by Pj. Oosterbroek & Br. Theowald

## Preface

Since 1910 Charles P. Alexander has published over a thousand papers on Nematocera taxa belonging to fifteen families. Most of these papers are on Tipulcoidea. In this index all generic and subgeneric names are listed according to the publications in which they occur and arranged according to the geographical areas dealt with in these papers. Furthermore, a general index to the geographical areas is presented together with an index to all keys.

Part I List of publications 1-1000

Geographical index

Index to the keys

Part II Index to genera and subgenera

In compiling this index we are greatly indebted to Miss H. Mobach and Mr. R. van Dijk as it is mainly through their efforts that it can be presented.

Amsterdam,

March 1980

Pj. Oosterbroek

Br. Theowald

List of publications 1-1000

The publications are numbered as was done by Alexander before he sent reprints to his colleagues. These numbers are used throughout the index.

- 1 1910 Fulton County (New York) Tipulidae I. - Ent. News, 21: 247-254.
- 2 1911a Notes on Limnobia Parietina O.S. - Ent. News, 22: 85-86.
- 3 1911b New Tipulidae (Diptera). - Can. Ent., 43: 287-289.
- 4 1911c Notes on two Tipulidae (Dipt.). - Ent. News 22: 349-354; 3 text figs.
- 5 1911d Synonymical and other notes on the Tipulidae (Diptera). Psyche, 18: 192-203; 1 pl. (13 figs.).
- 6 1912a Fulton County (New York) Tipulidae (Dipt.) II. - Ent. News, 23: 66-73.
- 7 1912b New African Tipulidae. - Can. Ent., 44: 83-88; 2 text figs.
- 8 1912c Venational variation in Cladura (Tipulidae, Diptera). Jour. New York Ent. Soc., 22: 36-39; 1 pl. (11 figs.). (With M.D. Leonard).
- 9 1912d A peculiar new crane-fly from Porto Rico (Tipulidae: Diptera). Psyche, 19: 63-66; 1 pl. (3 figs.).
- 10 1912e A new Palaearctic Geranomyia (Tipulidae, Diptera). Can. Ent., 44: 205-207; 1 text fig. (With M.D. Leonard).
- 11 1912f New species of Furcomyia (Tipulidae). Can. Ent., 11: 333-341, 361-364; 1 pl. (16 figs.).
- 12 1912g On the tropical American Rhipidiae (Tipulidae, Dipt.). Bul. Brooklyn Ent. Soc., 8: 6-17; 1 pl. (9 figs.).
- 13 1912h A Bromeliad-inhabiting crane fly (Tipulidae, Dipt.). Ent. News, 23: 415-417; 1 text fig.
- 14 1912i A new tropical Gonomyia (Tipulidae, Dipt.). Ent. News, 23: 418-420; 4 text figs.
- 15 1912j New Neotropical Tipulinæ (Tipulidae, Dipt.). Ann. Ent. Soc. America, 5: 343-365; 3 pls. (23 figs.).
- 16 1912k A revision of the genus Brachypremna Osten Sacken (Tipulidae, Diptera). Jour. New York Ent. Soc., 20: 225-236; 1 pl. (6 figs.), 1 text fig.
- 17 1912l The American species of Adelphomyia Bergroth (Tipulidae, Dipt.). Pomona Jour. Ent., 4: 829-831; 2 text figs.
- 18 1912m New Nearctic Tipulidae (Diptera). Psyche, 19: 163-171; 1 pl. (10 figs.).
- 19 1913a New Neotropical Antochini (Tipulidae, Diptera). Psyche, 20: 40-54; 1 pl. (13 figs.).

- 20 1913b A revision of the South American dipterous insects of the family Ptychopteridae. Proc. U.S. Nat. Mus., 44: 331-335; 3 text figs.
- 21 1913c A new species of Dixa from Chile (Dixidae, Dipt.). Ent. News, 24: 176-177; 1 text fig.
- 22 1913d A synopsis of part of the Neotropical crane-flies of the subfamily Limnobinae. Proc. U.S. Nat. Mus., 44: 481-549; 4 pls. (42 figs.).
- 23 1913e Report on a collection of Japanese crane-flies (Tipulidae) with a key to the species of Ptychoptera. Can. Ent., 45: 197-210; 2 pls. (31 figs.); 285-295, 1 pl. (15 figs.); 313-322;  
(1914) 46: 157-163, 1 pl. (16 figs.); 205-211, 1 pl. (8 figs.); 236-242, 1 pl. (10 figs.).
- 24 1913f The Tipulidae in Brunetti's "Fauna of British India; Diptera Nematocera." Insec. Inscit. Menst., 1: 118-120.
- 25 1913g Report on a collection of crane-flies (Tipulidae, Dipt.) from the Colombian Andes, taken by Mr. John Thomas Lloyd. Jour. New York Ent. Soc., 21: 193-212; 3 pls. (26 figs.); 2 photographs.
- 26 1913h The Neotropical Tipulidae in the Hungarian National Museum (Diptera). I. Ent. News, 24: 404-412; 1 pl. (10 figs.).
- 27 1913i A new Geranomyia from the Philippine Islands (Diptera, Tipulidae). Insec. Inscit. Menst., 1: 137-139.
- 28 1913j The Neotropical Tipulidae in the Hungarian National Museum (Diptera). II. Ent. News, 24: 439-449; 1 pl. (10 figs.).
- 29 1914a New or little-known Neotropical Hexatomini (Tipulidae, Diptera). Psyche, 21: 33-45; 1 pl. (8 figs.).
- 30 1914b The biology of the North American crane-flies (Tipulidae, Diptera). i. The genus Eriocera Macquart. Pomona Jour. Ent. & Zool., 6: 12-34; 3 pls. (28 figs.), 1 text fig. (With J.T. Lloyd).
- 31 1914c The Neotropical Tipulidae in the Hungarian National Museum (Diptera). III. Ent. News, 25: 205-215; 1 pl. 13 figs.).
- 32 1914d The crane-flies collected in Costa Rica by Dr. P.P. Calvert (Tipulidae, Diptera). Jour. New York Ent. Soc., 22: 116-124; 1 pl. (10 figs.).
- 33 1914e The biology of the North American crane-flies (Tipulidae, Diptera). II. Liogma nodicornis O.S. Pomona Jour. Ent. & Zool., 6: 105-118; 2 pls. (10 figs.).

- 34 1914f On a collection of crane-flies (Tipulidae, Diptera), from the Fiji Islands. Ann. Ent. Soc. America, 7: 239-244; 2 pls. (13 figs.).
- 35 1914g A revision of the American species of Tanypremna Osten Sacken and Megistocera Wiedemann (Tipulidae, Diptera). Jour. New York Ent. Soc., 22: 205-218; 1 pl. (5 figs.).
- 36 1914h On a collection of crane-flies from British Guiana (Tipulidae, Diptera). Trans. American Ent. Soc., 40: 223-255; 2 pls. (20 figs.).
- 37 1914i The Neotropical Tipulidae in the Hungarian National Museum (Diptera). IV. Ent. News, 25: 351-363; 1 pl. (18 figs.).
- 38 1914j New or little-known crane-flies from the United States and Canada. Tipulidae, Diptera. Proc. Acad. Nat. Sci. Philadelphia, 1914: 579-606; 3 pls. (32 figs.).
- 39 1915a A second Bromeliad-inhabiting crane-fly (Tipulidae, Diptera). Ent. News, 26: 29-30.
- 40 1915b Description of new species of crane-flies from Central America. Proc. U.S. Nat. Mus., 48: 441-444; 1 pl. (7 figs.).
- 41 1915c New exotic Tipulidae (Diptera). Can. Ent., 47: 79-83; 5 text figs.
- 42 1915d The biology of the North American crane-flies (Tipulidae, Diptera). III. The genus Ula Haliday. Pomona Jour. Ent. & Zool., 7: 1-8; 1 pl. (8 figs.).
- 43 1915e A new Nearctic Gonomyia (Tipulidae, Diptera). Ent. News, 26: 170-172; 3 text figs.
- 44 1915f On a collection of Javanese crane-flies (Tipulidae, Diptera) in the United States National Museum. Proc. U.S. Nat. Mus., 49: 157-193; 8 pls. (72 figs.).
- 45 1915g The biology of the North American crane-flies (Tipulidae, Diptera). IV. The tribe Hexatomini. Pomona Jour. Ent. & Zool., 7: 141-158; 2 pls. (17 figs.).
- 46 1915h A biological reconnaissance of the Okefenokee Swamp in Georgia. The Tipulidae (Diptera). Washington University Studies, 2 (2): 97-98. (St. Louis).
- 47 1915i New or little-known crane-flies from the United States and Canada: Tipulidae, Diptera. Part. 2. Proc. Acad. Nat. Sci. Philadelphia, 1915: 458-514; 6 pls. (87 figs.).
- 48 1915j Two new crane-flies from Porto Rico (Tipulidae, Diptera). Insec. Inscit. Menst., 3: 104-107.

- 49 1915k New Nearctic crane-flies in the United States National Museum (Diptera, Tipulidae). Insec. Inscit. Menst., 3: 127-142.
- 50 1916a New or little-known crane-flies from Colombia, Ecuador and Peru (Tipulidae, Diptera). Trans. American Ent. Soc., 42: 1-32; 5 pls. (43 figs.).
- 51 1916b New Nearctic crane-flies (Tipulidae, Diptera). Can. Ent., 48: 42-53.
- 52 1916c New Limnophiline crane-flies from the United States and Canada (Tipulidae, Diptera). Jour. New York Ent. Soc., 24: 118-125; 1 pl. (10 figs.).
- 53 1916d New North American species of the genus Gonomyia Meigen (Tipulidae, Diptera). Can. Ent., 48: 316-325.
- 54 1916e New species of crane-flies from the West Indies (Tipulidae, Dipt.). Ent. News, 27: 343-347; 6 text figs.
- 55 1916f New or little-known crane-flies from the United States and Canada: Tipulidae, Ptychopteridae, Diptera. Part 3. Proc. Acad. Nat. Sci. Philadelphia, 1916: 486-549; 7 pls. (98 figs.).
- 56 1917a New Nearctic crane-flies (Tipulidae, Diptera). Pt. II. Can. Ent., 49: 22-31, 61-64.
- 57 1917b Two New crane-flies from the Philippine Islands. Diptera, Tipulidae. Insec. Inscit. Menst., 5: 6-8.
- 58 1917c A new Ctenacroscelis (Tipulidae, Diptera). Insec. Inscit. Menst., 5: 21-23.
- 59 1917d New Nearctic crane-flies (Tipulidae, Diptera). Pt. III. Can. Ent., 49: 199-211; 1 pl. (13 figs.).
- 60 1917e The crane-flies of South Africa in the South African Museum (Diptera, Tipulidae). Part I. Ann. South African Mus., 17: 139-184; 5 pls. (67 figs.), 2 text figs. (Cape Town).
- 61 1918a New Nearctic crane-flies (Tipulidae, Diptera). Pt. IV. Can. Ent., 50: 60-71.
- 62 1918b New Nearctic crane-flies (Tipulidae, Diptera). Pt. V. Can. Ent., 50: 158-165, 242-246.
- 63 1918c A new interpretation of the wing-venation of the Pediciine crane-flies (Tipulidae, Diptera). Ent. News, 29: 201-205; 1 pl. (10 figs.).
- 64 1918d New species of Tipuline crane-flies from eastern Asia (Tipulidae, Diptera). Jour. New York Ent. Soc., 26: 66-75.

- 65 1918e New species of crane-flies from California (Dip.). Ent. News, 29: 285-288.
- 66 1918f New Nearctic crane-flies (Tipulidae, Diptera). Pt. VI. Can. Ent., 50: 381-386, 411-416.
- 67 1918g Records of Japanese crane-flies (Diptera). Ann. Ent. Soc. America, 11: 443-449.
- 68 1919a New or little-known crane-flies from Japan (Tipulidae, Diptera). Part I. Ent. Mag., 3: 122-127. (Tokyo).
- 69 1919b Notes on the genus Dicranoptycha Osten Sacken (Tipulidae, Diptera). Ent. News, 30: 19-22.
- 70 1919c The biology of the North American crane-flies (Tipulidae, Diptera). V. The genus Dicranoptycha Osten Sacken. Pomona Jour. Ent. & Zool., 2: 67-74; 2 pls. (14 figs.).
- 71 1919d Notes on the crane-flies of the Hawaiian Islands (Tipulidae, Diptera). Ann. Ent. Soc. America, 12: 25-30.
- 72 1919e New Nearctic crane-flies (Rhaphididae and Tipulidae, Diptera). Part VII. Can. Ent., 51: 162-172.
- 73 1919f The crane-flies collected by the Canadian Arctic Expedition, 1913-1918. Report Can. Arct. Exped., 1913-1918, Vol. III: Insects; Part C: Diptera: 3c-30c; 6 pls. (67 figs.).
- 74 1919g New Nearctic species of the genus Erioptera Meigen (Tipulidae, Diptera). Bul. Brooklyn Ent. Soc., 14: 104-108.
- 75 1919h New Nearctic crane-flies (Tipulidae, Diptera). Part VIII. Can. Ent., 51: 191-199.
- 76 1919i Two new crane-flies from California (Tipulidae, Diptera). Ent. News, 30: 214-215.
- 77 1919j The crane-flies of New York, Part I. Distribution and taxonomy of the adult flies. Cornell University Agr. Exp. Stat. Mem. 25: 767-993; 25 pls. (354 figs.), 67 text figs.
- 78 1919k New species of Eriopterine crane-flies from the United States (Tipulidae, Diptera). Insec. Inscit. Menst., 7: 143-148.
- 79 1919l Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). I. Jour. New York Ent. Soc., 27: 132-154; 1 pl. (16 figs.).
- 80 1919m Undescribed species of Japanese crane-flies (Tipulidae, Diptera). Ann. Ent. Soc. America, 12: 327-348.
- 81 1920a An undescribed species of Ptychoptera from the western United States (Ptychopteridae, Diptera). Ent. News, 31: 3-4.

- 82 1920b New or little-known Tipulidae (Diptera). I. Ethiopian species. Ann. Mag. Nat. Hist., (9) 5: 53-62. (London).
- 83 1920c Undescribed Tipulidae collected by Mr. H.S. Parish in Brazil (Dipt.). Ent. News, 31: 70-75.
- 84 1920d New or little-known crane-flies from Japan (Tipulidae, Diptera). Trans. American Ent. Soc., 46: 1-26.
- 85 1920e Tipulidae collected by the American Museum Congo expedition. Bul. American Mus. Nat. Hist., 43: 9-20; 1 pl. (6 figs.), 1 text fig.
- 86 1920f Two undescribed Pediciine crane-flies from the United States (Tipulidae, Diptera). Can. Ent., 52: 78-80.
- 87 1920g New or little-known Tipulidae (Diptera). II. Ethiopian species. Ann. Mag. Nat. Hist., (9) 5: 337-351.
- 88 1920h New Nearctic crane-flies (Tipulidae, Diptera). Part IX. Can. Ent., 52: 109-112.
- 89 1920i An undescribed species of Ptychoptera from West Africa (Ptychopteridae, Diptera). The Entomologist, 53: 101-102.
- 90 1920j Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). II. Jour. New York Ent. Soc., 28: 1-13.
- 91 1920k Scientific results of the Katmai expedition of the National Geographic Society. The crane-flies (Tipulidae, Diptera). Ohio Jour. Sci., 20: 193-203.
- 92 1920l New or little-known Tipulidae (Diptera). III. Ethiopian species. Ann. Mag. Nat. Hist., (9) 5: 465-472.
- 93 1920m New or little-known crane-flies from tropical America (Tipulidae, Diptera). Can. Ent., 52: 141-144.
- 94 1920n Undescribed African crane-flies in the British Museum (Tipulidae, Diptera). Can. Ent., 52: 145-160.
- 95 1920o Undescribed Tipulidae (Diptera) from western North America. Proc. California Acad. Sci., (4) 10: 35-46.
- 96 1920p Undescribed species of African crane-flies in the collection of the British Museum (Natural History): Tipulidae, Diptera. Part I. Subfamily Limnobiinae. Ann. Mag. Nat. Hist., (9) 6: 1-44, 336-364.
- 97 1920q New or little-known crane-flies in the Queensland Museum (Tipulidae, Diptera). Mem. Queensland Mus., 7: 52-63. (Brisbane).
- 98 1920r An undescribed species of Clytocosmus Skuse (Tipulidae, Diptera). Proc. Linn. Soc. New South Wales, 45: 184-185. (Sydney).

- 99 1920s The natural history of Juan Fernandez and Easter Island. Diptera - Tipulidae 3: 25-27.
- 100 1920t A new genus and species of net-winged midge (Blepharoceridae) and an undescribed species of Tanyderidae (Diptera). *Arkiv för Zoologi*, 13: 1-7; 2 text figs. (Stockholm).
- 101 1920u The crane-flies collected by the Swedish expedition (1895-1896) to southern Chile and Tierra del Fuego (Tipulidae, Diptera). *Arkiv för Zoologi*, 13: 1-32; 2 pls. (20 figs.).
- 102 1920v New or little-known Australian crane-flies (Tipulidae, Diptera). *Proc. Royal Soc. Queensland*, 32: 92-109. (Brisbane).
- 103 1920w Undescribed crane-flies in the Paris Museum (Tipulidae, Diptera): African species, Part I. *Bul. Mus. d'Hist. Nat.* 1919, No. 7; 1920, Nos. 1 & 2: 1-14. (Paris).
- 104 1920x Undescribed crane-flies from Argentina (Tipulidae, Diptera). *Ent. News*, 31: 215-221.
- 105 1920y Undescribed species in the Osten Sacken collection of New Zealand crane-flies (Diptera, Tipulidae). *Insec. Inscit. Menst.*, 8: 121-133.
- 106 1920z New species of Japanese crane flies (Diptera, Tipulidae). Part I. *Insec. Inscit. Menst.*, 8: 134-138.
- 107 1920aa New or little-known crane-flies from Formosa (Tipulidae, Diptera). *Ann. Ent. Soc. America*, 13: 249-270.
- 108 1920bb New Nearctic crane-flies (Tipulidae, Diptera). Part X. *Can. Ent.*, 52: 224-229.
- 109 1920cc Diptera of the superfamily Tipuloidea found in the District of Columbia. *Proc. U.S. Nat. Mus.*, 58: 385-435; 1 pl. (10 figs.). (With W.L. McAtee).
- 110 1920dd A new species of Dixa from Argentina (Dixidae, Dipt.). *Ent. News*, 31: 294.
- 111 1920ee New species of crane-flies from the United States and Canada (Tipulidae, Diptera). *Pomona Jour. Ent. & Zool.*, 12: 85-92.
- 112 1921a Undescribed species of African crane-flies in the collection of the British Museum (Natural History): Tipulidae, Diptera. Part II. Subfamily Tipulinae. *Ann. Mag. Nat. Hist.*, (9) 7: 98-118.

- 113 1921b A new subfamily of Tanyderid flies (Diptera). Ann. Ent. Soc. America, 13: 402-407; 1 pl. (9 figs.).
- 114 1921c Two undescribed species of Japanese Ptychopteridae (Diptera). Insec. Inscit. Menst., 9: 80-83.
- 115 1921d Undescribed crane-flies in the Paris Museum (Tipulidae, Diptera): African species, Part II. Bul. Mus. d'Hist. Nat. 1920: 216-219, 316-318, 403-406, 509-511.
- 116 1921e Undescribed crane-flies from Argentina (Tipulidae, Diptera). Part II. Ent. News, 32: 72-76.
- 117 1921f Undescribed or little-known crane-flies from the Pacific Islands (Tipulidae, Diptera). Bul. Brooklyn Ent. Soc., 16: 9-13.
- 118 1921g Notes on the life-history of a crane-fly of the genus Geranomyia Haliday (Tipulidae, Diptera). Illinois State Acad. Sci. Trans. 13: 310-319; 1 pl. (12 figs.). (With J.R. Malloch).
- 119 1921h New or little-known Tipulidae (Diptera). IV. Ethiopian species. Ann. Mag. Nat. Hist., (9) 7: 305-322.
- 120 1921i The crane-flies of South Africa in the South African Museum (Diptera, Tipulidae). II. Ann. South African Mus., 18: 181-230; 2 pls. (28 figs.).
- 121 1921j A new genus and species of Tanyderidae (Peringueyomyina barnardi) in the South African Museum (Diptera). Ann. South African Mus., 18: 231-234.
- 122 1921k Undescribed crane-flies from Argentina (Tipulidae, Dipt.). Part III. Ent. News, 32: 175-179.
- 123 1921l The crane-flies of New York, Part II. Biology and phylogeny. Cornell University Agr. Exp. Stat. Mem. 38: 691-1133; 87 pls. (540 figs.).
- 124 1921m Undescribed species of Japanese crane-flies (Tipulidae, Diptera). Part II. Ann. Ent. Soc. America, 14: 111-134.
- 125 1921n New or little-known Tipulidae (Diptera). V. Ethiopian species. Ann. Mag. Nat. Hist., (9) 8: 161-175.
- 126 1921o New Nearctic crane-flies (Tipulidae, Diptera). Part XI. Can. Ent., 53: 132-137.
- 127 1921p Undescribed Tipulidae (Diptera) from western North America, Part II. Proc. California Acad. Sci., (4) 11: 103-107.
- 128 1921q A new species of Tipula injurious to pasture lands (Tipulidae, Diptera). Insec. Inscit. Menst., 9: 135-137.

- 129 1921r An undescribed West African species of Ptychoptera Meigen (Diptera, Ptychopteridae). Insec. Inscit. Menst., 9: 145-146.
- 130 1921s Undescribed Eriopterine crane-flies from Argentina (Tipulidae, Diptera). Can. Ent., 53: 162-166.
- 131 1921t New or little-known Tipulidae (Diptera). VI. Ethiopian species. Ann. Mag. Nat. Hist., (9) 8: 309-320.
- 132 1921u New or little-known crane-flies from the Amazonian region. Proc. Acad. Nat. Sci. Philadelphia, 1921: 39-103; 1 pl. (12 figs.).
- 133 1921v Dipterous insects of the family Tipulidae from the Pribilof Islands, Alaska. Proc. California Acad. Sci., (4) 11: 183-184.
- 134 1921w New or little-known Tipulidae (Diptera). VII. Austral-asian species. Ann. Mag. Nat. Hist., (9) 8: 546-563.
- 135 1921x Two undescribed Tipuloidean flies from New Zealand (Diptera, Tanyderidae and Rhypidae). Insec. Inscit. Menst., 9: 157-160.
- 136 1921y New species of Japanese crane-flies, Part II. (Diptera, Tipulidae). Insec. Inscit. Menst., 9: 179-186.
- 137 1921z New species of crane-flies from North Queensland (Tipulidae, Diptera). Can. Ent., 53: 205-211.
- 138 1921aa Undescribed crane-flies from Argentina (Tipulidae, Diptera). Part IV. Ent. News, 32: 292-295.
- 139 1922a An undescribed species of net-winged midge from Argentina (Blepharoceridae, Diptera). Ent. News, 33: 10-11.
- 140 1922b An undescribed species of Dixa from New Zealand (Diptera, Dixidae). Insec. Inscit. Menst., 10: 19-21.
- 141 1922c An undescribed net-winged midge from Japan (Diptera, Dixidae). Insec. Inscit. Menst., 10: 21-23.
- 142 1922d New or little-known Tipulidae (Diptera). VIII. Austral-asian species. Ann. Mag. Nat. Hist., (9) 9: 145-160.
- 143 1922e Four undescribed species of Limnobia from the Oriental region (Diptera, Tipulidae). Insec. Inscit. Menst., 10: 75-80.
- 144 1922f The Blepharocerid genus Bibiocephala Osten Sacken in Japan (Diptera). Insec. Inscit. Menst., 10: 111-112.

- 145 1922g The biology of the North American crane-flies (Tipulidae, Diptera). VI. The genus Cladura Osten Sacken. Pomona Jour. Ent. & Zool., 14: 1-7; 1 pl. (8 figs.).
- 146 1922h New or little-known Tipulidae (Diptera). IX. Austral-asian species. Ann. Mag. Nat. Hist., (9) 9: 297-315.
- 147 1922i Undescribed species of Costa Rican flies belonging to the family Tipulidae in the United States National Museum. Proc. U.S. Nat. Mus., 60: 1-7.
- 148 1922j New or little-known Tipulidae (Diptera). X. Austral-asian species. Ann. Mag. Nat. Hist., (9) 9: 505-524.
- 149 1922k Undescribed crane-flies (Tanyderidae and Tipulidae) in the South Australian Museum. Rec. South Australian Mus., 2: 223-270; 2 text figs. (Adelaide).
- 150 1922l Undescribed crane-flies from Argentina (Tipulidae, Dipt.). Part V. Ent. News, 33: 207-210.
- 151 1922m New or little-known Tipulidae (Diptera). XI. Austral-asian species. Ann. Mag. Nat. Hist., (9) 10: 83-99.
- 152 1922n New or little-known exotic Tipulidae (Diptera). Trans. Royal Ent. Soc. London, 1922: 34-64.
- 153 1922o The crane-flies of New York: first supplementary list. Bul. Brooklyn Ent. Soc., 17: 58-62.
- 154 1922p Undescribed species of crane-flies from New Zealand (Tipulidae, Diptera). Ann. Ent. Soc. America, 15: 223-238.
- 155 1922q Three undescribed Nematocerous flies from New Zealand (Diptera). Insec. Inscit. Menst., 10: 146-147.
- 156 1922r New species of crane-flies from southern Indiana. Occas. Papers Mus. Zool., Univ. of Michigan, 127: 1-7.
- 157 1922s Report of the scientific results of the Norwegian expedition to Novaya Zemlya 1921. No. 5. The crane-flies (Superfamily Tipuloidea, order Diptera). Publ. by Videnskapsselskapet i Kristiania, pp. 1-16; 3 text figs. (Oslo).
- 158 1922t New or little-known Tipulidae from the Philippines (Diptera). Philippine Jour. Sci., 21: 373-384. (Manila).
- 159 1922u New or little-known Tipulidae (Diptera). XII. Austral-asian species. Ann. Mag. Nat. Hist., (9) 10: 557-573.
- 160 1922v New species of Japanese crane-flies. Part III. (Diptera, Tipulidae). Insec. Inscit. Menst., 10: 177-188.

- 161 1922w Undescribed species of crane-flies from New Zealand (Diptera, superfamily Tipuloidea). Insec. Inscit. Menst., 10: 198-205.
- 162 1922x New or little-known species of Australian Tipulidae (Diptera). I. Proc. Linn. Soc. New South Wales, 47: 581-590.
- 163 1922y Undescribed crane-flies in the Paris Museum (Tipulidae, Diptera). Part III. Bul. Mus. d'Hist. Nat., 1921: 303-306, 346-350, 539-542; 1922: 73-75.
- 164 1923a Undescribed species of Eriocera and Penthoptera from tropical America (Tipulidae, Diptera). Ent. News, 34: 17-20.
- 165 1923b New or little-known Tipulidae (Diptera). XIII. Australasian species. Ann. Mag. Nat. Hist., (9) 11: 97-111.
- 166 1923c New or little-known Tipulidae (Diptera). XIV. Australasian species. Ann. Mag. Nat. Hist., (9) 11: 193-208.
- 167 1923d Undescribed species of Anisopodidae from New Zealand (Diptera). Insec. Inscit. Menst., 11: 73-74.
- 168 1923e Records and descriptions of tropical African crane-flies (Tipulidae, Diptera). Revue Zool. Africaine 11 (1): 1-16. (Tervueren).
- 169 1923f Undescribed crane-flies in the Paris National Museum (Tipulidae, Diptera): Part IV. Asiatic species. Bul. Mus. Nat. Hist., 1922: 295-299; 1923: 97-102.
- 170 1923g Undescribed species of Japanese crane-flies (Tipulidae, Diptera). Part III. Ann. Ent. Soc. America, 16: 57-76.
- 171 1923h Undescribed crane-flies from Formosa and Luzon (Tipulidae, Diptera). Philippine Jour. Sci., 22: 467-481.
- 172 1923i Undescribed crane-flies from Argentina. (Dipt.:Tipulidae). Part VI. Ent. News, 34: 181-186.
- 173 1923j Diptera of the Pribilof Islands, Alaska (Tipulidae and Rhypidae). North American Fauna, 46: 159-169; 2 pls. (28 figs.).
- 174 1923k New or little-known Tipulidae (Diptera). XV. Australasian species. Ann. Mag. Nat. Hist., (9) 12: 97-112.
- 175 1923l New or little-known Tipulidae (Diptera). XVI. Australasian species. Ann. Mag. Nat. Hist., (9) 12: 194-212.
- 176 1923m New or little-known Tipulidae (Diptera). XVII. Australasian species. Ann. Mag. Nat. Hist., (9) 12: 265-281.
- 177 1923n An undescribed species of Prionota from Java (Diptera, Tipulidae). Insec. Inscit. Menst., 11: 131-132.

- 178 1923o New or little-known Tipulidae (Diptera). XVIII. Austral-asian species. Ann. Mag. Nat. Hist., (9) 12: 376-393.
- 179 1923p New or little-known crane-flies from the Hawaiian Islands (Tipulidae, Diptera). Proc. Hawaiian Ent. Soc., 5: 249-251. (Honolulu).
- 180 1923q Undescribed species of Australasian and Oriental crane-flies (Tipulidae, Diptera). Proc. Hawaiian Ent. Soc., 5: 252-258.
- 181 1923r Undescribed crane-flies from Argentina (Dipt.: Tipulidae). Part VII. Ent. News, 34: 309-313.
- 182 1923s Records and descriptions of tropical African crane-flies (Tipulidae, Diptera). Part II. Revue Zool. Africaine, 11: 369-383.
- 183 1923t Notes on the types of two Tipulidae in the Canterbury Museum (Diptera). Rec. Canterbury Mus., 2: 111-112. (Christchurch).
- 184 1924a Undescribed species of Anisopodidae from New Zealand, Part II (Diptera). Insec. Inscit. Menst., 12: 10-13.
- 185 1924b New or little-known Tipulidae (Diptera). XIX. Austral-asian species. Ann. Mag. Nat. Hist., (9) 13: 33-49.
- 186 1924c Undescribed crane-flies from Argentina (Dipt.: Tipulidae). Part VIII. Ent. News, 35: 61-65.
- 187 1924d New or little-known Tipulidae (Diptera). XX. Austral-asian species. Ann. Mag. Nat. Hist., (9) 13: 177-194.
- 188 1924e Undescribed species of Nematocera from Japan (Diptera). Insec. Inscit. Menst., 12: 49-55.
- 189 1924f Undescribed species of Nematocerous Diptera from North America and Japan. Insec. Inscit. Menst., 12: 81-84.
- 190 1924g New species of two-winged flies from western North America belonging to the family Tipulidae. Proc. U.S. Nat. Mus., 64: 1-16.
- 191 1924h Undescribed species of Japanese crane-flies (Tipulidae, Diptera), Part IV. Ann. Ent. Soc. America, 17: 59-74.
- 192 1924i New or little-known Tipulidae (Diptera). XXI. Austral-asian species. Ann. Mag. Nat. Hist., (9) 13: 359-380.
- 193 1924j The crane-flies of New York: second supplementary list. Bul. Brooklyn Ent. Soc., 19: 57-64.
- 194 1924k New or little-known Tipulidae (Diptera). XXII. Austral-asian species. Ann. Mag. Nat. Hist., (9) 13: 499-523.

- 195 19241 Zoological results of the Swedish expedition to Central Africa 1921. Insecta, 6, Tipulidae (Diptera). Arkiv för Zoologi, 16 (18): 1-15; 2 text figs.
- 196 1924m New or little-known Tipulidae (Diptera). XXIII. Austral-asian species. Ann. Mag. Nat. Hist., (9) 13: 561-579.
- 197 1924n New or little-known crane-flies from northern Japan (Tipulidae, Diptera). Philippine Jour. Sci., 24: 531-611; 2 pls. (22 figs.).
- 198 1924o New or little-known crane-flies from New England. Occas. Papers Boston Soc. Nat. Hist., 5: 115-118.
- 99 1924p Two undescribed species of Tanyderus from the Austral-asian region (Diptera, Tanyderidae). Insec. Inscit. Menst., 12: 141-143.
- 200 1924q New or little-known Tipulidae (Diptera). XXIV. Austral-asian species. Ann. Mag. Nat. Hist., (9) 14: 289-306.
- 201 1924r Undescribed species of the genus Tanypremna Osten Sacken (Dipt.: Tipulidae). Ent. News, 35: 289-291.
- 202 1924s Studies on the crane-flies of New Zealand. Part I. Order Diptera, superfamily Tipuloidea. Trans. New Zealand Inst., 55: 641-660; 2 pls. (20 figs.). (Wellington).
- 203 1924t New species of Japanese crane-flies. Part IV. (Diptera, Tipulidae). Insec. Inscit. Menst., 12: 150-159.
- 204 1924u New or little-known Tipulidae (Diptera). XXV. Palae-arctic species. Ann. Mag. Nat. Hist., (9) 14: 457-477.
- 205 1924v Report of the second Norwegian Arctic expedition in the "Fram" 1898-1902. The crane-flies (Tipulidae, Diptera). Norsk Entomolog. Tidsskrift, Bind I, Hefte 6, pp. 296-297.
- 206 1924w The crane-flies of the Chatham Islands (New Zealand) (Tipulidae, Diptera). Rec. Canterbury Mus., 2: 163-170; 2 text figs.
- 207 1925a Undescribed species of Japanese crane-flies. Part V. Ann. Ent. Soc. America, 17: 431-448.
- 208 1925b New or little-known Tipulidae (Diptera). Part XXVI. Palaearctic species. Ann. Mag. Nat. Hist., (9) 15: 65-81.
- 209 1925c An undescribed species of Tanyderus from western Australia (Diptera, Tanyderidae). Insec. Inscit. Menst., 13: 32-24.
- 210 1925d New or little-known Tipulidae (Diptera). XXVII. Palae-arctic species. Ann. Mag. Nat. Hist., (9) 15: 385-408; 4 text figs.

- 211 1925e New or little-known Tipulidae (Diptera). XXVIII. Australasian species. Ann. Mag. Nat. Hist., (9) 15: 634-651; 2 text figs.
- 212 1925f Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part I. Ent. News, 36: 200-204, 229-230.
- 213 1925g Tipulidae collected by the University of Iowa Fiji-New Zealand expedition. Iowa Studies in Nat. Hist., pp. 12-16.
- 214 1925h New or little-known Tipulidae from the Philippines (Diptera). Part II. Philippine Jour. Sci., 27: 71-81.
- 215 1925i New or little-known Tipulidae (Diptera). XXIX. Australasian species. Ann. Mag. Nat. Hist., (9) 16: 65-81.
- 216 1925j Studies on the crane-flies of Mexico, Part I. (Order Diptera, superfamily Tipuloidea). Ann. Ent. Soc. America, 18: 341-362; 2 pls. (26 figs.).
- 217 1925k The crane-flies (Tipulidae) of New England: first supplementary list. Occas. Papers Boston Soc. Nat. Hist., 5: 169-174.
- 218 1925l An entomological survey of the Salt Fork of the Vermilion River in 1921, with a bibliography of aquatic insects. Illinois State Nat. Hist. Surv. Bul. 15: 439-535.
- 219 1925m Crane-flies from the Maritime Province of Siberia (on the insect fauna of the Maritime Province of Siberia). Proc. U.S. Nat. Mus., 68 (4): 1-21; 1 pl. (11 figs.).
- 220 1925n New or little-known Tipulidae from the Philippines (Diptera). Part III. Philippine Jour. Sci., 28: 369-377; 1 pl. (9 figs.).
- 221 1925o New or little-known crane-flies, Part I. Encycl. Ent., Diptera, 2: 87-93; 11 text figs. (Paris).
- 222 1925p The South African species of the genus Dolichopeza Curtis (Tipulidae, Diptera). South African Jour. Nat. Hist., 5: 39-48. (Pretoria).
- 223 1926a New or little-known Tipulidae (Diptera). XXX. Australasian species. Ann. Mag. Nat. Hist., (9) 17: 65-83.
- 224 1926b Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part II. Ent. News, 37: 44-51.
- 225 1926c An undescribed species of Dixa from West Africa (Diptera Dixidae). Insec. Inscit. Menst., 14: 10-12.
- 226 1926d Undescribed species of crane-flies from the United States and Canada (Diptera, Tipulidae). Insec. Inscit. Menst., 14: 19-24.

- 227 1926e Undescribed species of Dicranoptyla from eastern North America (Tipulidae, Diptera). *Psyche*, 33: 54-59.
- 228 1926f New or little-known Tipulidae (Diptera). XXXI. Australasian species. *Ann. Mag. Nat. Hist.*, (9) 17: 521-548.
- 229 1926g Studies on the crane-flies of Mexico, Part II. (Order Diptera, superfamily Tipuloidea). *Ann. Ent. Soc. America*, 19: 158-179; 2 pls. (19 figs.).
- 230 1926h Undescribed species of the genus Limnophila from eastern North America (Tipulidae, Diptera). Part I. *Bul. Brooklyn Ent. Soc.*, 21: 109-115.
- 231 1926i New or little-known Tipulidae (Diptera). XXXII. Australasian species. *Ann. Mag. Nat. Hist.*, (9) 18: 169-193; 16 text figs.
- 232 1926j Records and descriptions of tropical African crane-flies (Tipulidae, Diptera). *Revue Zool. Africaine*, 14: 165-184; 11 text figs.
- 233 1926k Undescribed species of crane-flies from Cuba and Jamaica (Tipulidae, Diptera). *Jour. New York Ent. Soc.*, 34: 223-230.
- 234 1926l New or little-known Tipulidae in the collection of the Deutsches Entomologisches Institut (Dipt.). *Entomol. Mitteil.*, 15: 386-392; 2 text figs. (Berlin-Dahlem).
- 235 1926m The Trichoceridae of Australia (Diptera). *Proc. Linn. Soc. New South Wales*, 51: 299-304; 11 text figs.
- 236 1926n Records of crane-flies (Tipulidae) from Ontario (Diptera). *Can. Ent.*, 58: 236-240.
- 237 1926o Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part III. *Ent. News*, 37: 291-297.
- 238 1926p Undescribed species of crane-flies from the United States and Canada, Part II. *Insec. Inscit. Menst.*, 14: 114-122.
- 239 1926q Three undescribed Eriopterine crane-flies from California (Tipulidae, Diptera). *Pen-Pacific Ent.*, 3: 77-79.
- 240 1926r New species of crane-flies from South America, Part I. (Family Tipulidae, order Diptera). *Ann. Ent. Soc. America*, 19: 378-394.
- 241 1926s Diptera collected by the late Allen Crawford on Wrangel Island. The Tipulidae. *Can. Ent.*, 58: 291-293; 2 text figs.

- 242 1926t New or little-known Tipulidae from eastern Asia, Part I. Philippine Jour. Sci., 31: 363-383; 2 pls. (25 figs.).
- 243 1927a The crane-flies of New England: second supplementary list. Occas. Papers Boston Soc. Nat. Hist., 5: 223-231.
- 244 1927b New or little-known Tipulidae (Diptera). XXXIII. Australasian species. Ann. Mag. Nat. Hist., (9) 19: 16-38; 4 text figs.
- 245 1927c Undescribed species of the genus Limnophila from eastern North America (Tipulidae, Diptera). Part II. Bul. Brooklyn Ent. Soc., 22: 56-64.
- 246 1927d New or little-known Nearctic species of Trichoceridae (Diptera). Part I. Can. Ent., 59: 66-73; 2 text figs.
- 247 1927e New or little-known Tipulidae (Diptera). XXXIV. Australasian species. Ann. Mag. Nat. Hist., (9) 19: 177-196.
- 248 1927f Undescribed species of Tipulidae from Utah (Diptera). Pan-Pacific Ent., 3: 143-145.
- 249 1927g Undescribed species of Tipuline crane-flies from tropical America. Insec. Inscit. Menst., 14: 159-167.
- 250 1927h Records and descriptions of crane-flies from the eastern United States (Tipulidae, Diptera). Jour. New York Ent. Soc., 35: 55-63.
- 251 1927i Undescribed species of the genus Limnophila from eastern North America (Tipulidae, Diptera). Part III. Bul. Brooklyn Ent. Soc., 22: 110-115.
- 252 1927j Entomologische Ergebnisse der Schwedischen Kamchatka-Expedition. 1920-1922. Part 12. Tipulidae. Arkiv för Zoologi, 19A (9): 1-10; 5 text figs.
- 253 1927k Fauna Sumatrensis (Beitrag. Nr. 39). Superfamily Tipuloidea (Dipt.) - I. Supplementa Entomologica, 15: 90-102; 7 text figs.
- 254 1927l Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part IV. Ent. News, 38: 181-184.
- 255 1927m Crane-flies or Daddy Longlegs. Victorian Nat., 44: 4-8. (Melbourne).
- 256 1927n New or little-known Tipulidae (Diptera). XXXV. Australasian species. Ann. Mag. Nat. Hist., (9) 20: 33-54.
- 257 1927o The interpretation of the radial field of the wing in the Nematocerous Diptera, with special reference to the Tipulidae. Proc. Linn. Soc. New South Wales, 52: 42-72; 92 text figs.

- 258 1927p Genotypes of the Chilean Tipuloidea described by Philippi. *Rev. Chilena de Hist. Nat.*, 31: 15. (Santiago).
- 259 1927q New or little-known Tipulidae from the Philippines (Diptera). Part IV. *Philippine Jour. Sci.*, 33: 291-307; 2 pls. (17 figs.).
- 260 1927r New Nearctic crane-flies (Tipulidae, Diptera). Part XII. *Can. Ent.*, 59: 184-193.
- 261 1927s Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). III. *Jour. New York Ent. Soc.*, 35: 265-278.
- 262 1927t Records and descriptions of crane-flies from Alberta (Tipulidae, Diptera). I. *Can. Ent.*, 59: 214-225; 2 text figs.
- 263 1927u Studies on the crane-flies of Mexico. Part III. (order Diptera, superfamily Tipuloidea). *Ann. Ent. Soc. America*, 20: 301-318.
- 264 1927v The Oriental Tipulidae in the collection of the Indian Museum, Part I. *Rec. Indian Museum*, 29: 167-214; 1 pl. (10 figs.), 23 text figs. (31). (Calcutta).
- 265 1927w Undescribed crane-flies from the Holarctic region in the United States National Museum. *Proc. U.S. Nat. Mus.*, 72: 1-17; 1 pl. (8 figs.).
- 266 1927x New or little-known Tipulidae (Diptera). XXXVI. Australasian species. *Ann. Mag. Nat. Hist.*, (9) 20: 353-372.
- 267 1927y New or little-known crane-flies. Part II. *Encycl. Ent.*, Diptera, 4: 17-27.
- 268 1927z Genera Insectorum. Diptera. Family Tipulidae, subfamily Cylindrotominae, Fasc. 187: 1-16; 2 pls. (34 figs.). (Brussels).
- 269 1927aa Genera Insectorum. Diptera. Family Ptychopteridae, Fasc. 188: 1-12; 1 pl. (17 figs.).
- 270 1927bb Genera Insectorum. Diptera. Family Tanyderidae, Fasc. 189: 1-13; 1 pl. (19 figs.).
- 271 1928a New or little-known Tipulidae (Diptera). XXXVII. Australasian species. *Ann. Mag. Nat. Hist.*, (10) 1: 82-108.
- 272 1928b New or little-known Tipulidae (Diptera). XXXVIII. Australasian species. *Ann. Mag. Nat. Hist.*, (10) 1: 217-241.
- 273 1928c Records of crane-flies (Tipulidae) from Ontario (Diptera). Part II. *Can. Ent.*, 60: 54-60.

- 274 1928d Studies on the crane-flies of Mexico. Part IV. Ann. Ent. Soc. America, 21: 101-119.
- 275 1928e New or little-known species of the genus Tipula from Labrador (Tipulidae, Dipt.). Can. Ent., 60: 95-101.
- 276 1928f Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). IV. Jour. New York Ent. Soc., 36: 47-59.
- 277 1928g Undescribed species of crane-flies from Chile. Ent. News, 39: 180-183.
- 278 1928h New or little-known Tipulidae (Diptera). XXXIX. Australasian species. Ann. Mag. Nat. Hist., (10) 1: 577-601.
- 279 1928i Crane-flies (Tipulidae, Diptera) from Barrington Tops, New South Wales. Proc. Linn. Soc. New South Wales, 53: 51-70.
- 280 1928j New species of Tipulidae from Chile. Rev. Chilena de Hist. Nat., 31: 217-221.
- 281 1928k New or little-known Tipulidae from eastern Asia. Part II. Philippine Jour. Sci., 35: 455-489; 2 pls. (30 figs.).
- 282 1928l The Australasian species of the genus Nemopalpus (Psychodidae, Diptera). Proc. Linn. Soc. New South Wales, 53: 291-294; 2 text figs.
- 283 1928m Two undescribed Nematocerous Diptera from the Belgian Congo. Revue Zool. Africaine, 16: 24-28; 3 text figs.
- 284 1928n Undescribed species of crane-flies from Valdivia (Chile). Rev. Chilena de Hist. Nat., 31: 245-249.
- 285 1928o New or little-known Tipulidae (Diptera). XL. Australasian species. Ann. Mag. Nat. Hist., (10) 2: 337-362.
- 286 1928p New or little-known Tipulidae from eastern Asia. Part III. Philippine Hour. Sci., 36: 455-485; 2 pls. (36 figs.).
- 287 1928q The Tanyderidae of Australia (Diptera). Proc. Linn. Soc. New South Wales, 53: 367-374; 4 text figs.
- 288 1928r New species of crane-flies from South America. Part II. (Family Tipulidae, order Diptera). Ann. Ent. Soc. America, 21: 623-641.
- 289 1928s The crane-flies of Jamaica. Catalogus Insectorum Jamaiicensis, Dept. Sci. & Agr., Ent. Bul. 4 (3): 19-29; 2 text figs. (Kingston).

- 290 1928t Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). V. Jour. New York Ent. Soc., 36: 355-367.
- 291 1928u New or little-known species of Tasiocera Skuse (Tipulidae). Encycl. Ent., Diptera, 4: 117-122; 1 pl. (6 figs.), 1 text fig.
- 292 1928v New or little-known species of the genus Tipula from Chile (Tipulidae, Diptera). Rev. Chilena de Hist. Nat., 32: 276-286; 1 pl. (13 figs.).
- 293 1929a New Nearctic crane-flies (Tipulidae, Diptera). Part XIII. Can. Ent., 61: 15-22; 4 text figs.
- 294 1929b New or little-known Tipulidae (Diptera). XLI. Austral-asian species. Ann. Mag. Nat. Hist., (10) 3: 49-71.
- 295 1929c Diptera of Patagonia and South Chile. Part I - crane-flies. British Mus. Nat. Hist., 1929, 240 pp.; 12 pls. (259 figs.), 17 text figs., 1 map.
- 296 1929d Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part V. Ent. News, 40: 44-49.
- 297 1929e A revision of the American two-winged flies of the Psychodid subfamily Bruchomyinae. Proc. U.S. Nat. Mus., 75: 1-9; 2 text figs.
- 298 1929f The crane-flies of New York: third supplementary list. Bul. Brooklyn Ent. Soc., 24: 22-29.
- 299 1929g Undescribed species of Eriopterine crane-flies from the United States and Canada (Tipulidae, Diptera). Part I. Jour. New York Ent. Soc., 37: 49-58.
- 300 1929h New or little-known Tipulidae (Diptera). XLII. Austral-asian species. Ann. Mag. Nat. Hist., (10) 3: 327-346.
- 301 1929i Tipuloidea of the Tongariro National Park and Ohakune District, New Zealand (Diptera). Philippine Jour. Sci., 38: 157-199; 1 map.
- 302 1929j New or little-known Tipulidae (Diptera). XLIII. Austral-asian species. Ann. Mag. Nat. Hist., (10) 3: 468-489; 4 text figs.
- 303 1929k Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). VI. Jour. New York Ent. Soc., 37: 89-99.
- 304 1929l New or little-known species of the genus Gnophomyia Osten Sacken from Ecuador and Peru (Family Tipulidae, order Diptera). Rev. de Chilena Hist. Nat., 33: 164-168; 1 pl. (4 figs.).

- 305 1929m Notes on the Australian species of Molophilus (Tipulidae, Diptera). I. Proc. Linn. Soc. New South Wales, 54: 137-144; 1 pl. (11 figs.).
- 306 1929n Undescribed species of the genus Limnophila from eastern North America (Tipulidae, Diptera). Part IV. Bul. Brooklyn Ent. Soc., 24: 187-191.
- 307 1929o New or little-known Tipulidae from the Philippines (Diptera). V. Philippine Jour. Sci., 40: 239-273; 1 pl. (18 figs.).
- 308 1929p The Australian species of Leptotarsus and Semnotes. (Family Tipulidae; order Diptera). Konowia, 8: 242-248. (Vienna).
- 309 1929q A list of the crane-flies of Quebec (Diptera). I. Can. Ent., 61: 231-236, 247-251.
- 310 1929r New or little-known Tipulidae from eastern Asia (Diptera). IV. Philippine Jour. Sci., 40: 317-348; 3 pls. (41 figs.).
- 311 1929s New or little-known Tipulidae from eastern Asia (Diptera). V. Philippine Jour. Sci., 40: 519-547; 2 pls. (28 figs.).
- 312 1929t New species of crane-flies from South America. Part III. Ann. Ent. Soc. America, 22: 768-788.
- 313 1929u A comparison of the systems of nomenclature that have been applied to the radial field of the wing in the Diptera. IV Internat. Congress Ent., 2: 700-707; 3 pls. (23 figs.).
- 314 1929v The crane-flies of New York: fourth supplementary list. Bul. Brooklyn Ent. Soc., 24: 295-302.
- 315 1929w Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). VII. Jour. New York Ent. Soc., 37: 395-407.
- 316 1929x New or little known Tipulidae from New Caledonia and Samoa. Encycl. Ent., Diptera, 5: 83-92.
- 317 1930a New or little-known Tipulidae (Diptera). XLIV. Austral-asian species. Ann. Mag. Nat. Hist., (10) 5: 136-156.
- 318 1930b The genus Sigmatomera Osten Sacken with observations on the biology by Raymond C. Shannon. Encycl. Ent., Diptera, 5: 155-162; 8 text figs.

- 319 1930c New or little-known Tipulidae from the Philippines (Diptera). VI. Philippine Jour. Sci., 41: 287-314; 3 pls. (44 figs.).
- 320 1930d New or insufficiently-known crane-flies from the Nearctic region (Tipulidae, Diptera). Part I. Bul. Brooklyn Ent. Soc., 25: 71-77.
- 321 1930e New or little-known Tipulidae (Diptera). XLV. Austral-asian species. Ann. Mag. Nat. Hist., (10) 5: 370-388.
- 322 1930f New or little-known Tipulidae from eastern Asia (Diptera). VI. Philippine Jour. Sci., 42: 59-83; 2 pls. (35 figs.).
- 323 1930g The crane-flies (Tipulidae) of New England: third supplementary list. Occas. Papers Boston Soc. Nat. Hist., 5: 267-278.
- 324 1930h Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). VIII. Jour. New York Ent. Soc., 38: 109-120.
- 325 1930i New or little-known Tipulidae from eastern Asia (Diptera). VII. Philippine Jour. Sci., 42: 507-535; 2 pls. (33 figs.).
- 326 1930j Records and descriptions of Trichoceridae from the Japanese Empire (Ord. Diptera). Konowia, 9: 103-108; 4 text figs.
- 327 1930k Observations on the Dipterous family Tanyderidae. Proc. Linn. Soc. New South Wales, 55: 221-230; 2 pls. (10 figs.), 1 text fig.
- 328 1930l Tanyderus pictus Philippi (Fam. Tanyderidae, ord. Diptera) Rev. Chilena de Hist. Nat., 34: 110-113; 1 text fig.
- 329 1930m New or little-known Tipulidae (Diptera). XLVI. Austral-asian species. Ann. Mag. Nat. Hist., (10) 6: 114-136.
- 330 1930n New or little-known Tipulidae from the Philippines (Diptera). VII. Philippine Jour. Sci., 43: 277-303; 2 pls. (31 figs.).
- 331 1930o Records and descriptions of tropical African crane-flies (Tipulidae, Diptera). Revue Zool. & Bot. Africaine, 19: 337-367; 25 text figs.
- 332 1930p The African Republic of Liberia and the Belgian Congo. Contrib. Dept. Trop. Med. and Inst. for Trop. Biol. and Med. No. 5, the crane-flies, 2: 1004-1021; 2 text figs. (16).
- 333 1930q New or little-known Tipulidae from New Zealand (Order Diptera). Rec. Canterbury Mus., 4: 281-288; 1 pl. (9 figs.).

- 334 1930r New or little-known Tipulidae from eastern Asia (Diptera) VIII. Philippine Jour. Sci., 43: 507-536; 3 pls. (46 figs.).
- 335 1930s New species of crane-flies from South America. Part IV. (Family Tipulidae, order Diptera). Ann. Ent. Soc. America, 23: 721-740.
- 336 1930t New or insufficiently-known crane-flies from the Nearctic region (Tipulidae, Diptera). Bul. Brooklyn Ent. Soc., 25: 276-282.
- 337 1931a New or little-known Tipulidae from eastern Asia (Diptera). IX. Philippine Jour. Sci., 44: 339-368; 2 pls. (45 figs.).
- 338 1931b New or little-known Tipulidae (Diptera). XLVII. Australasian species. Ann. Mag. Nat. Hist., (10) 7: 17-36; 4 text figs.
- 339 1931c New or little-known Tipulidae (Diptera). XLVIII. Australasian species. Ann. Mag. Nat. Hist., (10) 7: 153-172.
- 340 1931d Crane-flies of the Baltic Amber (Diptera). Bernstein-Forschungen, 2: 135; 169 text figs. (Berlin).
- 341 1931e A new genus and species of Bibonid Diptera. Bul. Brooklyn Ent. Soc., 26: 7-11; 2 text figs.
- 342 1931f The early stages of crane-flies (Diptera). Victorian Nat., 47: 195-203.
- 343 1931g A list of the crane-flies of Quebec (Diptera). II. Can. Ent., 63: 135-147.
- 344 1931h New or little-known Tipulidae from the Philippines (Diptera). VIII. Philippine Jour. Sci., 45: 263-296; 3 pls. (57 figs.).
- 345 1931i New or little-known Tipulidae from the Philippines (Diptera). IX. Philippine Jour. Sci., 45: 415-448; 3 pls. (45 figs.).
- 346 1931j Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). IX. Jour. New York Ent. Soc., 39: 109-122.
- 347 1931k Deutsche Limnologische Sunda-Expedition. The crane-flies (Tipulidae, Diptera). Archiv für Hydrobiologie, 9: 135-191; 51 text figs., 2 photographs.
- 348 1931l New or little-known Tipulidae (Diptera). XLIX. Australasian species. Ann. Mag. Nat. Hist., (10) 8: 145-166.

- 349 1931m New or little-known Tipulidae from the Philippines (Diptera). X. Philippine Jour. Sci., 46: 9-38; 3 pls. (43 figs.).
- 350 1931n New or little-known Tipulidae in the American Museum of Natural History (Diptera). I. American Mus. Novitates, 491: 1-16; 18 text figs.
- 351 1931o New species of crane-flies from South America. Part V. (Family Tipulidae, order Diptera). Ann. Ent. Soc. America, 24: 622-642.
- 352 1931p New or little-known Tipulidae from the Philippines (Diptera). XI. Philippine Jour. Sci., 46: 269-304; 3 pls. (46 figs.).
- 353 1931q New or little-known Tipulidae from the Philippines (Diptera). XII. Philippine Jour. Sci., 46: 447-477; 2 pls. (35 figs.).
- 354 1931r New or insufficiently-known crane-flies from the Nearctic region (Tipulidae, Diptera). Part III. Bul. Brooklyn Ent. Soc., 26: 177-184.
- 355 1932a New or little-known Tipulidae from the Philippines (Diptera). XIII. Philippine Jour. Sci., 47: 163-195; 3 pls. (35 figs.).
- 356 1932b New or little-known Tipulidae from the Philippines (Diptera). XIV. Philippine Jour. Sci., 48: 21-49; 3 pls. (38 figs.).
- 357 1932c The Dipterous family Tanyderidae in Japan (Insecta). Annot. Zool. Japonenses, 13: 273-281; 2 text figs. (Tokyo).
- 358 1932d A new species of Tipula from Wisconsin (Tipulidae, Diptera). Appendix to Dickinson's Crane-flies of Wisconsin. Bul. Public Mus. Milwaukee, 8: 240-242; 3 text figs.
- 359 1932e A review of the Tipulidae of Australia (Diptera). I. Proc. Linn. Soc. New South Wales, 57: 1-23; 1 pl. (7 figs.).
- 360 1932f New or little-known Tipulidae from the Philippines (Diptera). XV. Philippine Jour. Sci., 48: 597-638; 3 pls. (43 figs.).
- 361 1932g New and little-known Tipulidae from the Marquesas. Bernice P. Bishop Mus. Bul., 98: 87-92; 8 text figs. (Pacific Ent. Survey Publ. 1, Art. 7.). (Honolulu).
- 362 1932h New or little-known Tipulidae from New Zealand (Order Diptera). Part II. Rec. Canterbury Mus., 3: 459-467; 1 pl. (10 figs.).

- 363 1932i New or little-known Tipulidae from eastern Asia (Diptera). X. Philippine Jour. Sci., 49: 105-136; 3 pls. (48 figs.).
- 364 1932j New or little-known Tipulidae from the Philippines (Diptera). XVI. Philippine Jour. Sci., 49: 231-276; 4 pls. (60 figs.).
- 365 1932k Check list of Tipulidae of Oceania. Bernice P. Bishop Mus., Occas. Papers, IX, No. 21. (Pacific Ent. Survey Publ., 2: 1-12).
- 366 1932l The crane-flies of Puerto Rico. Jour. Dept. Agr. Puerto Rico, 16: 349-387; 6 pls. (26 figs.).
- 367 1932m New or little-known Tipulidae from eastern Asia (Diptera). XI. Philippine Jour. Sci., 49: 373-406; 3 pls. (50 figs.).
- 368 1932n Studies on the Tipulidae of China (Diptera). I. On two species of Pselliophora from Hainan Island. Lingnan Sci. Jour., 11: 505-508; 7 text figs. (Canton).
- 369 1933a New or little-known Tipulidae from eastern Asia (Diptera). XII. Philippine Jour. Sci., 50: 129-162; 3 pls. (48 figs.).
- 370 1933b New Tipulidae from the Society Islands. Bernice P. Bishop Mus. Bul., 113: 53-56; 1 text fig. (Pacific Ent. Survey Publ., Art. 10).
- 371 1933c New or little-known Tipulidae from eastern Asia (Diptera). XIII. Philippine Jour. Sci., 51: 369-408; 4 pls. (53 figs.).
- 372 1933d Undescribed species of Eripterine crane-flies from the United States and Canada (Tipulidae, Diptera). Part II. Jour. New York Ent. Soc., 41: 91-100.
- 373 1933e New or little-known Tipulidae (Diptera). L. Austral-asian species. Ann. Mag. Nat. Hist., (10) 12: 335-357.
- 374 1933f Die Ausbeute der deutschen Chaco-expedition 1925-26 Diptera. XXXVIII. Tipulidae. Konowia, 12: 41-46; 2 text figs.
- 375 1933g New or little-known Tipulidae from eastern Asia (Diptera). XIV. Philippine Jour. Sci., 51: 507-544; 3 pls. (40 figs.).
- 376 1933h New or little-known Tipulidae from eastern Asia (Diptera). XV. Philippine Jour. Sci., 52: 131-166; 2 pls. (37 figs.).
- 377 1933i New or little-known Tipulidae from eastern Asia (Diptera). XVI. Philippine Jour. Sci., 52: 305-348; 4 pls. (50 figs.).

- 378 1933j New or little-known Tipulidae from eastern Asia (Diptera). XVII. Philippine Jour. Sci., 52: 395-442; 5 pls. (64 figs.).
- 379 1934a Schwedisch-Chinesische wissenschaftliche Expedition nach den Nordwestlichen Provinzen China. 32, Diptera. 7, Tipulidae, Arkiv för Zoologi, 27A (17): 1-24; 3 pls. (30 figs.).
- 380 1934b New or little-known Tipulidae (Diptera). LI. Austral-asian species. Ann. Mag. Nat. Hist., (10) 13: 240-264.
- 381 1934c New or little-known Tipulidae from Chiriquí, Panama (Order Diptera). Ann. Ent. Soc. America, 27: 55-73.
- 382 1934d Tipulidae, in Curran "The Diptera of Kartabo" Bartica District, British Guiana. Bul. American Mus. Nat. Hist., 66: 303-305; 1 pl. (9 figs.).
- 383 1934e / Tipuloidea, in Curran, The families and Genera of North American Diptera. 1934. pp. 28-60; 4 pls. (44 figs.), 5 text figs.
- 384 1934f Diptera collected on Southampton Island by George Miksch Sutton. Trichoceridae and Tipulidae. Rep. Mem. Carnegie Mus., 12 (4): 3-10; 1 pl. (10 figs.).
- 385 1934g Notes on some uncommon crane-flies from the White Mountains, New Hampshire. Can. Ent., 66: 116-118.
- 386 1934h New or little-known Tipulidae from eastern Asia (Diptera). XVIII. Philippine Jour. Sci., 53: 267-300; 3 pls. (43 figs.).
- 387 1934i New or little-known Tipulidae from the Philippines (Diptera). XVII. Philippine Jour. Sci., 53: 429-468; 3 pls. (46 figs.).
- 388 1934j Undescribed Tipulidae from the Ethiopian region. Encycl. Ent., Diptera, 7: 49-62.
- 389 1934k Notes on the Australian species of Molophilus (Tipulidae, Diptera). II. Proc. Linn. Soc. New South Wales, 59: 179-189; 12 text figs.
- 390 1934l New or little-known Tipulidae from eastern Asia (Diptera). XIX. Philippine Jour. Sci., 54: 309-342; 3 pls. (44 figs.).
- 391 1934m New or little-known Tipulidae from eastern Asia (Diptera). XX. Philippine Jour. Sci., 54: 433-471; 2 pls. (35 figs.).
- 392 1934n New or little-known Tipulidae from eastern Asia (Diptera). XXI. Philippine Jour. Sci., 55: 19-60; 3 pls. (41 figs.).

- 393 1934n New or little-known Tipulidae from eastern Asia (Diptera). XXI. Philippine Jour. Sci., 55: 19-60; 3 pls. (41 figs.).
- 393 1934o Records and descriptions of Chilean Tipulidae (Order Diptera). Part I. Rev. Chilena de Hist. Nat., 38: 173-179; 1 text fig.
- 394 1934p New or little-known Tipulidae from eastern Asia (Diptera). XXII. Philippine Jour. Sci., 55: 133-164; 3 pls. (45 figs.).
- 395 1935a New or little-known Tipulidae from eastern Asia (Diptera). XXIII. Philippine Jour. Sci., 56: 339-372; 3 pls. (49 figs.).
- 396 1935b New or little-known Tipulidae from eastern Asia (Diptera). XXIV. Philippine Jour. Sci., 56: 525-562; 3 pls. (45 figs.).
- 397 1935c New or little-known Tipulidae from eastern Asia (Diptera). XXV. Philippine Jour. Sci., 57: 81-148; 4 pls. (50 figs.).
- 398 1935d A new species of Tipulidae from the Marquesas. Bernice P. Bishop Mus. Bul., 142: 123-124; 2 text figs. (Pacific Ent. Survey Publ. 8, Art. 8).
- 399 1935e The Diptera of the Territory of New Guinea. II. Family Tipulidae. Proc. Linn. Soc. New South Wales, 60: 51-70; 20 text figs.
- 400 1935f New or little-known Tipulidae from eastern Asia (Diptera). XXVI. Philippine Jour. Sci., 57: 195-225; 3 pls. (39 figs.).
- 401 1935g New species of crane-flies from South America, Part VI. (Family Tipulidae: order Diptera). Ann. Ent. Soc. America, 28: 313-331.
- 402 1935h The distribution of Tanyderus pictus Ph. (Fam. Tanyderidae, ord. Diptera). Rev. Chilena de Hist. Nat., 39: 86-87.
- 403 1935i Records and descriptions of Chilean Tipulidae (Order Diptera). Part II. Rev. Chilena de Hist. Nat., 39: 99-105; 7 text figs.
- 404 1935j New or little-known Tipulidae from eastern Asia (Diptera). XXVII. Philippine Jour. Sci., 58: 213-252; 4 pls. (48 figs.).
- 405 1935k New or little-known Tipulidae from eastern Asia (Diptera). XXVIII. Philippine Jour. Sci., 58: 385-426; 4 pls. (50 figs.).
- 406 1936a Crane-flies (Tipulidae, Diptera) from the Malayan Islands and northern Australia. Revue Suisse de Zool., 43: 73-97; 16 text figs. (Geneva).

- 407 1936b New or little-known Tipulidae from eastern Asia (Diptera). XXIX. Philippine Jour. Sci., 59: 225-257; 2 pls. (38 figs.).
- 408 1936c The maximum number of antennal segments in the Order Diptera, with the description of a new genus of Cecidomyiidae. Bul. Brooklyn Ent. Soc., 31: 12-14.
- 409 1936d A new species of Perlodes from the White Mountains, New Hampshire (Family Perlidae; order Plecoptera). Bul. Brooklyn Ent. Soc., 31: 24-27.
- 410 1936e Records and descriptions of Brazilian Tipulidae (Diptera). Part I. Revista de Entomologia, 6: 10-23. (Rio de Janeiro).
- 411 1936f Contribution to a knowledge of Papuan Tipulidae (Diptera). Proc. Linn. Soc. New South Wales, 61: 122-127; 7 text figs.
- 412 1936g The Diptera of the Territory of New Guinea - IV. Family Tipulidae. Part II. Proc. Linn. Soc. New South Wales, 61: 169-183; 17 text figs.
- 413 1936h The crane-flies (Tipulidae) of New England: fourth supplementary list. Occas. Papers Boston Soc. Nat. Hist., 8: 273-292; 4 text figs.
- 414 1936i New or little-known Tipulidae from eastern Asia (Diptera). XXX. Philippine Jour. Sci., 60: 165-204; 3 pls. (45 figs.).
- 415 1936j New or little-known Tipulidae from eastern Asia (Diptera). XXXI. Philippine Jour. Sci., 60: 323-360; 4 pls. (45 figs.).
- 416 1936k New or little-known Tipulidae from eastern Asia (Diptera). XXXII. Philippine Jour. Sci., 61: 113-149; 2 pls. (36 figs.).
- 417 1936l New or little-known Tipulidae from eastern Asia (Diptera). XXXIII. Philippine Jour. Sci., 61: 169-203; 2 pls. (34 figs.).
- 418 1936m New or little-known species of West Indian Tipulidae (Diptera). I. Jour. Agr. Univ. Porto Rico, 20: 877-882; 4 text figs. (Rio Piedras).
- 419 1936n Undescribed species of Brachypremna and Tanypremna (Tipulidae, Diptera). Rev. Chilena de Hist. Nat., 40: 298-305; 1 pl. (4 figs.).
- 420 1936o The Diptera of the Territory of New Guinea - V. Family Tipulidae. Part III. Proc. Linn. Soc. New South Wales, 61: 322-340; 27 text figs.

- 421 1936p The Templeton Crocker expedition to western Polynesian and Melanesian Islands, 1933. no. 30. Diptera. Proc. California Acad. Sci., (4) 22: 2-11; 8 text figs.
- 422 1936q New species of crane-flies from South America. Part VII. (Family Tipulidae; order Diptera). Ann. Ent. Soc. America, 29: 749-769.
- 423 1937a New or little-known Tipulidae from tropical America (Diptera). Part I. Konowia, 16: 55-66.
- 424 1937b New or little-known Tipulidae (Diptera). LII. Austral-asian species. Ann. Mag. Nat. Hist., (10) 19: 329-354; 2 text figs.
- 425 1937c Three Tipulidae collected in the East Indian Islands. Bul. Mus. Royal Hist. Nat. Belgium, 13 (12): 1-3; 1 text fig. (Brussels).
- 426 1937d New or little-known Tipulidae from eastern China. Part I. Notes d'Ent. Chinoise, Mus. Heude, 4: 1-28; 33 text figs. (Shanghai).
- 427 1937e New or little-known Tipulidae from eastern China. Part II. Notes d'Ent. Chinoise, Mus. Heude, 4: 65-88; 14 text figs.
- 428 1937f Undescribed species of African Tipulidae (Order Diptera). Part I. Occas. Papers Nat. Mus. Southern Rhodesia, 6: 1-11; 7 text figs.
- 429 1937g New or little-known Tipulidae from eastern Asia (Diptera). XXXIV. Philippine Jour. Sci., 62: 143-181; 1 pl. (24 figs.).
- 430 1937h New or little-known species of West Indian Tipulidae (Diptera). II. Jour. Agr. Univ. Porto Rico, 21: 179-188; 1 col. (11 figs.).
- 431 1937i Records and descriptions of Brazilian Tipulidae (Dipt.). Part II. Revista de Entomologia, 7: 233-246.
- 432 1937j New species of Ptychopteridae (Diptera). Bul. Brooklyn Ent. Soc., 32: 140-143.
- 433 1937k New or little-known Tipulidae (Diptera). LIII. Neotropical species. Ann. Mag. Nat. Hist., (10) 20: 481-504.
- 434 1937l New species of crane-flies from South America. Part VIII. (Tipulidae, Diptera). Ann. Ent. Soc. America, 30: 598-617.
- 435 1937m Richard Crittenden MacGregor. Philippine Jour. Sci., 63: 359-361; portrait.

- 436 1937n New or little-known Tipulidae from eastern Asia (Diptera). XXXV. Philippine Jour. Sci., 63: 365-404; 3 pls. (41 figs.).
- 437 1937o New or little-known species of West Indian Tipulidae (Diptera). III. Jour. Agr. Univ. Porto Rico, 21: 523-534; 1 pl. (10 figs.).
- 438 1937p Undescribed species of South American Tipulidae (Diptera). Part I. Rev. Chilena de Hist. Nat., 41: 218-227.
- 439 1938a New or little-known Tipulidae from eastern China (Order Diptera). Arkiv för Zoologi, 30 (6): 1-5; 5 text figs.
- 440 1938b New or little-known crane-flies. Pt. III. Encycl. Ent., Diptera, 9: 23-26.
- 441 1938c New or little-known Tipulidae (Diptera). LIV. Neo-tropical species. Ann. Mag. Nat. Hist., (11) 1: 336-362; 8 text figs.
- 442 1938d New or insufficiently-known crane-flies from the Nearctic region (Tipulidae, Diptera). Part IV. Bul. Brooklyn Ent. Soc., 33: 71-78.
- 443 1938e New or little-known Tipulidae from eastern Asia (Diptera). XXXVI. Philippine Jour. Sci., 66: 93-134; 3 pls. (46 figs.).
- 444 1938f New or little-known Tipulidae from eastern Asia (Diptera). XXXVII. Philippine Jour. Sci., 66: 221-259; 3 pls. (37 figs.).
- 445 1938g New or little-known Tipulidae from eastern Asia (Diptera). XXXVIII. Philippine Jour. Sci., 66: 309-342; 3 pls. (47 figs.).
- 446 1938h New or little-known Tipulidae from eastern Asia (Diptera). XXXIX. Philippine Jour. Sci., 66: 439-478; 4 pls. (47 figs.).
- 447 1938i Studies on the Tipulidae of China (Diptera). II. New or little-known crane-flies from southeastern China. Lingnan Sci. Jour., 17: 337-356; 14 text figs.
- 448 1938j Records and descriptions of Brazilian Tipulidae (Dipt.). Part III. Revista de Entomologia, 8: 318-331.
- 449 1938k Fossil insects from the Creede Formation, Colorado. Part I. Introduction, Neuroptera, Isoptera, and Diptera (with other authors). Psyche, 45: 105-118.
- 450 1938l Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). X. Jour. New York Ent. Soc., 46: 327-337.

- 451 1938m Studies on the crane-flies of Mexico. Part V. (Order Diptera, superfamily Tipuloidea). Ann. Ent. Soc. America, 31: 393-412.
- 452 1938n Records and descriptions of Brzilian Tipulidae (Dipt.). Part IV. Revista de Entomologia, 9: 247-260.
- 453 1938o New or little-known Tipulidae (Diptera)..LV. Neotropical species. Ann. Mag. Nat. Hist., (11) 2: 416-438.
- 454 1938p Records and descriptions of Tipulidae from tropical America (Diptera). Part I. Revista de Entomologia, 9: 426-441.
- 455 1938q New or little-known Tipulidae from eastern Asia (Diptera). XL. Philippine Jour. Sci., 67: 129-166; 3 pls. (43 figs.).
- 456 1938r Records and descriptions of Chilean Tipulidae. Part III. Rev. Chilena de Hist. Nat., 42: 276-282.
- 457 1939a New or insufficiently-known crane-flies from the Nearctic region. (Tipulidae, Diptera). Part V. Bul. Brooklyn Ent. Soc., 34: 92-100.
- 458 1939b Studies on the crane-flies of Mexico. Part VI. Ann. Ent. Soc. America, 32: 70-90.
- 459 1939c New or little-known Tipulidae (Diptera). LVI. Neotropical species. Ann. Mag. Nat. Hist., (11) 3: 186-209.
- 460 1939d New or little-known Tipulidae from New Zealand (Order Diptera). Part III. Rec. Canterbury Mus., 4: 219-230; 1 pl. (9 figs.).
- 461 1939e Records and descriptions of Brazilian Tipulidae (Dipt.). Part V. Revista de Entomologia, 10: 428-444; 16 text figs.
- 462 1939f New or little-known species of West Indian Tipulidae (Diptera). Part IV. Jour. Agr. Univ. Porto Rico, 23: 91-130; 2 pls. (18 figs.).
- 463 1939g Tipula (Lunatipula) reesi, n.s. In Rees, B.E. and Ferris, G.F. The morphology of Tipula reesi Alexander: Micro-entomology 4: 143-144. (Stanford University).
- 464 1939h Records and descriptions of Tipulidae from tropical America (Diptera). Part II. Revista de Entomologia, 10: 622-637; 16 text figs.
- 465 1939i Records and descriptions of Chilean Tipulidae (Order Diptera). Part IV. Rev. Chilena de Hist. Nat., 43: 176-184; 3 text figs.

- 466 1940a New or little-known Tipulidae from eastern Asia (Diptera). XLI. Philippine Jour. Sci., 71: 39-76; 4 pls. (50 figs.).
- 467 1940b New or little-known Tipulidae from eastern Asia (Diptera). XLII. Philippine Jour. Sci., 71: 169-204; 4 pls. (50 figs.).
- 468 1940c New or little-known Tipulidae (Diptera). LVII. Neotropical species. Ann. Mag. Nat. Hist., (11) 5: 275-297.
- 469 1940d Studies on the crane-flies of Mexico. Part VII. (Order Diptera), superfamily Tipuloidea). Ann. Ent. Soc. America, 33: 140-161.
- 470 1940e Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part VI. Ent. News, 51: 83-85, 99-103.
- 471 1940f Studies on the Tipulidae of China (Diptera). III. New or little-known crane-flies from Tien-mu-shan, Chekiang. Lingnan Sci. Jour., 19: 105-119; 14 text figs.
- 472 1940g Studies on the Tipulidae of China (Diptera). IV. New or little-known crane-flies from Tien-mu-shan, Chekiang (cont.). Lingnan Sci. Jour., 19: 121-132; 1 pl. (5 figs.), 6 text figs.
- 473 1940h Observations on the insect fauna of Mount Washington. Mount Washington Observ. News Bul., 7: 9-12.
- 474 1940i New or insufficiently-known crane-flies from the Nearctic region (Tipulidae, Diptera). Part VI. Bul. Brooklyn Ent Soc., 35: 84-89.
- 475 1940j Records and descriptions of Neotropical crane-flies. XI. Jour. New York Ent. Soc., 48: 105-116.
- 476 1940k The Presidential Range of New Hampshire as a biological environment, with particular reference to the insects. American Midl. Nat., 24: 104-132; 1 map.
- 477 1940l New Nearctic crane-flies (Tipulidae, Diptera). Part XIV. Can. Ent., 72: 151-155.
- 478 1940m New or little-known Tipulidae (Diptera). LVIII. Neotropical species. Ann. Mag. Nat. Hist., (11) 6: 194-222; 9 text figs.
- 479 1940n Tipulidae from the Japanese Mandated South Sea Islands (Diptera). Annot. Zool. Japonenses, 19: 198-221; 22 text figs.
- 480 1940o Records and descriptions of North American crane-flies (Diptera). Part I. Tipuloidea of the Great Smoky Mountains National Park, Tennessee. American Midl. Nat., 24: 602-644; 48 text figs.

- 481 1940p Further observations on the Psychodid subfamily Bruchomyinae (Diptera). *Revista de Entomologia*, 11: 793-799; 5 text figs.
- 482 1940q Records and descriptions of Tipulidae from tropical America (Diptera). Part III. *Revista de Entomologia*, 11: 894-908; 10 text figs.
- 483 1940r Records and descriptions of Brzilian Tipulidae (Dipt.). Part VI. *Revista de Entomologia*, 11: 382-397; 15 text figs.
- 484 1940s New or little-known Tipulidae from eastern China. Part III. *Notes d'Ent. Chinoise, Mus. Heude*, 8: 1-28; 14 text figs.
- 485 1940t New or little-known Tipulidae from eastern Asia (Diptera). XLIII. *Philippine Jour. Sci.*, 73: 375-420; 5 pls. (50 figs.).
- (Unnumbered) The *Revista de Entomologia. Ent. News*, 51: 19-20.
- 486 1941a New or insufficiently-known crane-flies from the Nearctic region (Tipulidae, Diptera). Part VII. *Bul. Brooklyn Ent. Soc.*, 36: 12-17.
- 487 1941b New species of crane-flies from South America. Part IX. (Tipulidae, Diptera). *Ann. Ent. Soc. America*, 34: 231-254.
- 488 1941c New Nearctic crane-flies (Tipulidae, Diptera). Part XV. *Can. Ent.*, 73: 85-90.
- 489 1941d Frederick Wallace Edwards (Obituary and Appreciation). *Can. Ent.*, 73: 94-95.
- 490 1941e Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XII. *Jour. New York Ent. Soc.*, 49: 139-148.
- 491 1941f New or little-known Tipulidae from the Hawaiian Islands (Diptera). *Proc. Hawaiian Ent. Soc.*, 11: 23-24; 1 text fig.
- 492 1941g Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part VII. *Ent. News*, 52: 192-196.
- 493 1941h Records and descriptions of Tipulidae from tropical America (Diptera). Part IV. *Revista de Entomologia*, 12: 322-337; 7 text figs.
- 494 1941i Records and descriptions of North American crane-flies (Diptera). Part II. *Tipuloidea of mountainous western North Carolina. American Midl. Nat.*, 26: 281-319; 26 text figs.

- 495 1941j The Diptera of the Territory of New Guinea, XII. Family Tipulidae. Part IV. Proc. Linn. Soc. New South Wales, 66: 138-144; 11 text figs.
- 496 1941k New or little-known Tipulidae (Diptera). LIX. Neotropical species. Ann. Mag. Nat. Hist., (11) 8: 105-132; 15 text figs.
- 497 1941l New or little-known Tipulidae (Diptera). LX. Neotropical species. Ann. Mag. Nat. Hist., (11) 8: 240-265; 17 text figs.
- 498 1941m New or little-known Tipulidae (Diptera). LXI. Neotropical species. Ann. Mag. Nat. Hist., (11) 8: 313-344; 11 text figs.
- 499 1941n Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XIII. Jour. New York Ent. Soc., 49: 345-356.
- 500 1941o New Nearctic crane-flies (Tipulidae, Diptera). Part XVI. Can. Ent., 73: 206-213.
- 501 1941p New or little-known Tipulidae from eastern Asia (Diptera). XLIV. Philippine Jour. Sci., 76: 27-66; 4 pls. (45 figs.).
- 502 1941q Undescribed species of South American Tipulidae (Diptera). Part II. Rev. Chilena de Hist. Nat., 44: 258-263.
- 503 1942a The Oriental Tipulidae in the collection of the Indian Museum. Part II. Rec. Indian Mus., 44: 29-72; 21 text figs. (33).
- 504 1942b New or little-known Tipulidae (Diptera). LXII. Neotropical species. Ann. Mag. Nat. Hist., (11) 9: 219-245; 11 text figs.
- 505 1942c New or little-known Tipulidae (Diptera). LXIII. Neotropical species. Ann. Mag. Nat. Hist., (11) 9: 338-370; 16 text figs.
- 506 1942d New or little-known Tipulidae (Diptera). LXIV. Neotropical species. Ann. Mag. Nat. Hist., (11) 9: 424-448; 15 text figs.
- 507 1942e Tipulidae of Guam. Insects of Guam, I. Bernice P. Bishop Mus. Bul., 172: 195-198; 2 text figs.
- 508 1942f Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XIV. Jour. New York Ent. Soc., 50: 135-146.

- 509 1942g Tipula (Lunatipula) triplex colei subn. In Massospora tipulae sp. nov. and Tipula triplex colei Alexander, subsp. nov., by J.P. Porter. Jour. Elisha Mitchell Sci. Soc., 58: 67.
- 510 1942h Studies on the Tipulidae of China (Diptera). V. New crane-flies from Yunnan and Kwangtung. Lingnan Sci. Jour., 20: 177-184; 1 pl. (9 figs.).
- 511 1942i Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XV. Jour. New York Ent. Soc., 50: 251-262.
- 512 1942j New or little-known Tipulidae (Diptera). LXV. Neotropical species. Ann. Mag. Nat. Hist., (11) 9: 759-790; 7 text figs.
- 513 1942k Records and descriptions of Brazilian Tipulidae (Dipt.). Part VII. Revista de Entomologia, 13: 166-182; 12 text figs.
- 514 1942l New Nearctic crane-flies (Tipulidae, Diptera). Part XVII. Can. Ent., 74: 206-212.
- 515 1942m Records and descriptions of Brazilian Tipulidae (Dipt.). Part VIII. Revista de Entomologia, 13: 421-437; 21 text figs.
- 516 1942n New or little-known Tipulidae (Diptera) from Sao Paulo, Brasil. Part I. Papeis Avulsos do Dept. de Zool., 2: 39-77; 38 text figs. (Sao Paulo).
- 517 1943a New or little-known Tipulidae (Diptera). LXVI. Neotropical species. Ann. Mag. Nat. Hist., (11) 10: 217-245; 5 text figs.
- 518 1943b Records and descriptions of North American crane-flies (Diptera). III. Tipuloidea of the Upper Gunnison Valley, Colorado. American Midl. Nat., 29: 147-179; 38 text figs.
- 519 1943c New Nearctic crane-flies (Tipulidae, Diptera). Part XVIII. Can. Ent., 75: 13-20.
- 520 1943d Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part I. Ent. News, 54: 45-51.
- 521 1943e New species of crane-flies from South America. Part X. (Tipulidae: Diptera). Ann. Ent. Soc. America, 36: 103-127.
- 522 1943f New or little-known Tipulidae from Venezuela (Diptera). Part I. Bol. de Ent. Venezolana, 2: 17-26. (Caracas).
- 523 1943g New or little-known Tipulidae from Venezuela (Diptera). Part II. Bol. de Ent. Venezolana, 2: 125-144; 5 text figs.

- 524 1943h New species of Ptychopteridae (Diptera). Part II. Bul. Brooklyn Ent. Soc., 38: 37-42.
- 525 1943i The Diptera or true flies of Connecticut. First Fascicle. Connecticut State Geol. & Nat. Hist. Survey, Bul., 64: 1-509. Tanyderidae, Ptychopteridae, Trichoceridae, Anisopodidae, Tipulidae. Pp. 183-486; 389 text figs. (With Crampton, Curran and Friend).
- 526 1943j New Nearctic crane-flies (Tipulidae, Diptera). Part XIX. Can. Ent., 75: 139-145.
- 527 1943k Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XVI. Jour. New York Ent. Soc., 51: 199-212.
- 528 1943l Records and descriptions of Brazilian Tipulidae (Dipt.). Part IX. Revista de Entomologia, 14: 291-306; 14 text figs.
- 529 1943m A new crane-fly from Victoria (Tipulidae, Diptera). Victorian Nat., 60: 89-91; 1 text fig.
- 530 1943n Records and descriptions of North American crane-flies (Diptera). Part IV. Tipuloidea of the Yellowstone National Park. American Midl. Nat., 30: 718-764; 50 text figs.
- 531 1943o Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part II. Ent. News, 54: 253-258.
- 532 1943p New or little-known species of exotic Tipulidae (Diptera). Proc. Royal Ent. Soc. London, (B) 12: 173-180; 12 text figs.
- 533 1943q New or little-known Tipulidae (Diptera). LXVII. Neotropical species. Ann. Mag. Nat. Hist., (11) 10: 522-552; 11 text figs.
- 534 1943r Records and descriptions of Tipulidae from tropical America (Diptera). Part V. Revista de Entomologia, 14: 485-502; 19 text figs.
- 535 1943s Undescribed species of western Nearctic Tipulidae (Diptera). I. Great Basin Nat., 4: 89-100. (Provo, Utah)
- 536 1943t New or little-known Tipulidae (Diptera). LXVIII. Neotropical species. Ann. Mag. Nat. Hist., (11) 10: 738-765; 14 text figs.
- 537 1944a Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XVII. Jour. New York Ent. Soc., 52: 45-57.
- 538 1944b New Nearctic crane-flies (Tipulidae, Diptera). Part XX. Can. Ent., 76: 57-62.

- 539 1944c New or little-known Tipulidae (Diptera). LXIX. Neotropical species. Ann. Mag. Nat. Hist., (11) 11: 154-182; 13 text figs.
- 540 1944d New or little-known Tipulidae from Venezuela (Diptera). III. Bol. de Ent. Venezolana, 3: 35-50; 8 text figs.
- 541 1944e Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part VIII. Ent. News, 55: 125-129.
- 542 1944f New or little-known species of Australian Tipulidae (Diptera). II. Proc. Linn. Soc. New South Wales, 69: 1-15; 7 text figs.
- 543 1944g New species of crane-flies from South America. Part XI. (Tipulidae, Diptera). Ann. Ent. Soc. America, 37: 298-322.
- 544 1944h A noteworthy undescribed crane-fly from tropical America (Diptera, Tipulidae). Bul. Brooklyn Ent. Soc., 39: 92-93.
- 545 1944i Undescribed species of Tipulidae from the western United States (Diptera). Part I. Pan-Pacific Ent., 20: 91-97.
- 546 1944j New Nearctic crane-flies (Tipulidae, Diptera). Part XXI. Can. Ent., 76: 166-172.
- 547 1944k Records and descriptions of Brazilian Tipulidae (Dipt.). Part X. Revista de Entomologia, 15: 19-34; 6 text figs.
- 548 1944l New or little-known species of exotic Tipulidae (Diptera). II. Proc. Royal Ent. Soc. London, (B) 13: 74-80; 10 text figs.
- 549 1944m New or little-known Tipulidae (Diptera). LXX. Neotropical species. Ann. Mag. Nat. Hist., (11) 11: 284-311; 7 text figs.
- 550 1944n Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part IX. Ent. News, 55: 241-247.
- 551 1944o Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XVIII. Jour. New York Ent. Soc., 52: 369-383.
- 552 1944p New or insufficiently-known crane-flies from Chile (Family Tipulidae, order Diptera). Part I. Bol. de Sanidad Vegetal, 3: 117-138; 11 text figs. (Santiago).
- 553 1944q New or little-known Tipulidae from Venezuela (Diptera). IV. Bol. de Ent., Venezolana, 3: 143-160; 5 text figs.

- 554 1944r New species of crane-flies from the United States and Canada (Tipulidae, Diptera). Part II. Jour. Ent. & Zool., 36: 89-94.
- 555 1944s New or little-known Tipulidae (Diptera). LXXI. Neotropical species. Ann. Mag. Hist., (11) 11: 586-616.
- 556 1944t New Nearctic crane-flies (Tipulidae, Diptera). Part XXII. Can. Ent., 76: 217-222.
- 557 1944u New or little-known Tipulidae from Venezuela (Diptera). Part V. Bol. de Ent. Venezolana, 3: 171-192; 5 text figs.
- 558 1944v Records and descriptions of Brazilian Tipulidae (Dipt.). Part XI. Revista de Entomologia, 15: 292-312; 8 text figs.
- 559 1944w Two undescribed species of Psychodid Diptera from tropical America. Revista de Entomologia, 15: 313-317; 3 text figs.
- 560 1945a New or little-known Tipulidae (Diptera). LXXII. Neotropical species. Ann. Mag. Nat. Hist., (11) 12: 8-38.
- 561 1945b New Nearctic crane-flies (Tipulidae, Diptera). Part XXIII. Can. Ent., 77: 1-6.
- 562 1945c Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XIX. Jour. New York Ent. Soc., 53: 49-61.
- 563 1945d Records and descriptions of North American craneflies (Diptera). Part V. Tipuloidea of the Grand Teton National Park and Teton National Forest, Wyoming. American Midl. Nat., 33: 391-439; 46 text figs.
- 564 1945e Undescribed species of Tipula from western North America (Diptera, Tipulidae). Part I. Bul. Brooklyn Ent. Soc., 40: 33-37.
- 565 1945f Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part III. Ent. News, 56: 126-132.
- 566 1945g Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part IV. Ent. News, 56: 155-161.
- 567 1945h New or little-known Tipulidae from New Caledonia (Diptera). Proc. Hawaiian Ent. Soc., 12: 235-244; 1 pl. (10 figs.).
- 568 1945i Undescribed species of Tipulidae from the western United States (Diptera). Part II. Pan-Pacific Ent., 21: 91-97.
- 569 1945j New or little-known crane-flies from California (Tipulidae, Diptera). I. Bul. Southern California Acad. Sci., 44: 33-45.

- 570 1945k Studies on the Tipulidae of China (Diptera). VI. New crane-flies from Yunnan, Kweichow and Kwangtung. *Lingnan Sci. Jour.*, 21: 15-30; 1 pl. (8 figs.).
- 571 1945l New or little-known Tipulidae (Diptera) from Sao Paulo, Brasil. Part II. *Papeis Avulsos do Dept. de Zool.*, 6: 241-282; 22 text figs.
- 572 1945m New species of crane-flies from South America. Part XII. (Diptera: Tipulidae). *Ann. Ent. Soc. America*, 38: 256-280.
- 573 1945n Records and descriptions of Brazilian Tipulidae (Dipt.). Parts XII and XIII. *Revista de Entomologia*, 16: 210-243; 7 text figs.
- 574 1945o New or insufficiently-known crane-flies from Chile (Family Tipulidae, order Diptera). Part II. *Agro-cultura Técnica*, 5: 5-23; 12 text figs. (Santiago).
- 575 1945p New or little-known species of exotic Tipulidae (Diptera). III. *Proc. Royal Ent. Soc. London*, (B) 14: 95-102.
- 576 1945q New or little-known Tipulidae from Venezuela (Diptera). Part VI. *Bol. de Ent. Venezolana*, 4: 59-80; 6 text figs.
- 577 1945r Undescribed species of crane-flies from northern Korea (Diptera, Tipuloidae). *Trans. Royal Ent. Soc. London*, 95: 227-246.
- 578 1945s Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XX. *Jour. New York Ent. Soc.*, 53: 279-291.
- 579 1945t The Fernalds - Entomologists All. *Phi Kappa Phi Jour.* (Massachusetts State College Number), 25: 155-158.
- 580 1945u New Nearctic crane-flies (Tipulidae, Diptera). Part XXIV. *Can. Ent.*, 77: 140-144.
- 581 1945v New or little-known Tipulidae (Diptera). LXXIII. Neotropical species. *Ann. Mag. Nat. Hist.*, (11) 12: 234-264; 9 text figs.
- 582 1945w New or little-known Tipulidae (Diptera) from Sao Paulo, Brasil. Part III. *Papeis Avulsos do Dept. de Zool.*, 1: 1-44; 17 text figs.
- 583 1945x Notes on the tropical American species of the genus Tipula Linnaeus (Tipulidae, Diptera). Part I. *Revista de Entomologia*, 16: 330-356; 9 text figs.

- 584 1945y Records and descriptions of Tipulidae from tropical America (Diptera). Part VI. *Revista de Entomologia*, 16: 373-393; 22 text figs.
- 585 1945z Notes on the tropical American species of the genus Tipula Linnaeus (Tipulidae, Diptera). Part II. *Revista de Entomologia*, 16: 415-440; 25 text figs.
- 586 1945aa New Nearctic crane-flies (Tipulidae, Diptera). Part XXV. *Can. Ent.*, 77: 186-191.
- 587 1945bb New or little-known Tipulidae (Diptera). LXXIV. Neotropical species. *Ann. Mag. Nat. Hist.*, (11) 12: 390-419.
- 588 1945cc New or little-known Tipulidae (Diptera). LXXV. Neotropical species. *Ann. Mag. Nat. Hist.*, (11) 12: 579-609.
- 589 1945dd New or little-known Tipulidae (Diptera). LXXVI. Neotropical species. *Ann. Mag. Nat. Hist.*, (11) 12: 73<sup>4</sup>-765.
- 590 1946a Studies on the crane-flies of Mexico. Pt. VIII. (Order Diptera, superfamily Tipuloidea). *Ann. Ent. Soc. America*, 39: 119-139.
- 591 1946b Records and descriptions of North American crane-flies (Diptera). Pt. VI. *Tipuloidea of Arizona, New Mexico and Trans-Pecos Texas*, 1. *American Midl. Nat.*, 35: 484-531; 27 text figs.
- 592 1946c Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Pt. V. *Ent. News*, 57: 65-71.
- 593 1946d Entomological results from the Swedish expedition 1934 to Burma and British India. Diptera: Ptychopteridae collected by Rene Malaise. *Arkiv för Zoologi*, 38A (2): 1-10; 5 text figs., 1 map.
- 594 1946e Undescribed species of Tipula from western North America (Diptera, Tipulidae). Part II. *Bul. Brooklyn Ent. Soc.*, 41: 45-51.
- 595 1946f New or little-known crane-flies from California (Tipulidae, Diptera). II. *Bul. Southern California Acad. Sci.*, 45: 1-16; 2 pls. (6 figs.).
- 596 1946g Undescribed species of Tipula from western North America (Diptera, Tipulidae). Part III. *Bul. Brooklyn Ent. Soc.*, 41: 65-71.

- 597 1946h Records and descriptions of Mexican crane-flies (Dipt. Tipulidae). Pt. I. Anales la Escuela Nacional Ciencias Biologicas, 4 (for 1945): 213-254; 28 text figs. (Mexico D.F.).
- 598 1946i Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part. VI. Ent. News, 57: 173-179.
- 599 1946j Undescribed species of Tipulidae from the State of Sao Paulo, Brasil (Diptera). d'Almeida Mus., 1: 1-10; 1 pl. (8 figs.).
- 600 1946k Notes on the tropical American species of the genus Tipula Linnaeus (Tipulidae, Diptera). Pt. III. Revista de Entomología, 17: 172-201; 7 text figs.
- 601 1946l Undescribed species of western Nearctic Tipulidae (Diptera). II. Great Basin Naturalist, 5: 93-103.
- 602 1946m Studies on the crane-flies of Mexico. Pt. IX. (Order Diptera, superfamily Tipuloidea). Ann. Ent. Soc. America, 39: 522-541.
- 603 1946n New or little-known species of exotic Tipulidae (Diptera). IV. Proc. Royal Ent. Soc. London, (B) 15: 132-139.
- 604 1946o Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XXI. Jour. New York Ent. Soc., 54: 293-307.
- 605 1946p Notes on the Tanyderidae of the Australasian region (Diptera). Pan-Pacific Ent., 22: 51-55.
- 606 1946q Notes on the tropical American species of Tipulidae (Diptera). I. The genus Teucholabis Osten Sacken. Revista de Entomología, 17: 375-400; 14 text figs.
- 607 1946r New Nearctic crane-flies (Tipulidae, Diptera). Part XXVI. Can. Ent., 77: 204-208.
- 608 1946s New Nearctic crane-flies (Tipulidae, Diptera). Part XXVII. Can. Ent., 78: 155-159.
- 609 1946t New or little-known crane-flies. Part IV. Encycl. Ent., Diptera, 10: 91-104.
- 610 1946u Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). X. Ent. News, 57: 245-252.
- 611 1947a Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Pt. VIII. Ent. News, 58: 205-209.

- 612 1947b New species of Ptychopteridae (Diptera). Part III. Bul. Brooklyn Ent. Soc., 42: 19-24.
- 613 1947c Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XXII. Jour. New York Ent. Soc., 55: 173-184.
- 614 1947d New or little-known crane-flies from California (Tipulidae, Diptera). III. Bul. Southern California Acad. Sci., 46: 35-50; 2 pls. (7 figs.).
- 615 1947e Notes on the tropical American species of Tipulidae (Diptera). III. The specialized Eriopterini: Rhabdomastix, Cryptolabis, Erioptera, Molophilus, Styringomyia, Toxorhina, and allies. Revista de Entomologia, 18: 317-360; 32 text figs.
- 616 1947f Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). VII. Ent. News, 58: 61-67.
- 617 1947g Undescribed species of Tipulidae from the western United States (Diptera). Part III. Pan-Pacific Ent., 23: 91-96.
- 618 1947h New Nearctic crane-flies (Tipulidae, Diptera). Part XXVIII. Can. Ent., 79: 68-73.
- 619 1947i Tipulidae of the southeastern Pacific (Diptera). Occas. Papers Bishop Mus., 18: 337-347; 1 text fig.
- 620 1947j Undescribed species of Japanese crane-flies (Diptera: Tipulidae). Part VI. Ann. Ent. Soc. America, 40: 350-371.
- 621 1947k Notes on the tropical American species of Tipulidae (Diptera). II. The primitive Eripterini: Sigmatomera, Trentepholia, Gnophomyia, Neognophomyia, Gonomyia, and allies. Revista de Entomologia, 18: 65-100; 31 text figs.
- 622 1947l New or little-known Tipulidae (Diptera). LXXVII. Oriental-Australasian species. Ann. Mag. Nat. Hist., (11) 13: 740-767.
- 623 1947m Undescribed species of crane-flies from New Guinea in the South Australian Museum (Diptera; Tipulidae). Rec. South Australian Mus., 8: 585-606. (Adelaide).
- 624 1947n New or insufficiently-known crane-flies from the Nearctic region (Diptera, Tipulidae). Pt. VIII. Bul. Brooklyn Ent. Soc., 42: 131-135.
- 625 1947o New or little-known Tipulidae from Venezuela (Diptera). Pt. VII. Bol. de Ent. Venezolana, 6: 37-54; 5 text figs.

- 626 1947p New or little-known Tipulidae from Venezuela (Diptera). Pt. VIII. Bol. de Ent. Venezolana, 6: 55-74; 14 text figs.
- 627 1947q New or little-known Tipulidae from Venezuela (Diptera). Pt. IX. Bol. de Ent. Venezolana, 6: 74-105; 13 text figs.
- 628 1947r New or little-known Tipulidae (Diptera). LXXVIII. Oriental-Australasian species. Ann. Mag. Nat. Hist., (11) 14: 256-280.
- 629 1947s New or little-known Tipulidae (Diptera). LXXIX. Oriental-Australasian species. Ann. Mag. Nat. Hist., (11) 14: 388-414.
- 630 1947t New or little-known Tipulidae (Diptera). LXXX. Oriental-Australasian species. Ann. Mag. Nat. Hist., (11) 14: 552-577.
- 631 1948a Records and descriptions of North American crane-flies (Diptera). Pt. VII. The Tipuloidea of Utah, 1. American Midl. Nat., 39: 1-82; 62 text figs.
- 632 1948b New or little-known species of exotic Tipulidae (Diptera). V. Proc. Royal Ent. Soc. London, (B) 17: 18-24.
- 633 1948c New or insufficiently-known crane-flies from New Caledonia (Diptera: Tipulidae). Pt. I. Ann. Ent. Soc. America, 41: 137-148.
- 634 1948d Dr. Alfonso Dampf Tenson (1884-1948). Ent. News, 59: 89-91.
- 635 1948e Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Pt. IX. Ent. News, 59: 121-128.
- 636 1948f Notes on the tropical American species of Tipulidae (Diptera). IV. The primitive Hexatomini: Paradelphomyia, Austrolimnophila, Epiphragma, Lecteria, Polymera, and allies. Revista de Entomologia, 19: 149-190; 33 text figs.
- 637 1948g Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XXIII. Jour. New York Ent. Soc., 56: 137-148.
- 638 1948h The crane-flies of New Caledonia (Diptera, Tipulidae). Trans. Royal Ent. Soc. London, 99: 361-393; 36 text figs.
- 639 1948i Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Pt. X. Ent. News, 59: 207-214.

- 640 1948j Notes on the tropical American species of Tipulidae (Diptera). V. The specialized Hexatomini: Limnophila, Shannonomyia, Gynoplistia, Hextoma, Atarba, Elephantomyia, and allies. *Revista de Entomologia*, 19: 509-556; 36 text figs.
- 641 1948k New or little-known Tipulidae (Diptera). LXXXI. Oriental-Australasian species. *Ann. Mag. Nat. Hist.*, (12) 1: 391-417.
- 642 1948l New Nearctic crane-flies (Tipulidae, Diptera). Part XXIX. *Can. Ent.*, 80: 166-171.
- 643 1949a New or little-known Tipulidae (Diptera). LXXXII. Oriental-australasian species. *Ann. Mag. Nat. Hist.*, (12) 1: 639-663.
- 644 1949b Entomological results from the Swedish expedition 1934 to Burma and British India. Diptera: Tipulidae - Pediiciini. *Arkiv för Zoologi*, 42A (2): 1-21; 19 text figs.
- 645 1949c New or insufficiently-known crane-flies from the Nearctic region (Diptera, Tipulidae). Pt. IX. *Bul. Brooklyn Ent. Soc.*, 44: 15-20.
- 646 1949d Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Pt. XI. *Ent. News*, 60: 39-45.
- 647 1949e New species of crane-flies from South America. Pt. XIII. (Diptera: Tipulidae). *Ann. Ent. Soc. America*, 42: 101-119.
- 648 1949f New or little-known Tipulidae (Diptera). LXXXIII. Oriental-Australasian species. *Ann. Mag. Nat. Hist.*, (12) 2: 178-205.
- 649 1949g New or insufficiently-known crane-flies from the Nearctic region (Diptera, Tipulidae). Pt. X. *Bul. Brooklyn Ent. Soc.*, 44: 98-104.
- 650 1949h New or little-known Tipulidae (Diptera). LXXXIV. Oriental-Australasian species. *Ann. Mag. Nat. Hist.*, (12) 2: 431-454.
- 651 1949i New or little-known Tipulidae (Diptera) from Sao Paulo, Brasil. Pt. IV. *Revista de Entomologia*, 20: 461-497; 26 text figs.
- 652 1949j Records and descriptions of Tipulidae from tropical America (Diptera). Pt. VII. *Revista de Entomologia*, 20: 589-616; 40 text figs.

- 653 1949k New or little-known species of exotic Tipulidae (Diptera). VI. Proc. Royal Ent. Soc. London, (B) 18: 153-159.
- 654 1949l Records and descriptions of North American crane-flies (Diptera). Pt. VIII. The Tipuloidae of Washington, I. American Midl. Nat., 42: 257-333; 65 text figs.
- 655 1949m Records and descriptions of Neotropical crane-flies (Diptera). XXIV. Jour. New York Ent. Soc., 57: 253-265.
- 656 1949n New or little-known Tipulidae (Diptera). LXXXV. Oriental-Australasian species. Ann. Mag. Nat. Hist., (12) 2: 512-538.
- 657 1949o New or insufficiently-known crane-flies from the Nearctic region (Diptera, Tipulidae). Pt. XI. Bul. Brooklyn Ent. Soc., 44: 152-157.
- (Unnumbered) Enrique Schmidt (1864-1948). Ent. News, 60: 261-262.
- 658 1950a New or insufficiently-known crane-flies from the Nearctic region (Diptera, Tipulidae). Part XII. Bul. Brooklyn Ent. Soc., 45: 41-47.
- 659 1950b The Tipulidae (Order Diptera) of Rancho Grande, north-central Venezuela. Zoologica, 35: 33-56; 39 text figs.
- 660 1950c Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part XII. Ent. News, 61: 29-35.
- 661 1950d New or little-known Tipulidae (Diptera). LXXXVI. Oriental-Australasian species. Ann. Mag. Nat. Hist., (12) 3: 301-32<sup>4</sup>.
- 662 1950e Undescribed species of Tipulidae from the western United States. Part IV. (Diptera). Pan-Pacific Ent., 26: 81-85.
- 663 1950f New or little-known species of exotic Tipulidae (Diptera). VII. Proc. Royal Ent. Soc. London, (B) 19: 85-89.
- 664 1950g Notes on the tropical American species of Tipulidae (Diptera). VI. The tribe Limoniini, genus Limonia: Subgenera Limonia, Neolimnobia, Discobola, and Rhipidia. Revista de Entomologia, 21: 161-221; 42 text figs.
- 665 1950h New or little-known Tipulidae (Diptera). LXXXVII. Oriental-Australasian species. Ann. Mag. Nat. Hist., (12) 3: 672-695.

- 666 1950i Undescribed species of Japanese crane-flies (Diptera: Tipulidae). Part VII. Ann. Ent. Soc. America, 43: 156-160.
- 668 1950k Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part XI. Ent. News, 61: 163-171.
- 669 1950l New or little-known Tipulidae (Diptera). LXXXVIII. Oriental-Australasian species. Ann. Mag. Nat. Hist., (12) 3: 935-959.
- 670 1951a Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XXV. Jour. N.Y. Ent. Soc., 59: 99-110
- 671 1951b New or little-known Tipulidae from New Guinea (Tipulidae, Diptera). Part I. Treubia, 21: 1-9; 8 text figs.
- 672 1951c New or little-known crane-flies from Madagascar (Tipulidea, Diptera). Part I. Mém. de l'Inst. Scient. de Madagascar, A, 5: 33-63; 17 text figs.
- 673 1951d New or little-known Tipulidae (Diptera). LXXXIX. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 4: 576-606.
- 674 1951e New or little-known Tipulidae (Diptera). XC. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 4: 882-908.
- 675 1951f Doctor William Procter (1872-1951). Ent. News, 62: 237-241.
- 676 1951g New or insufficiently-known crane-flies from the Nearctic region (Diptera, Tipulidae). Part XIV. Bul. Brooklyn Ent. Soc., 46: 85-91.
- 677 1951h New or little-known Tipulidae (Diptera). XCI. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 4: 1072-1102.
- 678 1951i Notes on the tropical American species of the genus *Tipula* Linnaeus (Tipulidae, Diptera). Part IV. Revista de Entomologia, 22: 265-314; 24 figs. (sub. figs.).
- 679 1951j New or insufficiently-known crane-flies from Chile (Family Tipulidae, Order Diptera). Agricultura Técnica, 11: 5-19; 1 pl. (10 figs.).
- 680 1951k New or little-known Tipulidae from the Andes Mountains (Diptera). Rev. Chilena de Entom., 1: 5-14; 1 pl. (6 figs.).

- 681 1952a Guy Chester Crampton (1881-1951). Ent. News, 63: 1-3.
- 682 1952b New species of crane-flies from South America. Part XIV. Ann. Ent. Soc. America, 45: 119-135.
- 683 1952c Entomological results from the Swedish Expedition 1934 to Burma and British India. Diptera: Tipulidae. Eriopterini, I. Arkiv för Zool., (2) 3: 123-135; 16 text figs.
- 684 1952d A new genus of Trichoceridae from Japan (Diptera). Trans. Shikoku Ent. Soc., 3: 14-16; 1 text fig.
- 685 1952e The published writings of Charles Paul Alexander (1910-1950). Multolith, private, pp. 54; portrait.
- 686 1952f New or little-known Tipulidae (Diptera). XCII. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 5: 435-454.
- 687 1952g William Procter (1872-1951). Amer. Scientist, 40: 493-496; portrait.
- 688 1952h Undescribed species of Nematocerous Diptera. Part I. Bul. Brooklyn Ent. Soc., 47: 88-94.
- 689 1952i Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part XIII. Ent. News, 68: 233-237, 267-271.
- 690 1952j New or insufficiently-known crane-flies from Chile (Family Tipulidae, Order Diptera). Agricultura Técnica, 11: 99-118; 2 pls. (15 figs.).
- 691 1952k A new genus and species of net-winged midge from Madagascar (Diptera, Blepharoceridae). Mém. de l'Inst. Sci. de Madagascar, (E), 1: 227-230; 1 text fig.
- 692 1952l Los Insectos de las Islas Juan Fernandez. 5. Tipulidae (Diptera). Rev. Chilena de Entomología, 2: 35-80; 47 text figs.
- 693 1952m New or little-known Tipulidae (Diptera). XCIII. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 5: 1090-1111.
- 694 1952n Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XXVI. Jour. N.Y. Ent. Soc., 60: 245-254.
- 695 1952o Henry Torsey Fernald. Jour. Econ. Ent., 45: 1111-1112; portrait.

- 696 1952p New or little-known Tipuloidea (Diptera) from Argentina. Part I. *Acta Zool. Lilloana*, 10: 75-94; 9 text figs.
- 697 1952q The oriental Tipulidae in the collection of the Indian Museum. Part III. *Rec. Indian Mus.*, 50: 321-358; 56 sub-figs.; 15 text figs.
- 698 1953a Notes on the Tipulidae of Ecuador (Order Diptera). Part I. *Rev. Ecuat. Ent. Par.*, 1 (1): 1-9.
- 699 1953b Henry Torsey Fernald (1866-1952). *Ent. News*, 64: 85-88; portrait.
- 700 1953c New or little-known Tipulidae (Diptera). XCIV. Oriental Australasian species. *Ann. and Mag. Nat. Hist.*, (12) 6: 174-192.
- 701 1953d The insect fauna of Mt. Ishizuchi and Omogo Valley, Iyo, Japan. The Tipulidae (Diptera). *Trans. Shikoku Ent. Soc.*, 3: 71-83.
- 702 1953e Records and descriptions of Japanese Tipulidae (Diptera). Part I. The crane-flies of Shikoku, I. *Philippine Jour. Sci.*, 82: 21-75; 2 pls. (30 figs.).
- 703 1953f Undescribed species of Nematocerous Diptera. Part II. *Bul. Brooklyn Ent. Soc.*, 48: 41-49.
- 704 1953g Notes on the Tipulidae of Ecuador (Order Diptera). Part II. *Rev. Ecuat. Ent. Par.*, 1 (2): 6-15; 1 pl. (8 figs.).
- 705 1953h New or little-known crane-flies from Madagascar (Diptera, Tipuloidea). Part II. *Mém. de l'Institute Scient. de Madagascar*, (E), 3: 279-311; 30 text figs.
- 706 1953i Records and descriptions of Japanese Tipulidae (Diptera). Part II. The crane-flies of Shikoku, II. *Philippine Jour. Sci.*, 82: 141-179; 4 pls. (30 figs.).
- 707 1953j New or insufficiently-known crane-flies from Chile (Family Tipulidae, Order Diptera). Part 5. *Agricultura Técnica*, 13: 1-23; 2 pls. (20 figs.).
- 708 1953k Notes on the Tipulidae of Ecuador (Order Diptera). Part III. *Rev. Ecuat. Ent. Par.*, 1 (3): 29-41; 1 pl. (9 figs.)
- 709 1953l Records and descriptions of neotropical crane-flies (Tipulidae, Diptera). XXVII. *Jour. N.Y. Ent. Soc.*, 61: 147-157.
- 710 1953m Undescribed species of Nematocerous Diptera. Part III. *Bul. Brooklyn Ent. Soc.*, 48: 97-103.
- 711 1953n New or little-known Tipulidae (Diptera). XCV. Oriental-Australasian species. *Ann. and Mag. Nat. Hist.*, (12) 6: 739-757.

- 712 1953o New or little-known Tipulidae (Diptera). XCVI. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 6: 897-914.
- 713 1953p Entomological results from the Swedish Expedition 1934 to Burma and British India. Diptera: Tipulidae. Cylindrotominae, Limnoniinae, I. Arkiv för Zool. (6) 7: 155-166; 16 text figs.
- 714 1953q New species of crane-flies from South America, Part XV. Ann. Ent. Soc. America, 46: 599-617; 9 text figs.
- 715 1953r Notes on the Tipulidae of Ecuador (Order Diptera).. Part IV. Rev. Ecuat. Ent. Par. 1 (4): 77-95; 1 pl. (9 figs.).
- 716 1953s Records and descriptions of Japanese Tipulidae (Diptera). Part III. The crane-flies of Shikoku, III. Philippine Jour. Sci., 82: 263-308; 5 pls. (52 figs.).
- 717 1953t Records and descriptions of Chilean crane-flies. Tipulidae (Diptera). Part I. Rev. Chilena de Entom., 3: 7-21; 1 pl. (12 figs.).
- 718 1954a Records and descriptions of North American crane-flies (Diptera). Part IX. The Tipuloidea of Oregon, i. Amer. Midland Nat., 51: 1-86; 77 figs.
- 719 1954b Records and descriptions of Brazilian crane-flies (Diptera, Tipulidae). Rev. Brasil. de Ent., 1: 31-46; 9 figs.
- 720 1954c An undescribed crane-fly from the Hawaiian Islands (Diptera: Tipulidae). Proc. Hawaiian Ent. Soc., 15: 297-298.
- 721 1954d The Tipulidae of Mount Ishizuchi and the Omogo Valley, Iyo, Shikoku, Japan. First supplementary list. Trans. Shikoku Ent. Soc., 4: 23-31.
- 722 1954e New or little-known crane-flies from Mauritius (Tipulidae, Diptera). Part I. Mauritius Institute Bul., 3: 219-226; 8 figs.
- 723 1954f Stanley Willard Bromley (1899-1954). Ann. Ent. Soc. America, 47: 375-376.
- 724 1954g New or little-known Tipulidae (Diptera). XCVII. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 7: 593-610.
- 725 1954h Tipulidae from Shansi, North China (Diptera). Mushi, 27, pars 4: 23-32; 9 figs.
- 726 1954i Notes on the Tipulidae of Ecuador (Order Diptera). Part V. Rev. Ecuat. Ent. Par., 2: 51-64; 2 pls. (32 figs.).
- 727 1954j Notes on Tipulidae of Ecuador (Order Diptera). Part VI. Rev. Ecuat. Ent. Par., 2: 231-246; 2 pls. (18 figs.).

- 728 1954k New or little-known Tipulidae (Diptera). XCVIII. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 7: 895-912.
- 729 1954l Records and descriptions of Japanese Tipulidae (Diptera). Part IV. The crane-flies of Shikoku, IV. Philippine Jour. Sci., 83: 263-306; 4 pls. (45 figs.).
- 730 1955a Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part XIV. Ent. News, 66: 15-21.
- 731 1955b New or little-known species of Cladura from Japan (Diptera, Tipulidae). Bul. Brooklyn Ent. Soc., 50: 18-22.
- 732 1955c The crane-flies of Alaska and the Canadian Northwest (Tipulidae, Diptera). The genus Erioptera Meigen. Mus. Zool., Univ. Mich. Misc. Pub., 90: 1-33; 4 pls. (38 figs.).
- 733 1955d Contributions à l'étude de la fauna Entomologique du Ruanda-Urundi (Mission P. Basilewsky 1953). XXVII. Diptera Ptychopteridae et Tipulidae. Ann. Mus. Congo, Tervuren, Zool. 36: 267-282; 15 figs.
- 734 1955e Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part XV. Ent. News, 66: 125-132.
- 735 1955f "Diptera" in "A Century of progress in the Natural Sciences." Calif. Acad. Sci., pp. 578-585.
- 736 1955g Undescribed species of Japanese crane-flies (Diptera: Tipulidae). Part VIII. Ann. Ent. Soc. America, 48: 364-374; 6 figs. (sub.-figs.).
- 737 1955h Records and descriptions of Neotropical crane-flies (Tipulidae, Diptera). XXVIII. Jour. N.Y. Ent. Soc., 62: 139-152.
- 738 1955i The crane-flies of the subantarctic islands of New Zealand (Diptera). Rec. Dom. Museum (N.Z.), 2: 233-239; 2 figs.
- 739 1955j New or little-known Tipulidae (Diptera). XCIX. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 8: 657-674.
- 740 1955k Distribution of crane-flies in the State of Colorado. Amer. Phil. Society, Year Book 1955: 122-125.
- 741 1955l Tipulidae nouveaux ou peu connus de Madagascar (Diptera). III. Mém. de l'Inst. Scient. Madagascar, (E), 6: 283-318; 40 text figs.
- 742 1955m Tipulidae nouveaux ou peu connus de Madagascar (Diptera). IV. Mém. de l'Inst. Scient. Madagascar, (E), 6: 319-348; 33 text figs.

- 743 1956a New or little-known Tipulidae (Diptera). C. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 9: 36-53.
- 744 1956b Undescribed crane-flies from tropical America (Diptera, Tipulidae). Part I. Bul. Brooklyn Ent. Soc., 51: 22-25.
- 745 1956c Undescribed species of Nematocerous Diptera. Part IV. Bul. Brooklyn Ent. Soc., 51: 75-81.
- 746 1956d Two new crane-flies from Point Barrow, Alaska (Tipulidae: Diptera). Pan-Pacific Ent., 32: 123-125.
- 747 1956e Undescribed species of crane-flies from the eastern United States and Canada (Dipt.: Tipulidae). Part XII. Ent. News, 67: 177-188.
- 748 1956f Ruwenzori Expedition 1934-35. British Mus. (Nat. Hist.). Vol. 1, No. 7, Tipulidae, pp. 129-380; 221 figs.
- 749 1956g Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part XVI. Ent. News, 67: 210-216.
- 750 1956h The crane-flies of South Africa in the Natal Museum (Diptera: Tipulidae). Part I. Ann. Natal Mus., 13: 395-406; 12 figs.
- 751 1956i The crane-flies of South Africa in the Natal Museum (Diptera: Tipulidae). Part II. Ann. Natal Mus., 13: 406-419; 11 figs.
- 752 1956j The crane-flies of South Africa in the Natal Museum (Diptera: Tipulidae). Part III. Ann. Natal Mus., 13: 419-433; 17 figs.
- 753 1956k New or little-known crane-flies from Mauritius (Tipulidae, Diptera). Part II. Mauritius Institute Bul. 3: 287-299; 13 figs.
- 754 1956l New or little-known Tipulidae (Order Diptera) in the Durban Museum. Part I. Durban Mus. Novitates, 4 (18): 293-327; 3 pls. (21 figs.).
- 755 1956m New or little-known Tipulidae (Diptera). CI. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 9: 145-163.
- 756 1956n Records and descriptions of Tropical African crane-flies (Tipulidae, Diptera). Rev. de Zool. Africaines, 54: 316-337; 2 pls. (20 figs.).
- 757 1956o Records and descriptions of neotropical crane-flies (Tipulidae, Diptera). XXIX. Jour. N.Y. Ent. Soc., 63: 111-122.

- 758 1957a Records and description of Japanese Tipulidae (Diptera). Part V. The crane-flies of Honshu, I. Philippine Jour. Sci., 85: 349-388; 2 maps, 4 pls. (43 figs.).
- 759 1957b New or little-known Tipulidae (Diptera). CII. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 10: 97-115.
- 760 1957c New or little-known Tipulidae (Diptera). CIII. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 10: 177-193.
- 761 1957d Les Tipulidae de la Réunion (Diptera). Mém. de l'Inst. Scient. Madagascar, (e), 8: 287-303; 10 figs.
- 762 1957e James Speed Rogers, 1891-1955. Ent. News, 68: 85-88; portrait.
- 763 1957f Les Ptychopteridae et Dixidae de Madagascar (Diptera). de Naturaliste Malgache, 9: 95-101; 6 figs.
- 764 1957g Mission du Museum national dans les Iles du Golfe de Guine. Entomologie IV. Crane-flies from the Gulf of Guine (Dipt., Tipulidae). Revue Francaise d'Entomologie, XXIV, Fasc. 3: 255-263; 7 figs.
- 765 1957h New or little-known Tipulidae (Diptera). CIV. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (12) 10: 287-304.
- 766 1957i Undescribed species of crane-flies from the Himalaya mountains (Tipulidae, Diptera). I. Jour. N.Y. Ent. Soc., 64: 137-147.
- 767 1957j The crane-flies from southern Rhodesia in the Natal Museum (Diptera: Ptychopteridae and Tipulidae). Ann. Natal Mus., 14: 131-154; 22 figs.
- 768 1958a New or little-known Tipulidae from Tropical Africa. Diptera. Part I. Bull. Inst. Francais d'Afrique Noire (IFAN), Ser. A., 20: 117-141; 19 figs.
- 769 1958b Undescribed species of crane-flies from the Himalaya mountains (Tipulidae, Diptera). II. Jour. N.Y. Ent. Soc., 65: 147-157.
- 770 1958c Tipulidae nouveaux ou peu connus de Madagascar (Diptera). V. Mém. de l'Inst. Scient. Madagascar, (E), 9: 229-256; 22 figs.
- 771 1958d Undescribed species of Nemotocerous Diptera. Part V. Bul. Brooklyn Ent. Soc., 53: 48-52.

- 772 1958e Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part XVII. Ent. News, 69: 129-136.
- 773 1958f Undescribed species of western Nearctic Tipulidae (Diptera). III. Great Basin Nat., 18: 31-36.
- 774 1958g Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part XVIII. Ent. News, 69: 215-221.
- 775 1958h Records and descriptions of Japanese Tipulidae (Diptera). Part VI. The crane-flies of Honshu, II. Philippine Jour. Sci., 86: 281-330; 8 pls. (66 figs.).
- 776 1958i New or little-known Tipulidae (Diptera). CV. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (13) 1: 213-231; 12 figs.
- 777 1958j Geographical distribution of the net-winged midges (Blepharoceridae, Diptera). Proc. Tenth Internat. Congress Ent., 1: 813-828; 3 maps, 23 figs.
- 778 1958k Undescribed species of Japanese Tipulidae (Diptera). Part I. Trans. Shikoku Ent. Soc., 6: 1-8; 4 figs.
- 779 1958l New or little-known Tipulidae from eastern Asia (Diptera). XLV. Philippine Jour. Sci., 86: 405-452; 4 pls. (57 figs.).
- 780 1958m Enrique Schmidt (1864-1948). Ent. News, 60: 261-262.
- 781 1958n The crane-flies of South Africa in the Natal Museum (Diptera: Tipulidae). Part IV. Ann. Natal Museum, 14: 253-278; 28 figs.
- 782 1958o New or little-known Tipulidae (Diptera). CVI. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (13) 1: 657-676; 9 figs.
- 783 1958p Undescribed species of crane-flies from the Himalaya mountains (Tipulidae, Diptera). III. Jour. N.Y. Ent. Soc., 66: 161-170.
- 784 1958q New or little-known South American crane-flies (Diptera, Tipulidae). Rev. Chilena de Entom., 5: 193-204; 10 figs.
- 785 1958r New or little-known Tipulidae from the Comoro Islands. I. (Diptera). Mém. de l'Inst. Scient. Madagascar, (E), 10: 81-95; 11 figs.
- 786 1959a Herbert Simpson Parish (1870-1957). Ent. News, 70: 29-32.
- 787 1959b Undescribed species of crane-flies from the western United states and Canada (Dipt.: Tipulidae). Part XIX. Ent. News, 70: 47-54.

- 788 1959c Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part XX. Ent. News, 70: 69-78.
- 789 1959d Undescribed species of nematocerous Diptera. Part VI. Bul. Brooklyn Ent. Soc., 54: 37-43.
- 790 1959e New or little-known Tipulidae from southeastern Africa. Part I. Jour. Ent. Soc. S. Africa, 22: 51-63; 14 figs.
- 791 1959f Undescribed species of nematocerous Diptera. Part VII. Bul. Brooklyn Ent. Soc., 54: 53-59.
- 792 1959g Undescribed species of Tipulidae from the western United States. Part V. Pan-Pacific Ent., 35: 123-134.
- 793 1959h Insecta-Amapaensis. - Diptera: Tipulidae. Studia Ent., 2: 445-455: 6 figs.
- 794 1959i New or little-known Tipulidae (Diptera). CVII. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (13) 1: 769-786; 15 figs.
- 795 1959j Undescribed species of crane-flies from the Himalaya mountains (Tipulidae, Diptera). IV. Jour. N.Y. Ent. Soc., 67: 223-235.
- 796 1959k Undescribed species of nematocerous Diptera. Part VIII. Bul. Brooklyn Ent. Soc., 54: 129-135.
- 797 1959l New or little-known Tipulidae (Diptera). CVIII. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (13) 2: 449-464; 15 figs.
- 798 1959m New or little-known Tipulidae from eastern Asia (Diptera). XLVI. Philippine Jour. Sci., 88: 137-184; 5 pls. (54 figs.).
- 799 1959n New or little-known Tipulidae (Diptera). CIX. Oriental-Australasian species. Ann. and Mag. Nat. Hist., (13) 2: 607-625; 21 figs.
- 800 1960a New exotic crane-flies (Tipulidae: Diptera). Part I. Ent. News, 71: 15-20.
- 801 1960b Results of the Archbold Expeditions. No. 81. The crane-flies of the Fourth Archbold Expedition to New Guinea (Diptera, Tipulidae). I. Amer. Mus. Novitates 1983: 1-24; 22 figs.
- 802 1960c The development of American Dipterology. Trans. Amer. Ent. Soc., 85: 303-313.
- 803 1960d The crane-flies of South Africa in the Natal Museum (Diptera: Tipulidae). Part V. Ann. Natal Mus., 14: 369-398; 36 figs.

- 804 1960e New or little-known crane-flies from Portuguese East Africa (Diptera: Tipulidae). *Ann. Natal Mus.*, 15: 1-43; 40 figs.
- 805 1960f New exotic crane-flies (Tipulidae: Diptera). Part II. *Ent. News*, 71: 237-243.
- 806 1960g Undescribed species of crane-flies from the Himalaya mountains (Tipulidae, Diptera). *V. Jour. N.Y. Ent. Soc.*, 68: 135-144.
- 807 1960h New or little-known species of exotic Tipulidae (Diptera). VIII. *Proc. Royal Ent. Soc. London*, (B) 29: 160-164; 10 figs.
- 808 1960i Tipulidae nouveaux ou peu connus de Madagascar (Diptera). VI. *Mém. de l'Inst. Scient. Madagascar*, (E), 11: 173-199; 24 figs.
- 809 1960j Tipulidae nouveaux ou peu connus de Madagascar (Diptera). VII. *Mém. de l'Inst. Scient. Madagascar*, (E), 11: 201-246; 45 figs.
- 810 1960k Undescribed species of nematocerous Diptera. Part IX. *Bul. Brooklyn Ent. Soc.*, 55: 114-120.
- 811 1960l New or little-known Tipulidae (Diptera). CX. Oriental-Australasian species. *Ann. and Mag. Nat. Hist.*, (13) 3: 737-752; 17 figs.
- 812 1960m New or little-known Tipulidae from eastern Asia (Diptera). XLVII. *Philippine Jour. Sci.*, 89: 221-274; 5 pls. (62 figs.)
- 813 1961a New or little-known Tipulidae from eastern Asia (Diptera). XLVIII. *Philippine Jour. Sci.*, 90: 97-149; 4 pls. (35 figs.)
- 814 1961b A new cave-inhabiting crane-fly from Malaya (Diptera: Tipulidae). *Pacific Insects*, 3 (1): 27-29; 2 figs.
- 815 1961c New exotic crane-flies (Tipulidae: Diptera). Part III. *Ent. News*, 72: 113-121.
- 816 1961d Undescribed species of western nearctic Tipulidae (Diptera) IV. *Great Basin Nat.*, 21: 11-16.
- 817 1961e New or little-known Tipulidae from eastern Asia (Diptera). XLIX. *Philippine Jour. Sci.*, 80: 156-214; 6 pls. (76 figs.)
- 818 1961f New or little-known Tipulidae (Diptera). CXI. Oriental-Australasian species. *Ann. and Mag. Nat. Hist.*, (13) 4: 17-32; 15 figs.
- 819 1961g Undescribed species of crane-flies from the Himalaya mountains (Tipulidae, Diptera). VI. *Jour. N.Y. Ent. Soc.*, 69: 121-130.

- 820 1961h New or little-known Tipulidae from eastern Asia (Diptera). L. Philippine Jour. Sci., 90: 397-445; 3 pls. (29 figs.).
- 821 1961i The Himalayan species of the genus *Phyllolabis* Osten Sacken (Diptera: Tipulidae). Trans. Royal Ent. Soc. London, 113: 139-153; 21 figs.
- 822 1961j Tipulidae nouveaux ou peu connus de Madagascar (Diptera). VIII. Mém. de l'Inst. Scient. Madagascar, (E), 12: 207-235; 41 figs.
- 823 1961k New or little-known crane-flies from New Guinea (Diptera: Tipulidae). Part I. Pacific Insects, 3(4): 485-506; 24 figs.
- 824 1961l Undescribed species of nematocerous Diptera. Part X. Bul. Brooklyn Ent. Soc., 56: 121-127.
- 825 1961m New or little-known species of exotic Tipulidae (Diptera). IX. Proc. Royal Ent. Soc. London, (B) 30: 167-172; 12 figs.
- 826 1961n Undescribed species of nearctic Tipulidae (Diptera). I. Great Basin Nat., 21: 79-86.
- 827 1961o New exotic crane-flies (Tipulidae: Diptera). Part IV. Ent. News, 72: 235-243.
- 828 1962a Results of the Archbold Expeditions. No. 82. The crane-flies of the Fourth Archbold Expedition to New Guinea (Diptera, Tipulidae). 2. Amer. Mus. Novitates, 2073: 1-22; 19 figs.
- 829 1962b Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). VII. Jour. N.Y. Ent. Soc., 70: 10-16.
- 830 1962c Undescribed species of nematocerous Diptera. Part XI. Bul. Brooklyn Ent. Soc., 57: 33-39.
- 831 1962d New exotic crane-flies (Tipulidae: Diptera). Part V. Ent. News, 73: 122-129.
- 832 1962e A new cave-inhabiting crane-fly (Tipulidae, Diptera) from New Zealand. New Zealand Jour. Sci., 5: 137-140; 3 figs.
- 833 1962f New or little-known Tipuloidea (Diptera) from Argentina. II. Acta. Zool. Lilloana, 18: 335-358; 23 figs.
- 834 1962g Beiträge zur Kenntnis der Insektenfauna Boliviens, XVII. Diptera II. The crane-flies (Tipulidae, Diptera). Veröff. Zool. Staatssamml. München, 7: 9-159; 140 figs.
- 835 1962h Undescribed species of nearctic Tipulidae (Diptera). II. Great Basin Nat., 22: 1-7.
- 836 1962i New exotic crane-flies (Tipulidae: Diptera). Part VI. Ent. News, 73: 209-216.

- 837 1962j The crane-flies of the Galapagoes Islands. Opusc. Zool. (Munich), 61: 1-5; 6 figs.
- 838 1962k Insects of Macquarie Island. Diptera: Tipulidae. Pacific Insects, 4 (4): 939-944; 6 figs.
- 839 1962l The crane-flies of Maine. Univ. Maine, Agr. Exp. Stat. Bul. T<sub>4</sub>, Technical series, pp. 24.
- 840 1962m Taxonomix studies of crane-flies of Newfoundland. Amer. Phil. Soc. Year Book 1962: 267-271.
- 841 1962n Mission Zool. I.R.S.A.C. en Afrique Orientale. P. Basilewsky et N. Leleup, 1957. LXXX. Diptera, Tipulidae. Ann. Mus. Royal Afr. Centr., Zool. 110: 343-362; 12 figs.
- 842 1963a Undescribed species of nematocerous Diptera. Part XII. Bul. Brooklyn Ent. Soc., 58: 6-11.
- 843 1963b Classification and synonymy of the crane-flies described by Enrico Brunetti (Diptera: Families Ptychopteridae, Trichoceridae, and Tipulidae). Rec. Indian Mus. 59 (1 and 2): 19-34.
- 844 1963c New exotic crane-flies (Tipulidae: Diptera). Part VII. Ent. News, 74: 99-106.
- 845 1963d New or little-known species of exotic Tipulidae (Diptera). X. Proc. Royal Ent. Soc. London, (B) 32: 25-31; 11 figs.
- 846 1963e Guide to the insects of Connecticut. Part VI. Diptera, Fasc. 8. Conn. State Geol. and Nat. Hist. Surv. Bul. 93: 39-83; 36 figs.
- 847 1963f New or little-known Tipulidae from eastern Asia (Diptera). LI. Philippine Jour. Sci., 92: 205-246; 4 pls. (45 figs.).
- 848 1963g Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). VIII. Jour. N.Y. Ent. Soc., 71: 73-80.
- 849 1963h The crane-flies of Angola (families Ptychopteridae and Tipulidae: Diptera). Publ. Cult. Co. Diam. Ang., Lisbon, 66: 11-44; 41 figs.
- 850 1963i New or little-known Tipulidae from eastern Asia (Diptera). LIII. Philippine Jour. Sci., 92: 383-419; 3 pls. (38 figs.).
- 851 1963j The crane-flies of Madagascar in the Natural History Museum, Basel, collected by Fred Keiser. Verhandl. Natur. Ges. Basel 74 (2): 181-229; 95 figs.

- 852 1963k Undescribed species of nearctic Tipulidae (Diptera). III. Great Basin Nat., 23: 159-165.
- 853 1963l Some Tipulidae from Tibet and upper Burma in the British Museum (Natural History) (Diptera). Bul. British Mus. (Nat. Hist.) Ent., 14 (7): 319-340; 18 figs.
- 854 1964a New exotic crane-flies (Tipulidae: Diptera). Part VIII. Ent. News, 75: 15-24.
- 855 1964b New exotic crane-flies (Tipulidae: Diptera). Part IX. Ent. News, 75: 57-65.
- 856 1964c Undescribed species of nearctic Tipulidae (Diptera). IV. Great Basin Nat., 24: 19-25.
- 857 1964d New or little-known species of Asiatic Tipulidae (Diptera). I. Trans. Amer. Ent. Soc., 90: 205-234; 34 figs.
- 858 1964e The crane-flies of Jamaica (Diptera, Tipulidae). Bul. Inst. Jamaica, Sci. Ser. 14, pp. 86; 8 pls. (97 figs.).
- 859 1964f Insects of Campbell Island. Diptera: Trichoceridae and Tipulidae. Pacific Insects, Monograph 7: 272-279; 10 figs.
- 860 1964g Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). IX. Jour. N.Y. Ent. Soc., 72: 168-173.
- 861 1964h Diptera (Nematocera): Tanyderidae, Ptychopteridae, Tipulidae. S. African Animal Life, Vol. X, Chap. III: 229-441; 124 figs.
- 862 1964i New or little-known Tipulidae from eastern Asia (Diptera). LIII. Philippine Jour. Sci., 93: 77-130; 6 pls. (52 figs.).
- 863 1964j New or little-known species of exotic Tipulidae (Diptera). XI. Proc. Royal Ent. Soc. London, (B) 33: 151-156; 13 figs.
- 864 1964k Undescribed species of nearctic Tipulidae (Diptera). V. Great Basin Nat., 24: 117-122.
- 865 1964l New or little-known Tipulidae from eastern Asia (Diptera). LIV. Philippine Jour. Sci., 93: 277-324; 5 pls. (54 figs.).
- 866 1964m New or little-known Tipulidae from eastern Asia (Diptera). LV. Philippine Jour. Sci., 93: 427-478; 5 pls. (54 figs.).
- 867 1965a New exotic crane-flies (Tipulidae: Diptera). Part X. Ent. News, 76: 41-48.
- 868 1965b New or little-known Tipulidae from Madagascar (Diptera). Trans. Amer. Ent. Soc., 91: 39-83; 56 figs.
- 869 1965c Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). X. Jour. N.Y. Ent. Soc., 73: 33-38.

- 870 1965d A new net-winged midge from Idaho (Blepharoceridae, Diptera). Great Basin Nat., 25: 1-3.
- 871 1965e New subgenera and species of crane-flies from California (Diptera: Tipulidae). Pacific Insects, 7: 333-386; 33 figs.
- 872 1965f Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). XI. Jour. N.Y. Ent. Soc., 73: 163-167.
- 873 1965g New exotic crane-flies (Tipulidae: Diptera). Part XI. Ent. News, 76: 213-222.
- 874 1965h In A Catalog of the Diptera of America north of Mexico, pp. iv + 1-1696. U.S.D.A. Agr. Research Service, August 1965. Trichoceridae, pp. 15-16 - Tipulidae, pp. 16-90 - Tanyderidae, p. 90 - Ptychopteridae, pp. 97-98 - Anisopodidae, pp. 190-191 - Pachyneuridae, p. 196. (No reprints).
- 875 1965i New or little-known species of exotic Tipulidae (Diptera). XII. Proc. Royal Ent. Soc. London, (B) 34: 98-104; 16 figs.
- 876 1965j New species of crane-flies from tropical America (Diptera: Tipulidae). I. Jour. Kansas Ent. Soc., 38: 401-407.
- 877 1965k Undescribed species of nearctic Tipulidae (Diptera). VI. Great Basin Nat., 15: 49-53.
- 878 1965l Undescribed or little-known tropical American Tipulidae (Diptera). Part I. Studia Ent., 8: 337-352; 8 figs.
- 879 1965m Undescribed species of nemtocerous Diptera. Part XIII. Bul. Brooklyn Ent. Soc., 58: 133-138.
- 880 1965n New or little-known Tipulidae from eastern Asia (Diptera). LVI. Philippine Jour. Sci., 94: 235-286; 5 pls. (50 figs.).
- 881 1965o New or little-known Tipulidae from eastern Asia (Diptera). LVII. Philippine Jour. Sci., 94: 397-434; 5 pls. (48 figs.).
- 882 1965p New or little-known Tipulidae from eastern Asia (Diptera). LVIII. Philippine Jour. Sci., 94: 535-582; 7 pls. (61 figs.).
- 883 1966a New exotic crane-flies (Tipulidae: Diptera). Part XII. Ent. News, 77: 69-78.
- 884 1966b New subgenera and species of crane-flies from California (Ptychopteridae and Tipulidae: Diptera). Trans. Amer. Ent. Soc. 92: 103-132; 15 figs.
- 885 1966c Records and descriptions of Tipulidae from South America (Diptera). I. Papéis Avulsos do Dept. de Zool. 18 (18): 221-229.

- 886 1966d New or little-known species of exotic Tipulidae (Diptera). XIII. Proc. Royal Ent. Soc. London, (B) 35: 65-71; 15 figs.
- 887 1966e (1964-1965) New species of eriopterine crane-flies from southern Asia (Tipulidae: Diptera). Bul. Brooklyn Ent. Soc., 59-60: 1-22.
- 888 1966f Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). XII. Jour. N.Y. Ent. Soc., 74: 66-71.
- 889 1966g The crane-fly fauna of the southern Kuriles (Tipulidae, Diptera). Mushi, 39 (11): 119-126.
- 890 1966h The Diptera or true flies of Connecticut. Part VI. First Fascicle. Conn. State Geol. and Nat. Hist. Survey, Bull. 64: 1-509.
- 891 1966i New exotic crane-flies (Tipulidae: Diptera). Part XIII. Ent. News, 77: 217-225.
- 892 1966j Undescribed species of Nearctic Tipulidae (Diptera). VII. Great Basin Nat., 26: 1-8.
- 893 1966k New species of crane-flies from tropical America (Diptera: Tipulidae). II. Jour. Kansas Ent. Soc., 39: 695-705.
- 894 1966l Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). XIII. Jour. N.Y. Ent. Soc., 74: 180-184.
- 895 1966m Undescribed or little-known tropical American Tipulidae (Diptera). Part II. Studia Ent., 9: 465-500; 22 figs.
- 896 1966n Grand Manan. Sanctuary News, 26 (5): 3-8. (No reprints.).
- 897 1966o New or little-known Tipulidae from eastern Asia (Diptera). LIX. Philippine Jour. Sci., 95: 79-120; 5 pls. (45 figs.).
- 898 1966p New or little-known Tipulidae from eastern Asia (Diptera). LX. Philippine Jour. Sci., 95: 227-266; 5 pls. (54 figs.).
- 899 1966q New or little-known Tipulidae from eastern Asia (Diptera). LXI. Philippine Jour. Sci., 95: 353-400; 7 pls. (55 figs.).
- 900 1967a Ann Haven Morgan, 1882-1966. Eatonia, 8: 1-2. (No reprints)
- 901 1967b Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). XIV. Jour. N.Y. Ent. Soc., 75: 24-28.
- 902 1967c New exotic crane-flies (Tipulidae: Diptera). Part XIV. Ent. News, 78: 189-195.
- 903 1967d New or little-known species of exotic Tipulidae (Diptera). XIV. Proc. Royal Ent. Soc. London, (B) 36: 61-68; 16 figs.
- 904 1967e New species of crane-flies from tropical America (Diptera: Tipulidae). III. Jour. Kansas Ent. Soc., 40: 373-381.

- 905 1967f A new species of crane-fly from Ghana (Diptera, Tipulidae). *Entomologist*, May 1967: 124-127; 4 figs.
- 906 1967g Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). XV. *Jour. N.Y. Ent. Soc.*, 75: 183-187.
- 907 1967h The crane-flies of California. *Bul. Calif. Insect Survey*, Vol. 8: 5 + 269 pp.; 1 pl., 106 maps, 524 text figs.
- 908 1967i A catalogus of the Diptera of the Americas south of the United States. 3. Family Trichoceridae, pp. 3.1 - 3.4. (With Mabel M. Alexander) Dept. de Zool., Secretaria de Agri., Sao Paulo, Brazil.
- 909 1967j A catalogue of the Diptera of the Americas south of the United States. 5. Family Tanyderidae, pp. 5.1 - 5.3. (With Mabel M. Alexander). Dept. de Zool., Secretaria de Agri., Sao Paulo, Brazil.
- 910 1967k Notes on the tropical American species of Tipulidae (Diptera). VII. The tribe Limoniini, genus Limonia, concluded: Helius, Orimarga, and others; tribe Pediciini; subfamily Cylindrotominae. *Studia Ent.*, 10: 277-352; 78 figs.
- 911 1967l Undescribed or little-known tropical American Tipulidae (Diptera). Part III. *Studia Ent.*, 10: 449-472; 15 figs.
- 912 1967m New and little-known Indian crane-flies (Tipulidae, Diptera). I. *Oriental Insects*, 1 (3-4): 197-209; 9 figs.
- 913 1967n New or little-known Tipulidae from eastern Asia (Diptera). LXII. *Philippine Jour. Sci.*, 96: 29-72; 7 pls.
- 914 1968a New exotic crane-flies (Tipulidae: Diptera). Part XV. *Ent. News*, 79: 35-43.
- 915 1968b Records and descriptions of Tipulidae from South America (Diptera). II. *Papéis Avulsos do Dept. de Zool.*, 21 (8): 87-97.
- 916 1968c Undescribed species of nearctic Tipulidae (Diptera). VIII. *Great Basin Nat.*, 28: 16-23.
- 917 1968d New or little-known species of exotic Tipulidae (Diptera). XV. *Proc. Royal Ent. Soc. London*, (B) 37: 43-49; 13 figs.
- 918 1968e New species of crane-flies from tropical America (Diptera: Tipulidae). IV. *Jour. Kansas Ent. Soc.*, 41: 209-220.
- 919 1968f Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). XVI. *Jour. N.Y. Ent. Soc.*, 76: 66-71.
- 920 1968g New exotic crane-flies (Tipulidae: Diptera). Part XVI. *Ent. News*, 79: 240-248.

- 921 1968h Undescribed species of nearctic Tipulidae (Diptera). IX. Great Basin Nat., 28: 113-123.
- 922 1968i The crane-flies (Trichoceridae and Tipulidae: Diptera). Khumbu Himal, 3, Lfg. 1: 82-100; 19 figs.
- 923 1968j New or little-known Tipulidae from Chile and Peru (Diptera: Tipulidae). Part I. Rev. Chilena de Ent. 6: 21-36; 29 figs.
- 924 1969a Baron Osten Sacken and his influence on American Dipterology. Ann. Rev. Entom. 14: 1-18; portrait.
- 925 1969b A new subfamily of winter crane-flies (Diptera: Trichoceridae). Pan-Pacific Ent., 45: 51-53; 3 figs.
- 926 1969c New species of crane-flies from tropical America. V. (Diptera: Tipulidae). Jour. Kansas Ent. Soc., 42: 83-90.
- 927 1969d Undescribed species of Japanese Tipulidae (Diptera). Part II. Trans. Shikoku Ent. Soc. 10 (2): 33-40; 13 figs.
- 928 1969e Undescribed species of nearctic Tipulidae (Diptera). X. Great Basin Nat. 29: 1-10.
- 929 1969f Undescribed species of crane flies from the Himalaya mountains (Diptera: Tipulidae). XVII. Jour. N.Y. Ent. Soc. 77: 61-65.
- 930 1969g New exotic crane-flies (Tipulidae: Diptera). Part XVII. Ent. News, 80: 125-130.
- 931 1969h New or little-known species of exotic Tipulidae (Diptera). XVI. Proc. Royal Ent. Soc. London, (B) 38: 33-39; 9 figs.
- 932 1969i Records and descriptions of Tipulidae from South America (Diptera). III. Papéis Avulsos do Dept. de Zool., 22: 231-243.
- 933 1969j New and little-known Idian craneflies (Diptera: Tipulidae) II. Oriental Ins., 3 (1): 1-13; 14 figs.
- 934 1969k New or little-known species of Asiatic Tipulidae (Diptera) II. Trans. Amer. Ent. Soc., 95: 459-515; 48 figs.
- 935 1969l A new species of crane fly associated with the plant genus Lopezia in Mexico. (Diptera: Tipulidae). Pan-Pacific Ent., 45: 291-293; 1 fig.
- 936 1969m New exotic crane-flies (Tipulidae: Diptera). Part XVIII. Ent. News, 80: 259-264; 2 figs.

- 937 1969n Notes on the tropical American species of Tipulidae (Diptera). VIII. Subfamily Tipulinae. *Studia Ent.*, 12: 161-244; 70 figs.
- 938 1969o A revision of the Tropical American species of the genus *Lecteria* Osten-Sacken (Tipulidae, Diptera). *Studia Ent.*, 12: 321-340; 15 figs.
- 939 1969p Undescribed Neotropical Trichoceridae and Tipulidae (Diptera). *Studia Ent.*, 12: 341-382; 44 figs.
- 940 1969q Three undescribed Pediciine crane flies from the eastern Himalayas (Tipulidae, Diptera). *Bonner Zool. Beiträge*, 20: 335-340; 6 figs.
- 941 1969r Undescribed species of crane-flies from the Himalaya mountains (Diptera: Tipulidae). XVIII. *Jour. N.Y. Ent. Soc.*, 77: 199-203.
- 942 1970a New and little-known Indian craneflies (Diptera: Tipulidae) III. *Oriental Ins.*, 4 (1): 77-88; 24 figs.
- 943 1970b New species of crane-flies from tropical America. VI. (Diptera: Tipulidae). *Jour. Kansas Ent. Soc.*, 43: 115-121.
- 944 1970c New exotic crane-flies (Tipulidae: Diptera). Part XIX. *Ent. News*, 81: 79-84; 7 figs.
- 945 1970d An undescribed species of *Orimarga* from Israel (Tipulidae: Diptera). *Bonner Zool. Beiträge*, 21 (1-2): 145-148; 2 figs.
- 946 1970e Bredin-Archbold-Smithsonian Biological Survey of Dominica. The crane flies (Diptera: Tipulidae). *Smithson. Cont. to zool.*, No. 45: 1-59; 68 figs.
- 947 1970f A catalogue of the Diptera of the Americas south of the United States. Family Tipulidae. *Museu de Zoologia, Univ. de Sao Paulo, Brazil*, pp. 259. (With Mabel M. Alexander)
- 948 1970g New or little-known species of Asiatic Tipulidae (Diptera). III. *Trans. Amer. Ent. Soc.*, 96: 307-352; 41 figs.
- 949 1970h New or little-known species of exotic Tipulidae (Diptera). XVII. *Proc. Royal ent. Soc. London*, (B) 39: 73-78; 9 figs.
- 950 1970i Undescribed species of Japanese Tipulidae (Diptera). Part III. *Trans. Shikoku Ent. Soc.*, 10: 67-78; 15 figs.
- 951 1970j New exotic crane-flies (Tipulidae: Diptera). Part XX. *Ent. News*, 81: 233-240.
- 952 1970k New or little-known Tipulidae from Middle America (Diptera). I. *Great Basin Naturalist*, 30 (4): 232-241.
- 953 1970l New or insufficiently known African crane-flies (Dipt. Tipulidae). *Studia Entomologica*, 13 (1-4): 257-310.

- 954 1970m Undescribed Species of Crane Flies from the Himalaya Mountains (Diptera: Tipulidae). XIX. J. of the New York Ent. Soc., 78 (4): 201-205.
- 955 1970n The published writings of Charles Paul Alexander 1951-1970 Nos. 670-950.
- 956 1971a New species of crane flies from tropical America (Diptera: Tipulidae). VII. J. of the Kansas Ent. Soc., 44 (1): 103-110.
- 957 1971b New exotic crane flies (Tipulidae: Diptera). Part XXI. Ent. News, 82: 113-120.
- 958 1971c New and little-known Indian Craneflies (Diptera: Tipulidae) IV. Oriental Insects, 5 (1): 73-82.
- 959 1971d Undescribed species of Japanese Tipulidae (Diptera). Part IV. Trans. Shikoku Ent. Soc., 11 (1): 1-13.
- 960 1971e New or little-known species of Asiatic Tipulidae (Diptera) IV. Trans. Amer. Ent. Soc., 97: 361-412.
- 961 1971f New or little-known species of exotic Tipulidae (Diptera). XVIII. J. of Ent. (B), 40 (2): 163-172; 11 figs.
- 962 1971g Undescribed or little-known Tropical American Tipulidae (Diptera). Studia Entomologica, 14 (1-4): 225-266.
- 963 1971h New or insufficiently known Australasian crane flies (Diptera: Tipulidae). Studia Ent., 14 (1-4): 267-318.
- 964 1971i The Ten Thousandth Species of Tipulidae. Studia Ent., 14 (1-4): 457.
- 965 1971j New or little-known Tipulidae from Chile and Peru (Diptera: Tipulidae). Part II. Anales Del Museo de Historia Natural, no. 4: 125-156.
- 966 1971k New or little-known Tipulidae from Chile and Peru (Diptera: Tipulidae). Part III. Anales Del Museo de Historia Natural, no. 4: 157-181.
- 967 1972a New exotic crane-flies (Tipulidae: Diptera). Part XXII. Ent. News, 83: 1-9.
- 968 1972b New Subgenera of North American crane flies (Tipulidae: Diptera). Ent. News, 83: 29-37.
- 969 1972c Undescribed Species of Crane Flies from the Himalaya Mountains (Diptera: Tipulidae). XX. J. New York Ent. Soc., 80 (1): 7-11.
- 970 1972d New or little-known species of asiatic Tipulidae (Diptera). V. Trans. Amer. Ent. Soc., 98: 219-253.

- 971 1972e New or insufficiently known African Crane Flies (Diptera: Tipulidae). II. *Studia Ent.*, 15 (1-4): 385-430.
- 972 1972f Two aberrant species of *Holorusia* Loew (Diptera: Tipulidae). *J. Ent. (B)*, 41 (2): 107-117; 21 figs.
- 973 1972g Insects of Micronesia. Diptera: Tipulidae. *Insects of Micronesia*, 12 (8): 733-863.
- 974 1972h New and little-known Indian Craneflies (Diptera: Tipulidae). *V. Oriental Insects*, 6 (3): 351-358.
- 975 1973a New exotic crane-flies (Tipulidae: Diptera). Part XXIII. *Ent. News*, 84: 23-31.
- 976 1973b The crane flies of the Kermadec Islands (Tip.: Diptera). *The New Zealand Entomologist*, 5 (2): 151-159.
- 977 1973c Undescribed species of Crane Flies from the Himalaya Mountains (Diptera: Tipulidae). XXI. *J. New York Ent. Soc.*, 81 (1): 3-9.
- 978 1973d New or little-known species of exotic Tipulidae (Diptera). XIX. *J. Ent. (B)*, 42 (1): 1-10; 15 figs.
- 979 1973e Undescribed Species of Crane Flies from the Himalaya Mountains (Diptera: Tipulidae). XXII. *J. New York Ent. Soc.*, 81 (2): 81-86.
- 980 1973f Pachyneuridae, Ptychopteridae, Tanyderidae, Tipulidae, Trichoceridae in: Delfinado M.D. & D.E. Hardy: A Catalog of the Diptera of the oriental region I: 7-9 (Trichoceridae), 10-224 (Tipulidae), 225 (Tanyderidae), 255-256 (Ptychop-teridae), 443 (Pachyneuridae).
- 981 1973g Undescribed species of Nearctic Tipulidae (Diptera). XI. *Great Basin Naturalist*, 33 (3): 189-196.
- 982 1973h New or insufficiently known Australian Crane-Flies (Diptera, Tipulidae). II. *Studia Ent.*, 16 (1-4): 261-314.
- 983 1973i New and little-known Indian Craneflies (Diptera: Tipulidae). VI. *Oriental Insects*, 7 (4): 491-499.
- 984 1974a New exotic crane-flies (Tipulidae: Diptera). Part XXIV. *Ent. News*. 85: 1-8.
- 985 1974b New or little-known species of exotic Tipulidae (Diptera). XX. *J. Ent. (B)*, 43 (1): 1-10; 10 figs.
- 986 1974c New or insufficiently known African Crane Flies (Diptera, Tipulidae). III. *Studia Ent.*, 17 (1-4): 383-429.
- 987 1974d A New Species of *Idiognophomyia* from California (Tipulidae-Diptera). *The Pan-Pacific Ent.* 50 (3): 279-281.

- 988 1974e New or little-known Crane Flies from Iran (Diptera: Tipulidae). I. J. New York Ent. Soc., 82 (4): 279-284.
- 989 1975a New or little-known Crane Flies from Iran (Diptera: Tipulidae). II. J. New York Ent. Soc., 83 (1): 2-9.
- 990 1975b Joy R. Traver (1894-1974) - Eatonia no. 20: 2-7.
- 991 1975c New or little-known Crane Flies from Iran (Diptera: Tipulidae). III. J. New York Ent. Soc., 83 (2): 121-128.
- 992 1975d New or little-known Crane Flies from Iran (Diptera: Tipulidae). IV. J. New York Ent. Soc., 83 (2): 129-138.
- 993 1975e New exotic crane-flies (Tipulidae: Diptera). Part XXV. Ent. News, 86 (3-4): 73-79.
- 994 1975f New or insufficiently known African Crane Flies (Diptera: Tipulidae). IV. Studia Ent., 18 (1-4): 259-312.
- 995 1976a New exotic crane-flies (Tipulidae: Diptera). Part XXVI. Ent. News, 87 (1-2): 1-10.
- 996 1976b A world catalogue of Trichoceridae Kertész, 1902 (Diptera). Ent. scand. 7: 7-18.
- 997 1976c Additions of the Crane Flies of California (Diptera: Tipulidae). The Pan-Pacific Ent., 52 (3): 244-250.
- 998 1977a A new Species of Eriopterine crane fly from Ecuador (Diptera: Tipulidae). Proc. Ent. Soc. Washington, 79 (1): 11-13.
- 999 1976d Tipulidae in: La Faune Terrestre de L'ile de Sainte-Hélène Partie III. blz. 20-27.
- 1000 1976e New or insufficiently known African Crane Flies (Diptera: Tipulidae). V. Studia Ent., 19 (1-4): 315-362.
- 1977a (zie 998)

### b. Geographical index

The numbers in this index refer to the numbers in the list of publications.

Catalogues are referred to inbetween asterisks at the heading of the regions only.

#### Contents

##### A Continents


1	America north of Mexico	72
2	America south of U.S.A., north of Colombia, excl. Caraibian and Pacific islands	75
3	America south of Panama, excl. Oceanic islands	76
4	Europe, excl. U.S.S.R.	77
5	U.S.S.R., excl. Pacific Islands	77
6	Asia, excl. U.S.S.R. and Oceanic islands	78
7	Africa	80
8	Australia and New Zealand	81

##### B Islands

9	Atlantic Ocean excl. Caraibian region	82
10	Caraibian islands	82
11	Indian ocean	83
12	Indonesia incl. entire New Guinea and entire Borneo	83
13	Philippines	84
14	Taiwan (Formosa)	84
15	Japan	84
16	N.W. Pacific islands	84
17	Pacific	85

##### C Fossil

18	Fossil	86
----	--------	----



Faunal regions and subregions (after Holdhaus, 1929; Johansen, 1945/55; de Lattin, 1967; Franz & Beier, 1970; Delfinado & Hardy, 1973).

Nearctic region

- 1 Canadian subregion
- 2 Alleghanian subregion
- 3 Sonoran subregion
- 4 Californian subregion

Neotropical region

- 5 Mexican subregion
- 6 Antillian subregion
- 7 Brazilian subregion
- 8 Chilian subregion

Palaearctic region

- 9 European subregion
- 10 Siberian subregion
- 11 Mediterranean subregion
- 12 Turkmenian subregion
- 13 Manchurian subregion

Oriental region

- 14 Indian subregion
- 15 Ceylonian subregion
- 16 Chinese subregion
- 17 Malayan subregion

Australian region

- 18 Melanesian subregion
- 19 Austrotasmanian subregion
- 20 New Zealand subregion
- 21 Polynesian subregion

Ethiopian region

- 22 East-african subregion
- 23 West-african subregion
- 24 South-african subregion
- 25 Madagascar region
- 26 Hawaiian region

CONTINENTS

1. AMERICA NORTH OF MEXICO \* 874 \*
- "Western America" (subregion 1, 3, 4): 53
- 1.1 Greenland : 38, 205, 384
- 1.2 Canada:
- 1.2.1 Alberta: 226, 260, 262, 265, 299, 320, 354, 372, 386, 500, 524, 580, 689, 734, 773,
  - 1.2.2 Baffin Isl.: 38, 610
  - 1.2.3 British Columbia: 18, 38, 55, 246, 265, 341, 354, 442, 524, 526, 592, 608, 612, 689, 734, 846, 921, 928, 996
  - 1.2.4 Hudson Bay Terr.: 47, 55, 61
  - 1.2.5 Labrador: 47, 55, 72, 260, 275
  - 1.2.6 Manitoba: 47, 226, 237, 238, 299, 442, 474, 514, 921
  - 1.2.7 New Brunswick: 55, 72
  - 1.2.8 Newfoundland : 47, 52, 111, 852, 871
  - 1.2.9 North West Terr.: 73, 791, 892, 916, 921, 996
  - 1.2.10 Nova Scotia: 43, 55, 293, 871, 996
  - 1.2.11 Ontario: 38, 47, 55, 74, 224, 230, 236, 245, 273, 306, 457, 747, 846
  - 1.2.12 Quebec: 8, 55, 56, 212, 224, 299, 309, 327, 343, 354, 372, 488, 747
  - 1.2.13 Saskatchewan: 47, 55, 260
  - 1.2.14 Southampton Isl.: 384
  - 1.2.15 Yukon: 732, 916, 921
- "Arctic America" (subregion 1): 47, 205 (N. Canada), 384
- Subregion 1 "General": 47, 52, 55, 95, 268, 269, 270, 306, 777, 846, 884, 908, 968, 973
- 1.3 U.S.A. excl. Oceanic Islands
- 1.3.1 Alaska: 38, 55, 61, 62, 66, 72, 73, 91, 163, 189, 190, 246, 260, 275, 293, 535, 732, 746, 916, 921, 928, 981, 996
  - 1.3.2 Arizona: 18, 38, 51, 591, 594, 607, 611, 618, 639, 645, 646, 649, 658, 667, 734, 749, 771, 774, 787, 816, 826, 871, 968

1.3.3 California: 11, 18, 38, 47, 52, 55, 59, 62, 65, 66, 72, 75, 76, 81, 88, 95, 127, 128, 190, 239, 265, 320, 336, 457, 463, 500, 519, 520, 524, 526, 531, 535, 538, 546, 554, 561, 564, 565, 568, 569, 580, 586, 592, 594, 595, 598, 601, 607, 608, 611, 612, 614, 616, 617, 618, 624, 642, 645, 660, 662, 667, 676, 688, 689, 749, 771, 772, 773, 774, 787, 788, 789, 792, 816, 826, 835, 846, 852, 856, 864, 871, 877, 879, 884, 892, 968, 973, 981, 987, 996, 997, \* 907 \*

Santa Cruz Isl.: 108

Santa Catalina Isl.: 554

1.3.4 Colorado: 38, 49, 52, 55, 56, 59, 62, 72, 74, 75, 78, 111, 190, 238, 265, 336, 432, 488, 500, 518, 524, 592, 635, 689, 730, 740, 772, 773, 774, 968, 996

1.3.5 Columbia District: 47, 51, 55, 109

1.3.6 Connecticut: 47, 55, 243, 323, 372, 413, 477, \* 525, 890 \*

1.3.7 Delaware: 47

1.3.8 Florida: 35, 38, 55, 111, 212, 224, 237, 245, 250, 254, 293, 296, 354, 372, 477, 668, 791, 826

1.3.9 Georgia: 5, 38, 46, 47, 49, 55, 61, 224, 250, 293, 470, 541, 610, 668, 688, 996

1.3.10 Idaho: 81, 108, 126, 265, 474, 514, 531, 538, 554, 561, 565, 568, 598, 601, 730, 774, 816, 870, 892

1.3.11 Illinois: 47, 88, 108, 111, 118, 145, 250, 470, 474, 688, 835

1.3.12 Indiana: 47, 156, 238, 245, 250, 293, 477

1.3.13 Iowa: 86, 250, 251, 306

1.3.14 Kansas: 55, 62, 66, 69, 70, 227, 591

1.3.15 Kentucky: 47, 550

1.3.16 Louisiana: 47, 55, 75, 550, 610

1.3.17 Maine: 33, 38, 47, 55, 56, 72, 74, 78, 230, 243, 250, 306, 323, 413, 457, 470, 488, 492, 826, 839, 846, 852

1.3.18 Maryland: 8, 38, 47, 49, 51, 55, 61, 72, 74, 109, 250

1.3.19 Massachusetts: 8, 18, 47, 49, 55, 74, 198, 217, 224, 230, 243, 246, 293, 296, 299, 306, 320, 323, 354, 413, 457, 846, 877

- 1.3.20 Michigan: 47, 55, 126, 212, 230, 237, 245, 250, 293,  
299, 442, 477, 668, 747, 877
- 1.3.21 Minnesota: 488, 492, 524
- 1.3.22 Missouri: 55, 921
- 1.3.23 Montana: 47, 55, 190, 265, 320, 514, 596, 635, 734, 772
- 1.3.24 Nevada: 49, 514, 524, 730, 774, 835, 928
- 1.3.25 New Hampshire: 8, 38, 47, 55, 198, 385, 409, 413, 476
- 1.3.26 New Mexico: 18, 38, 49, 51, 52, 62, 299, 514, 591, 740,  
749
- 1.3.27 New Jersey: 8, 38, 47, 55, 74, 336
- 1.3.28 New York: 1, 2, 3, 4, 5, 6, 8, 17, 18, 30, 33, 38, 43,  
47, 49, 55, 56, 59, 61, 72, 74, 78, 108, 153, 193,  
212, 236, 243, 250, 251, 296, 298, 299, 306, 314, 846,  
996, \* 77, 123 \*
- 1.3.29 North Carolina: 38, 49, 51, 55, 66, 72, 212, 245, 250,  
372, 442, 470, 486, 494
- 1.3.30 North Dakota: 226, 237, 265
- 1.3.31 Ohio: 8, 293
- 1.3.32 Oregon: 38, 56, 66, 72, 78, 111, 190, 265, 457, 474,  
519, 524, 535, 545, 554, 556, 561, 566, 586, 607, 608,  
612, 624, 657, 662, 667, 689, 718, 749, 771, 773, 787,  
788, 852, 871, 921, 968, 996
- 1.3.33 Pennsylvania: 8, 47, 55, 74, 320, 846
- 1.3.34 Rhode Isl.: 55
- 1.3.35 South Carolina: 51, 55, 372, 442, 477
- 1.3.36 South Dakota: 51, 55, 500, 550, 591, 730, 773
- 1.3.37 Tennessee: 108, 227, 230, 237, 238, 245, 251, 254, 293,  
299, 480, 486, 492, 509, 688, 703, 835, 846
- 1.3.38 Texas: 38, 47, 49, 51, 55, 250, 591, 668, 749, 816
- 1.3.39 Utah: 56, 248, 320, 488, 524, 591, 596, 612, 631, 646,  
703, 788, 928, 968
- 1.3.40 Vermont: 47, 55, 250, 293, 296, 306, 323, 413
- 1.3.41 Virginia: 38, 47, 51, 55, 79, 61, 75, 78, 86, 109, 224
- 1.3.42 Washington: 38, 55, 62, 95, 108, 127, 189, 190, 238,  
246, 299, 474, 488, 514, 519, 520, 524, 531, 535, 545,  
556, 565, 568, 580, 586, 592, 596, 601, 608, 612, 646,  
654, 730, 771, 773, 787, 921, 996

- 1.3.43 West-Virginia: 550
- 1.3.44 Wisconsin: 47, 52, 61, 358
- 1.3.45 Wyoming: 514, 524, 530, 563, 566, 592, 596, 607, 612, 646, 730, 996
- Subregion 2 "General": 16, 38, 42, 45, 47, 52, 53, 55, 56, 66, 95, 227, 230, 237, 268, 269, 270, 306, 777, 846, 871, 908, 968, 973
- Subregion 3 "General": 47, 52, 53, 55, 95, 268, 269, 621, 777, 846, 871, 884, 973
2. AMERICA SOUTH OF U.S.A., NORTH OF COLOMBIA, EXCL. CARAIBIAN AND PACIFIC ISLANDS \* 947 \*
- 2.1 Belize (British Honduras): 324, 621, 910
- 2.2 Costa Rica: 13, 19, 22, 32, 55, 147, 229, 261, 290, 318, 454, 464, 493, 551, 562, 578, 583, 585, 604, 606, 613, 615, 621, 636, 640, 664, 703, 709, 727, 777, 876, 895, 910, 937
- 2.3 El Salvador: 19, 261, 274, 454, 636, 910
- 2.4 Guatemala: 11, 15, 16, 19, 22, 29, 35, 40, 53, 55, 93, 249, 261, 324, 493, 544, 613, 615, 621, 636, 640, 664, 670, 678, 682, 709, 895, 937, 951
- 2.5 Honduras: 493, 584, 606, 640, 893, 904, 910, 937
- 2.6 Mexico (3): 16, 19, 29, 37, 53, 216, 229, 274, 469, 590, 600, 602, 615, 709, 744, 895, 908, 918, 935, 951  
Mexico (5): 22, 39, 53, 55, 229, 261, 263, 267, 274, 324, 451, 458, 469, 481, 493, 590, 591, 597, 600, 602, 606, 615, 621, 636, 640, 664, 678, 715, 777, 876, 910, 937, 939, 996  
Baja California: 826
- 2.7 Nicaragua: 16, 22, 615, 893, 904, 937
- 2.8 Panama: 11, 16, 19, 22, 37, 38, 40, 55, 79, 90, 152, 261, 290, 324, 381, 408, 454, 475, 493, 499, 551, 562, 578, 583, 584, 609, 615, 621, 636, 637, 640, 664, 678, 715, 727, 744, 757, 910, 926, 937, 938, 939, 943, 951, 956, 962
- Subregion 5 "General": 12, 54, 55

3. AMERICA SOUTH OF PANAMA, EXCL. OCEANIC ISLANDS \* 947 \*

"South America" (subregion 7,8): 37

- 3.1 Argentina : 11, 20, 79, 90, 101, 104, 110, 113, 116, 122, 130, 138, 139, 150, 172, 181, 186, 240, 270, 276, 288, 290, 295, 297, 303, 312, 374, 401, 422, 454, 496, 551, 585, 604, 613, 615, 621, 636, 640, 664, 696, 777, 800, 824, 833, 895, 908, 909, 910, 937, 962, 965, 996
- 3.2 Bolivia: 11, 15, 22, 26, 28, 29, 31, 152, 335, 374, 487, 551, 562, 572, 583, 584, 585, 600, 604, 636, 640, 678, 682, 694, 709, 727, 737, 784, 834, 910, 937
- 3.3 Brazil : 14, 15, 16, 19 (E.), 22, 28, 29, 31, 35, 37, 79, 83, 90, 93, 132, 152, 163, 201, 234, 267, 303, 318, 335, 346, 350, 351, 401, 410, 419, 422, 423, 431, 433, 434, 438, 440, 448, 452, 454, 461, 481, 483, 487, 513, 515, 516, 528, 547, 551, 558, 559, 571, 572, 573, 582, 583, 585, 599, 606, 615, 621, 636, 637, 640, 651, 664, 670, 714, 719, 727, 744, 777, 793, 895, 910, 911, 915, 937, 938, 956, 962
- 3.4 British Guyana: 11, 16, 22, 26, 29, 35, 36, 55, 79, 201, 290, 335, 382, 454, 584, 613, 615, 621, 636, 640, 664, 670, 715, 793, 910, 937
- 3.5 Chile: 20, 21, 22, 26, 31, 37, 79, 100, 101, 234, 258, 270, 276, 277, 280, 284, 288, 290, 292, 295, 303, 328, 346, 351, 393, 402, 403, 454, 456, 465, 487, 552, 574, 615, 621, 636, 640, 664, 679, 688, 690, 694, 696, 707, 710, 717, 777, 784, 791, 800, 878, 895, 904, 908, 909, 910, 911, 915, 923, 937, 939, 965, 966, 973, 996  
Chiloë Isl.: 690, 707  
Isle Navarina: 830
- 3.6 Colombia: 25, 31, 35, 37, 50, 79, 152, 240, 261, 267, 312, 335, 351, 434, 450, 454, 487, 562, 585, 600, 615, 621, 636, 640, 664, 910, 911, 918, 937, 938
- 3.7 Ecuador: 50, 240, 288, 304, 312, 433, 434, 438, 441, 453, 454, 459, 468, 478, 487, 496, 498, 508, 511, 521, 527, 534, 537, 543, 555, 560, 581, 584, 585, 587, 588, 589, 600, 615, 621, 636, 640, 647, 652, 664, 678, 682, 694, 704, 715, 726, 727, 878, 885, 895, 910, 911, 915, 918, 932, 937, 938, 995, 998

- 3.8 Paraguay: 26, 28, 31, 35, 37, 152, 240, 270, 288, 297, 312,  
315, 374, 487, 583, 621, 636, 640, 664, 682, 715, 910, 937
- 3.9 Peru: 11, 15, 26, 28, 29, 31, 37, 50, 132, 152, 164, 240,  
249, 297, 303, 304, 401, 422, 454, 487, 497, 498, 502, 504,  
505, 506, 512, 517, 533, 536, 539, 549, 559, 572, 581, 583,  
584, 585, 588, 589, 600, 615, 621, 636, 637, 640, 647, 652,  
655, 664, 670, 678, 680, 682, 694, 703, 709, 714, 715, 727,  
757, 777, 800, 876, 878, 885, 895, 910, 911, 915, 918, 923,  
932, 937, 938, 965
- 3.10 Suriname: 14, 16, 19, 22, 35, 37, 290, 433, 562, 600, 604,  
613, 615, 621, 636, 640, 664, 793, 910, 937
- 3.11 Trinidad : 15, 16, 22, 35, 261, 315, 454, 493, 615, 621, 937
- 3.12 Venezuela: 35, 37, 152, 164, 240, 249, 267, 303, 350, 401,  
454, 482, 487, 490, 522, 523, 540, 553, 557, 576, 585, 615,  
621, 625, 626, 627, 636, 640, 659, 664, 678, 694, 709, 715,  
777, 910, 937
- Subregion 7 "General": 54, 777
- Subregion 8 "General": 54, 973

#### 4. EUROPE, EXCL. U.S.S.R.

- "Europe": 777 (s, se.)
- 4.1 Austria: 996
- 4.2 BRD: 996
- 4.3 Denmark: 996
- 4.4 England: 996
- 4.5 Galicia (Spain): 996
- 4.6 Sweden: 996
- 4.7 Switzerland: 996
- 4.8 Yugoslavia: 988

Subregion 9 "General": 268, 269, 777, 908, 968, 973

#### 5. U.S.S.R. EXCL. PACIFIC ISLANDS

- "U.S.S.R.": 917
- "Siberia": 219 (E.), 221, 322, 376, 377, 378, 386, 395, 404, 414,  
548, 996

- 5.1 Armenia: 777
- 5.2 Kamchatka: 64, 252, 404
- 5.3 Caucasus: 777
- 5.4 Nova Zembla: 157, 210
- 5.5 Turkestan: 270
- 5.6 Wrangel Isl.: 241
- Subregion 10 "General": 64, 268, 973

6. ASIA, EXCL. U.S.S.R. AND OCEANIC ISLANDS \* 980 \*

- 6.1 Afghanistan: 728, 739, 743, 759, 798, 887, 913, 917, 934, 983
- 6.2 Burma: 58, 169, 593, 612, 644, 677, 683, 693, 697, 700, 713, 821, 843, 853, 865, 866, 875, 948, 972, 973
- 6.3 Cambodia: 169
- 6.4 Ceylon (Sri Lanka) : 503, 697, 776, 777, 779, 798, 843, 865, 866, 881, 887, 971, 973
- 6.5 China: 169, 180, 210, 221, 242, 264, 265, 310, 322, 325, 334, 337, 363, 367, 368, 369, 371, 375, 376, 377, 379, 386, 390, 395, 396, 397, 400, 404, 405, 407, 414, 415, 426, 427, 436, 439, 443, 444, 445, 446, 447, 467, 471, 472, 484, 485, 501, 510, 532, 570, 648, 650, 656, 703, 710, 712, 725, 777, 843, 865, 866, 880, 973, 996
- Hainan Isl.: 416, 447
- Hongkong (U.K.): 180
- Macao (Port.): 180
- Manchuria: 666
- Tibet: 169, 375, 376, 379, 677, 693, 697, 700, 711, 853, 865, 880, 973
- 6.6 India: 169, 203, 264, 268, 269, 281, 310, 325, 485, 501, 502, 503, 643, 661, 665, 674, 677, 693, 697, 700, 728, 743, 759, 760, 771, 777, 791, 795, 796, 798, 805, 806, 807, 813, 815, 817, 819, 820, 821, 824, 825, 827, 831, 843, 847, 848, 853, 854, 857, 860, 865, 866, 869, 872, 873, 880, 881, 882, 883, 887, 898, 899, 901, 912, 913, 917, 930, 933, 934, 936, 942, 944, 949, 951, 954, 957, 958, 960, 961, 967, 969, 970, 972, 974, 977, 978, 983, 984, 985, 996

- Assam: 268, 416, 417, 444, 501, 661, 697, 711, 712, 739, 743, 759, 777, 829, 836, 842, 844, 848, 853, 855, 857, 862, 863, 866, 867, 873, 875, 880, 881, 882, 886, 887, 888, 891, 894, 897, 898, 899, 901, 902, 903, 906, 912, 913, 914, 917, 919, 920, 929, 930, 931, 933, 934, 936, 940, 941, 942, 944, 948, 949, 951, 957, 958, 960, 961, 967, 969, 970, 972, 973, 974, 975, 977, 979, 983, 985, 993
- Sikkim: 810, 813, 815, 817, 820, 821, 824, 829, 831, 845, 847, 848, 853, 854, 855, 857, 860, 862, 863, 865, 866, 867, 869, 872, 875, 879, 880, 881, 882, 883, 886, 887, 888, 891, 894, 897, 898, 899, 901, 902, 912, 913, 917, 929, 930, 931, 933, 934, 941, 942, 944, 949, 951, 954, 957, 958, 960, 969, 970, 973, 974, 975, 978, 979, 983, 985, 996
- 6.7 Iran: 979, 988, 989, 991, 992
- 6.8 Israel: 945
- 6.9 Kashmir: 375, 395, 396, 405, 502, 503, 693, 697, 759, 760, 765, 777, 798, 813, 820, 865, 866, 872, 880, 898, 934, 996
- 6.10 (N.S.) Korea: 392, 394, 404, 455 (N.), 466, 577 (N.), 666 (N.), 710 (N.), 777 (N.), 973, 996 (N.)
- 6.11 Laos: 425
- 6.12 Malaya: 264, 425, 503, 661, 665, 798, 814, 843, 899
- 6.13 Mongolia: 163, 379, 405
- 6.14 Nepal: 766, 769, 779, 783, 795, 798, 843, 857, 869, 873, 882, 894, 913, 922, 934, 941, 942, 948, 958, 961, 973, 974, 975, 996
- 6.15 Pakistan: 548, 759, 760, 765, 798, 813, 820, 843, 853, 867, 872, 880, 881, 898, 913, 934, 974
- 6.16 Thailand: 400, 404, 405, 446, 710, 711, 712, 724, 728, 743, 745, 759, 777, 779, 798, 898, 899, 901, 913, 920, 944, 954, 958, 967, 973, 984
- 6.17 Vietnam: 447, 501, 843, 972
- Tonkin: 665
- Subregion 12 "General": 777, 973
- Subregion 13 "General": 268, 973
- "Oriental": 137

7. AFRICA \* 748, 861 \*

- 7.1 Algeria: 169  
7.2 Angola: 119 (N.), 168, 388, 849  
    Cabinda: 168  
7.3 Burundi: 733  
7.4 Cameroun: 82, 87, 92, 119, 125, 129, 131, 168, 182, 225, 232,  
    269, 388, 575, 632, 653, 663, 953, 971, 994  
    Fernando Poo (Sp.): 936  
7.5 Congo Rep.: 103, 168, 331, 663, 953  
7.6 Dahomey: 103, 168, 182  
7.7 Ethiopia: 96, 115, 168, 663, 971  
7.8 Gabon: 92, 115, 182, 953  
7.9 Ghana: 94, 112, 119, 168, 332, 905, 994  
7.10 Guinea: 768  
    Los Isl.: 103  
7.11 Ivory Coast: 103, 768  
7.12 Kenia: 94, 103, 112, 168, 332, 768, 841, 971  
7.13 Lesotho: 754, 953  
7.14 Liberia: 332, 768  
7.15 Malawi: 94, 96, 112, 168, 182, 332, 804, 953  
7.16 Mozambique: 103, 603, 653, 767, 790, 804, 971, 982  
7.17 Nigeria: 89, 96, 112, 119, 125, 168, 182, 269, 332, 971, 986,  
    994, 1000  
7.18 Oeganda: 94, 96, 112, 125, 168, 331, 332, 481, 733, 841, 953,  
    971  
7.19 Rhodesia: 87, 94, 96, 112, 331, 388, 428, 575, 603, 632, 653,  
    745, 754, 767, 768, 790  
7.20 Ruanda: 195, 733, 953, 994  
7.21 Senegal: 768  
7.22 Sierra Leone: 94, 96, 112, 331, 332, 428, 953  
7.23 Soedan: 103, 663  
7.24 South Africa: 41, 60, 82, 92, 269, 270  
    Cape Province: 222, 331, 388, 548, 575, 653, 750, 751, 754, 953  
    Natal: 112, 119, 125, 168, 182, 222, 331, 632, 750, 751, 752,  
    754, 781, 803, 994, 1000  
    Transvaal: 767, 781  
    Zululand: 331, 754, 803

- 7.25 Tanzania: 112, 131, 332, 428, 771, 841, 953, 971  
 7.26 Tunisia: 10  
 7.27 Zaire: 85, 96, 131, 168, 195, 283, 331, 332, 428, 733, 745,  
 756, 768, 953, 1000  
 7.28 Zambia: 7, 849  
 "British East Africa": 112, 168  
 Subregion 22 "General": 96, 973  
 Subregion 24 "General": 120, 121, 777

## 8. AUSTRALIA AND NEW ZEALAND

### 8.1 Australia:

- 8.1.1 Federal Capitol Terr.: 380  
 8.1.2 New South Wales: 98, 149, 162, 180, 187, 192, 194, 231,  
 244, 247, 256, 266, 268, 271, 272, 278, 279, 282, 285,  
 291, 294, 300, 302, 305, 308, 317, 327, 329, 338, 339,  
 348, 373, 380, 389, 406, 424, 444, 542, 673, 777, 879,  
 973  
 8.1.3 Northern Territory: 162, 406  
     Bathurst Isl.: 149  
     Melville Isl.: 149  
 8.1.4 Queensland: 97, 102 (N.), 134, 137, 149, 162, 187, 199,  
 231, 256, 270, 285, 287, 294, 308, 317, 338, 359, 365,  
 373, 424, 542, 669, 673, 712, 728, 743, 759, 777, 973  
     Prince of Wales Isl.: 485  
 8.1.5 South Australia: 149, 162, 247, 339  
 8.1.6 Tasmania: 134, 142, 149, 162, 187, 194, 231, 235, 244,  
 247, 256, 266, 268, 270, 271, 272, 278, 285, 287, 294,  
 302, 305, 339, 389, 424, 542, 777, 973, 996  
     King Isl.: 149  
 8.1.7 Victoria: 142, 149, 162, 194, 231, 235, 244, 247, 255,  
 256, 266, 271, 272, 278, 285, 287, 294, 300, 302, 305,  
 317, 321, 329, 338, 339, 348, 359, 373, 380, 389, 424,  
 529, 542, 673  
 8.1.8 Western Australia: 149, 180, 209, 270, 285, 287, 291,  
 300, 302, 317, 338, 348, 669  
 "S.E. Australia": 973

8.2 New Zealand: 105, 135, 140, 142, 146, 148, 151, 154, 155, 159, 161,  
165, 166, 167, 174, 175, 176, 178, 183, 184, 192, 194, 196,  
200, 202, 211, 213, 215, 223, 228, 270, 301, 333, 362, 460,  
669, 673, 686, 711, 739, 777, 832, 973, 996

Subregion 18 "General": 194

## ISLANDS

### 9. ATLANTIC OCEAN EXCL. CARAIBIAN REGION

- 9.1 Annobon Isl.: 764
- 9.2 Azores Isl.: 973
- 9.3 Bermuda Isl.: 55, 937
- 9.4 Canary Isl.: 270
- 9.5 Cape Verde Isl.: 971
- 9.6 Falkland Isl.: 908, 996
- 9.7 Gough Isl.: 910
- 9.8 Greenland : 1.1
- 9.9 Jan Mayer Isl.: 996
- 9.10 Newfoundland : see 1.2.8
- 9.11 Principe Isl.: 764
- 9.12 St. Helena: 830, 999
- 9.13 São Tomé: 764
- 9.14 South Georgia Isl.: 908
- 9.15 Spitsbergen: 996

### 10. CARAIBIAN ISLANDS \* 947 \*

- 10.1 Antigua: 79, 621
- 10.2 Bahamas: 418, 615
- 10.3 Cuba: 11, 14, 16, 22, 35, 55, 233, 276, 315, 324, 346, 366,  
418, 430, 437, 462, 615, 636, 640, 664, 910, 937, 973
- 10.4 Grenada: 16, 585, 664, 694, 926, 937
- 10.5 Guadeloupe: 937
- 10.6 Hispaniola: 366, 615  
Haiti: 462, 636, 640, 910, 937  
Dom. Rep.: 22, 54, 55, 79, 430, 462, 562, 615, 636, 640, 664,  
715, 910, 937, 946
- 10.6.a Dominica: 54, 55, 462, 615, 636, 664, 910, 937, 946

- 10.7 Jamaica: 22, 55, 233, 289, 315, 346, 366, 462, 615, 621,  
640, 664, 858, 910, 937, 973
- 10.8 Montserrat: 55
- 10.9 Puerto Rico: 9, 16, 22, 35, 48, 55, 261, 366, 418, 430, 462,  
606, 621, 640, 664, 715, 757, 777, 846, 910, 918, 937, 973
- 10.10 St. Vincent: 22, 55, 621, 636, 640, 664, 910, 937
- 10.11 Trinidad: see 3.11
- Subregion 6 "General": 12, 54, 454
- "Greater Antilles": 678
- "Lesser Antilles": 910

**11. INDIAN OCEAN**

- 11.1 Ceylon (Sri Lanka): see 6.4
- 11.2 Comoro Isl.: 785, 973
- 11.3 Madagascar: 94, 96, 115, 131, 168, 428, 432, 663, 672, 691,  
705, 741, 742, 745, 763, 770, 808, 809, 822, 851, 868, 953,  
971
- 11.4 Mauritius: 722, 753, 973
- 11.5 Réunion: 92, 131, 705, 761

**12. INDONESIA INCL. ENTIRE NEW GUINEA AND ENTIRE BORNEO \* 980 \***

- 12.1 Ambon: 843
- 12.2 Bali: 347, 386, 406
- 12.3 Borneo: 386, 391, 429, 444, 674, 823, 843, 973  
    Serawak: 759  
    Sabah: 883
- 12.4 Buru: 973
- 12.5 Celebes: 390, 391, 394, 395, 405, 548, 843
- 12.6 Flores: 406
- 12.7 Java: 44, 177, 180, 264, 268, 347, 386, 391, 395, 405, 406, 407,  
429, 436, 443, 444, 661, 777, 898, 899, 973, 975
- 12.8 Kangean Isl.: 443
- 12.9 Lombok: 843
- 12.10 Papua N. Guinea: 180, 338, 411, 420, 495, 622, 623, 628, 629,  
630, 641, 671, 673, 712, 801, 812, 823, 828, 936, 982  
    Goodenough Isl.: 801, 828

- 12.11 Sumatra: 143, 253, 268, 347, 386, 390, 414, 417, 429, 443, 548, 973
- 12.12 Timor: 406
- 12.13 West-Irian: 605, 622, 623, 628, 630, 641, 669, 671, 673, 710, 711, 782, 789, 794, 797, 799, 811, 812, 818, 823, 828, 850, 962, 971, 982
- Japen Isl.: 629
- Waigen Isl.: 629
- "N. Guinea": 270, 365, 390, 391, 412, 444, 973, 982
- "Moluccas": 270

13. PHILIPPINES \* 980 \*

Philippines: 27, 41, 57, 158, 171, 180, 214, 220, 259, 307, 310, 319, 330, 344, 345, 349, 352, 353, 355, 356, 360, 364, 386, 387, 425, 444, 688, 777, 827, 973

14. TAIWAN (Formosa) \* 980 \*

Taiwan: 107, 143, 171, 191, 203, 242, 268, 269, 281, 286, 310, 311, 322, 325, 326, 334, 337, 386, 392, 394, 395, 396, 400, 404, 407, 436, 443, 485, 620, 666, 739, 777, 973, 993, 996

15. JAPAN

Japan: 23, 64, 67, 68, 80, 84, 106, 114, 124, 136, 141, 144, 160, 170, 188, 189, 191, 197, 203, 204, 207, 208, 210, 219, 242, 264, 269, 281, 286, 310, 311, 322, 325, 326, 334, 337, 357, 363, 369, 371, 375, 376, 378, 386, 392, 396, 404, 405, 407, 414, 443, 446, 485, 501, 620, 666, 684, 701, 702, 706, 716, 721, 729, 731, 736, 745, 758, 775, 777, 778, 789, 913, 927, 950, 959, 973, 996

16. N.W. PACIFIC ISLANDS

- 16.1 Kuriles Isl.: 404, 889
- 16.2 Loochoo Isl. = Ryukyu Isl.: 400, 739
- 16.3 Okinawa: 191, 203, 207, 310, 363
- 16.4 Sachalin: 197, 207, 210, 219, 376, 377, 378, 386, 404, 973

17. PACIFIC

- 17.1 Admiralty Isl.: 412, 973
- 17.2 Auchland Isl.: 738, 996
- 17.3 Austral Isl.: 365
- 17.4 Bonin Isl.: 973
- 17.5 Campbell Isl.: 738, 859
- 17.6 Caroline Isl.: 365, 479, 507, 973
- 17.7 Chathan Isl.: 206, 973
- 17.8 Fanning Isl.: 365, 973
- 17.9 Fiji Isl.: 34, 134, 179, 185, 213, 365, 386, 755, 963, 967, 973, 982
- 17.10 Galapagos Isl.: 454, 837, 910
- 17.11 Gilbert Isl.: 973
- 17.12 Hawaii: 71, 179, 185, 365, 491, 673, 720, 973
- 17.13 Isla San Ambrosio: 830
- 17.14 Juan Fernandez Isl.: 99, 365, 615, 692, 910
- 17.15 Kermadec Isl.: 973, 976
- 17.16 Lord Howe Isl.: 149, 424, 973
- 17.17 Macquarie Isl.: 838
- 17.18 Mangareva Isl.: 619
- 17.19 Marianas Isl.: 479, 973
  - Guam: 41, 365, 479, 507
- 17.20 Marguesas Isl.: 361, 365, 398, 973
- 17.21 Marshall Isl.: 479, 973
- 17.22 New Britain: 185, 390, 399, 412, 973
- 17.23 New Caledonia: 316, 365, 390, 391, 567, 633, 638, 673, 879, 963, 973
- 17.24 New Hebrides: 365, 641, 669, 711, 973
- 17.25 New Ireland: 412, 973
- 17.26 Norfolk Isl.: 149
- 17.27 Palau Isl.: 973
- 17.28 Pitcairn Isl.: 619
- 17.29 Pribilof Isl.: 133, 173, 871
- 17.30 Samoa: 117, 137, 316, 365, 963, 973, 982
- 17.31 Santa Cruz Isl.: 386, 421, 973
- 17.32 Society Isl.: 365, 619, 973
- 17.33 Solomons Isl.: 185, 199, 270, 365, 421, 605, 641, 669, 673, 963, 973, 982

- 17.34 Tahiti: 117, 365, 370, 619, 973
- 17.35 Tonga: 365, 963, 973
- 17.36 Tuamotu Isl.: 619, 973
- 17.37 Tubuai Isl.: 185, 619, 973
- 17.38 Vanikora Isl.: 973
- "Micronesia": 973
- "Subantarctic": 973

#### FOSSIL

##### 18. FOSSIL

Fossil: 261, 268, 269, 270, 340, 449, 996

## c. Index to the keys

## Contents

**1 Tipuloidea**

Cylindrotomidae	88
Limoniidae	89
Lechriinae	89
Limoniinae	90
Pediicinae	96
Hexatominae	99
Eriopterinae	107
Tipulidae	118
Trichoceridae	127

**2 Other (super)families**

Anisopodidae	128
Blephariceridae	128
Bibionoidea	128
Dixidae	129
Psychodidae	129
Ptychopteridae	130
Tanyderidae	131

(The numbers in this index refer to those in the list of publications).

C y l i n d r o t o m i d a e**Cylindrotoma**

Nearctic: 77 (1919): 927; sp.; Eastern Nearctic  
 890 (1966): 294; sp.; Connecticut

**Cylindrotominae**

General: 268 (1927): 6-7; gen.; General  
 268 (1927): 7 ; gen. (larvae); General  
 268 (1927): 7-8; gen. (pupae); General  
 Nearctic: 77 (1919): 926; gen.; Eastern Nearctic  
 123 (1921): 960; gen. (larvae); Nearctic  
 123 (1921): 960; gen. (pupae) ; Nearctic  
 890 (1966): 292; gen.; Connecticut

**Cylindrotomini**

Nearctic: 33 (1914): 109-110; gen.sp. (larvae); Palaearctic and  
 Nearctic  
 Palaearctic: 33 (1914): 109-110; gen., sp. (larvae); Palaearctic  
 and Nearctic

**Liogma**

General: 33 (1914): 110-111; sp. (larvae and pupae); Genera.  
 Nearctic: 23 (1913): 321-322; sp. (in part.); Japan, U.S.A.  
 123 (1921): 970; sp. (larvae); Nearctic  
 123 (1921): 971; sp. (pupae); Nearctic  
 Palaearctic: 23 (1913): 321-322; sp. (in part.); Japan, U.S.A.

**Liogma nodicornis**

Nearctic: 890 (1966): 295; subsp.; Connecticut

**Phalacroceria**

Nearctic: 77 (1919): 927; sp.; Eastern Nearctic  
 890 (1966): 293; sp.; Connecticut

L i m o n i d a e - Lechriinae**Lechria**

Australian: 102 (1920): 102; sp.; Australian and Oriental  
Oriental: 102 (1920): 102; sp.; Australian and Oriental  
307 (1929): 262; sp.; Philippines

**Lechriini**

Ethiopian: 748 (1956): 257; gen., sp.; Ruwenzori  
Madagascar: 851 (1963): 209; gen., subgen.; Madagascar  
Oriental: 387 (1934): 439; gen.; Philippines

**Trichoneura = Xipholimnobia**

Ethiopian: 387 (1934): 440; subgen.; Ethiopian, Oriental, Baltic Amber  
Fossil: 340 (1931): 55-56, sp. (♂); Baltic Amber  
387 (1934): 440; subgen.; Ethiopian, Oriental, Baltic Amber  
Oriental: 387 (1934): 440; subgen.; Ethiopian, Oriental, Baltic Amber

(Xipholimnobia): zie ook Trichoneura

Ethiopian

Fossil

Oriental: 387 (1934): 440; sp.; Eastern Asia

Palaearctic: 387 (1934): 440; Eastern Asia

## L i m o n i i d a e - Limoniinae

## Antocha

Nearctic: 890 (1966): 334; sp. ( $\delta$ ); Connecticut  
 Palaearctic: 197 (1924): 562-563; subgen., sp. ( $\delta$ ); Japan

## (Antocha)

Oriental: 417 (1936): 180-181; sp. nigribasis gr. (in part.); Assan  
 985 (1974): 3-4; sp. nigribasis gr.; India

## Antochini

General: 19 (1913): 40-41; gen.; general  
 Nearctic: 70 (1919): 69-70; subtr. (larvae); Holarctic  
     70 (1919): 70; subtr. (pupae); Holarctic  
     77 (1919): 897; gen.; Eastern Nearctic  
     109 (1920): 413-414; gen.; Nearctic  
 Palaearctic: 70 (1919): 69-70; subtr. (larvae); Holarctic  
     70 (1919): 70; subtr. (pupae); Holarctic

## (Dapanoptera)

Australian: 623 (1947): 598-599; sp., subsp.; Papua Mw Guinea

## Dicranomyia

Nearctic: 77 (1919): 894-895; sp.; Eastern Nearctic  
     109 (1920): 410-411; sp.; Nearctic  
 Neotropical: 295 (1929): 97-99; sp., subsp. ( $\delta$ ); Chili

## (Dicranomyia)

Nearctic: 890 (1966): 310-312; sp.; Connecticut  
 Neotropical: 366 B (1932): 358; sp., subsp.; Puerto Rico  
     692 (1952): 40-42; sp., subsp.; Juan Fernandez  
     946 (1970): 9-10; sp.; Dominica

(Dicranomyia): zie ook Furcomyia

L i m o n i i d a e - Limoniinae

**Dicranoptycha**

- Ethiopian: 182 (1923): 372; sp.; Ethiopian  
 748 (1956): 255; sp.; Ruwenzori
- Madagascar: 705 (1953): 280; sp.; Madagascar
- Nearctic: 69 (1919): 20; sp.; Nearctic  
 70 (1919): 70; sp. (larvae); Nearctic  
 77 (1919): 900; sp.; Eastern Nearctic  
 109 (1920): 415; sp.; Nearctic  
 890 (1966): 336-337; sp.; Connecticut  
 907 (1967): 72-73; sp.; California

**Discobola**

- Nearctic: 197 (1924): 538-539; sp.; Holarctic
- Palaearctic: 197: (1924): 538-539; sp.; Holarctic
- (Discobola)
- Nearctic: 890 (1966): 309; sp.; Connecticut

**Elliptera**

- Nearctic: 518 (1943): 160; sp.; Western Nearctic  
 890 (1966): 366; sp.; Connecticut  
 907 (1967): 74; sp.; California

**Furcomyia = Dicranomyia**

- Neotropical: 11 (1912): 333-334; spotted winged sp.; Neotropical

**Geranomyia**

- Nearctic: 77 (1919): 891; sp.; Eastern Nearctic  
 109 (1920): 408; sp.; Nearctic
- Palaearctic: 10 (1912): 206-207; sp.; Palaearctic

## L i m o n i i d a e - Limoniinae

## (Geranomyia)

- Nearctic: 890 (1966): 329-330; sp.; Connecticut  
 Neotropical: 366 B (1932): 361; sp.; Puerto Rico  
                  715 (1953): 80-87; sp., subsp.; Ecuador  
                  946 (1970): 13-14; sp., subsp.; Dominica

## Helius: zie ook Rhamphidia

- Ethiopian: 748 (1956): 247-249; subgen., sp.; Ruwenzori  
 Nearctic: 890 (1966): 333; sp., Connecticut  
 Neotropical: 858 (1964): 16; sp.; Jamaica  
 Oriental: 355 (1932): 184; subgen., sp.; Philippines

## (Helius)

- Ethiopian: 861 (1964): 336; sp.; South Africa

## (Libnotes)

- Australian: 399 (1935): 61; sp. samoënsis gr.; Australasian  
 Oriental: 399 (1935): 61; sp. samoënsis gr.; Australasian

## Limnobaria

- Nearctic: 123 (1921): 808; gen. (larvae); Nearctic  
              123 (1921): 809; gen. (pupae); Nearctic

## Limnobia = Limonia

- Nearctic: 77 (1919): 896-897; sp.; Eastern Nearctic  
              109 (1920): 412-413; sp.; Nearctic

## Limnobiinae = Limoniinae

- General: 22 (1913): 491; tr.; General  
 Nearctic: 123 (1921): 793-795; tr., subtr.; Nearctic  
              123 (1921): 795; tr., subtr., gen. (pupae); Nearctic

L i m o n i i d a e - Limoniinae

Limnobiini = Limoniini

- Nearctic: 77 (1919): 890-891; gen.; Eastern Nearctic  
109 (1920): 407; gen.; Nearctic  
123 (1921): 797-798; subtr. (larvae); Nearctic  
123 (1921): 798; subtr. (pupae); Nearctic

Limonia: see also Limnobia

- Australian: 973 (1972): 751-757; subgen., sp., subsp.; Micronesia  
Ethiopian: 168 (1923): 4-5; sp. congoënsis gr.; Ethiopian  
748 (1956): 199-207; subgen., sp., subsp.; Ruwenzori  
748 (1956): 208; subapterous sp.; Ruwenzori  
861 (1964): 306-311; subgen., sp., subsp. (♂); South Africa  
Fossil: 340 (1931): 35-36; sp.; Baltic Amber  
General: 307 (1929): 244-246; subg.; General

(Limonia)

- Nearctic: 890 (1966): 299-300; sp.; Connecticut  
Neotropical: 295 (1929): 86; sp., subsp. (♂); Chili  
727 (1954): 233-235; sp.; Ecuador

Limoniinae: zie ook Limnobiinae

- Fossil: 340 (1931): 17-18; tr., subtr.; Baltic Amber  
General  
Nearctic: 890 (1966): 297; tr.; Connecticut  
907 (1967): 70-71; tr.; California  
Neotropical: 858 (1964): 9-12; tr., gen., subgen.; Greater Antilles

Limoniini: zie ook Limnobiini

- Australian: 973 (1972): 741; gen.; Micronesia  
Ethiopian: 748 (1956): 198; gen.; Ruwenzori  
861 (1964): 304-305; gen.; South Africa

L i m o n i i d a e - Limoniinae

Fossil: 340 (1931): 35; gen.; Baltic Amber  
Madagascar: 851 (1963): 210; gen., subgen.; Madagascar  
Nearctic: 890 (1966): 297-298; subtr., gen.; Connecticut  
907 (1967): 71; gen.; California  
Neotropical: 295 (1929): 68; gen.; Chili  
946 (1970): 6; gen.; Dominica

(*Neolimnobia*)

Neotropical: 727 (1954): 242-243; sp.; Ecuador

*Orimarga*

Australian: 973 (1972): 831; sp.; Micronesia  
Nearctic: 19 (1913): 47; sp.; Nearctic and Neotropical  
50 (1916): 14-15; sp. (in part.); Nearctic and Neotropical

(*Orimarga*)

Palaearctic: 390 (1934): 327; sp.; Mt. Omei, China

*Orimarga*

Neotropical: 19 (1913): 47; sp.; Nearctic and Neotropical  
50 (1916): 14-15; sp. (in part.); nearctic and Neotropical  
858 (1964): 18; subgen., sp.; Jamaica  
946 (1970): 26; subgen., sp.; Dominica

(*Orimarga*)

Ethiopian: 861 (1964): 345; sp.; South Africa

*Orimargoria*

General: 332 (1930): 1011; gen.; General

(*Orimargula*)

Ethiopian: 748 (1956): 245; sp.; Ruwenzori  
861 (1964): 338-339; sp.; South Africa

*Peripheroptera*

Neotropical: 26 (1913): 409; sp.; Tropics of South America

L i m o n i d a e - Limoniinae

**Platylinnobia**

Ethiopian: 861 (1964): 342; sp.; South Africa

**Rhamphidia = Helius**

Nearctic: 77 (1919): 898; sp.; Eastern Nearctic

109 (1920): 414; sp.; Nearctic

**Rhipidia**

Nearctic: 77 (1919): 893; sp.; Eastern Nearctic

109 (1920): 409; sp.; Nearctic

(Rhipidia)

Nearctic: 890 (1966): 327; sp.; Connecticut

Neotropical: 946 (1970): 21-22; species ( $\delta$ ); Dominica

**Troglophila = Taiwanomyia**

Oriental: 242 (1926): 374; sp.; Oriental and Palaearctic

Palaearctic: 242 (1926): 374; sp.; Oriental and Palaearctic

(Zelandoglochina)

Neotropical: 295 (1929): 73-74; sp. ( $\delta$ ); Chili

## L i m o n i i d a e - Pediciinae

## (Amalopina)

Palaearctic: 395 (1935): 358-359; sp.; subsp.; Japan

## Dicranota

General: 644 (1949): 17-18; subgen.; General

Nearctic: 38 (1914): 601; sp.; Nearctic

77 (1919): 925; sp.; Eastern Nearctic

109 (1920): 431; sp.; Nearctic

890 (1966): 354; subgen.; Connecticut

907 (1967): 96-97; subgen., sp., subsp.; California

Oriental: 445 (1938): 322; sp., subsp. elegantula gr.; Oriental and Palaearctic

Palaearctic: 445 (1938): 322; sp., subsp.; elegantula gr.; Oriental and Palaearctic

## (Dicranota)

Nearctic: 890 (1966): 357; sp.; Connecticut

## (Eudicranota)

Nearctic: 890 (1966): 355; sp.; Connecticut

## Heterangaeus

Oriental: 775 (1958): 295-296; sp., subsp.; Japan

## Malaisemyia

Oriental: 903 (1967): 61; sp.; Eastern Himalaya

Palaearctic: 903 (1967): 61; sp.; Eastern Himalaya

## Nipponomyia

Oriental: 396 (1935): 551-552; sp.; Oriental and Palaearctic

Palaearctic: 396 (1935): 551-552; sp.; Oriental and Palaearctic

775 (1958): 292; sp. (in part.); Japan

## Ornithodes

Nearctic: 907 (1967): 89; sp.; California

L i m o n i i d a e - Pediciinae

(*Paradicranota*)

Nearctic: 890 (1966): 356; sp.; Connecticut

*Pedicaria*

Nearctic: 123 (1921): 899; Gen. (larvae); Nearctic

*Pedicia*

Nearctic: 77 (1919): 923; sp.; Eastern Nearctic  
314 (1929): 301-302; sp.; Northeastern N. America  
890 (1966): 344; subgen.; Connecticut  
907 (1967): 90-91; subgen., sp., subsp.; California

(*Pedicia*)

Nearctic: 890 (1966): 345; sp.; Connecticut

*Pediciini*

Nearctic: 77 (1919): 923; gen., subgen.; Eastern Nearctic  
109 (1920): 429; gen.; Nearctic  
123 (1921): 894; subtr. (larvae); Nearctic  
890 (1966): 342-343; subtr., gen.; Connecticut  
907 (1967): 89; gen.; California

(*Plectromyia*)

Nearctic: 890 (1966): 359; sp.; Connecticut

*Rhaphidolabis*

Nearctic: 55 (1916): 541; subg., sp.; Nearctic  
77 (1919): 925-926; subg., sp.; Eastern Nearctic  
109 (1920): 431; sp.; Nearctic

(*Rhaphidolabis*)

Nearctic: 890 (1966): 360-361; sp.; Connecticut

L i m o n i i d a e - Pediciinae

**Ula**

- Nearctic: 77 (1919): 913; sp.; Eastern Nearctic  
109 (1929): 423; sp.; Nearctic  
890 (1966): 343; sp.; Connecticut  
907 (1967): 89; sp.; California  
Oriental: 356 (1932): 38; sp.; Philippines

L i m o n i d e a - Hexatominae

Adelphomyia = (Paradelphomyia)

Nearctic: 17 (1912): 829; sp.; Nearctic  
77 (1919): 914; sp.; Eastern Nearctic

Atarba

Ethiopian: 861 (1964): 371; subgen., sp.; South Africa  
Nearctic: 229 (1926): 171; sp.; Nearctic and Neotropical  
Neotropical: 50 (1916): 15-16; sp. (in part.); Columbia  
229 (1926): 171; sp.; Nearctic and Neotropical  
Oriental: 44 (1915): 172; sp. (in part.); Oriental  
Palaearctic: 325 (1930): 526; sp.; Japan and Formosa

(Atarbodes)

Ethiopian: 748 (1956): 304; sp.; Ruwenzori

Austrolimnophila

Ethiopian: 748 (1956): 263-264; subgen., sp. subsp.; Ruwenzori  
861 (1964): 350; subgen., sp.; South Africa  
Nearctic: 890 (1966): 372; sp.; Connecticut  
Neotropical: 295 (1929): 116-117; sp.; Chili

(Austrolimnophila)

Madagascar: 741 (1955): 306; sp.; Madagascar

Ctedonia = Gynoplistia

Neotropical: 22 (1913): 542; sp.; Chili

Dactylolabis

Nearctic: 890 (1966): 369; sp.; Connecticut  
907 (1967): 104; subgen., sp.; California

(Dactylolabis)

Nearctic: 38 (1914): 592; sp.; Nearctic and Neotropical  
(add. key to O.S.: Mon. Dipt. N. Am. Vol. 4  
pp. 202-203)

**L i m o n i d e a - Hexatominae**

Neotropical: 38 (1914): 592; sp.; Nearctic and Neotropical  
(Add. key to O.S.: Mon. Dipt. N. Am. Vol. 4  
pp. 202-203)

(*Dicranophragma*)

Nearctic: 890 (1966): 382; sp.; Connecticut

(*Elaeophila*)

Nearctic: 890 (1966): 385; sp.; Connecticut

**Elephantomyia**

Ethiopian: 331 (1930): 347-349; sp.; Ethiopian  
748 (1956): 299-300; sp.; Ruwenzori

Fossil: 340 (1931): 88; sp.; Baltic Amber

(*Elephantomyia*)

Ethiopian: 861 (1964): 366-367; sp.; South Africa

Madagascar: 742 (1955): 336-337; sp.; Madagascar

**(Ephelia)**

Nearctic: 245 (1927): 57; sp.; Eastern North America

**Epiphragma**

Nearctic: 22 (1913): 535; sp.; Nearctic and Neotropical  
77 (1919): 915; sp.; Eastern Nearctic  
109 (1920): 424; sp.; Nearctic  
890 (1966): 368; sp.; Connecticut

Neotropical: 22 (1913): 535; sp.; Nearctic and Neotropical  
50 (1916): 22; sp. (in part.); Neotropical  
708 (1953): 30-32; sp.; Ecuador

Oriental: 364 (1932): 259-261; subgen., gr., sp.; Philippines

## L i m e n i i d e a - Hexatominae

*Epiphragma bakeri*

Oriental: 319 (1930): 303; subsp.; Philippines

*Eriocera*: zie ook Penthoptera

Ethiopian: 332 (1930): 1012-1014; sp.; Ethiopian

General: 30 (1914): 19; sp. (larvae); General

30 (1914): 20; sp. (pupae); General

Nearctic: 77 (1919): 922; sp.; Eastern Nearctic

109 (1920): 429; sp.; Nearctic

123 (1921): 882-883; sp. (larvae); Nearctic

123 (1921): 883; sp. (pupae); Nearctic

Neotropical: 29 (1914): 34-37; sp.; Neotropical

48 (1915): 105; sp. (in part.); Puerto Rico

54 (1916): 347; sp.; West-Indies

## (Eriocera)

Ethiopian: 861 (1964): 364; sp.; South Africa

Nearctic: 890 (1966): 417; sp.; Connecticut

907 (1967): 115-116; sp.; California

Neotropical: 366 B (1932): 370; sp.; Puerto Rico

858 (1964): 62; sp.; Jamaica

Oriental: 391 (1934): 457; sp.; Java

## (Eupilaria)

Oriental: 643 (1948): 650; sp.; Oriental

## (Eutonia)

Nearctic: 890 (1966): 390; sp.; Connecticut

*Gynoplistia*: zie ook Ctedonia

Neotropical: 295 (1929): 152-153; subgen., sp., subsp.; Chili

## L i m o n i d e a - Hexatominae

### (Gynoplistia)

Australian: 832 (1962): 139-140; sp. (in part.); New Zealand  
Oriental: 390 (1934): 332; sp.; Celebes

## Hexatoma

Ethiopian: 748 (1956): 295-297; subgen., sp.; Ruwenzori  
 General: 376 (1933): 148; subg.; General  
 Madagascar: 741 (1955): 316-317; subgen., sp.; Madagascar  
 Nearctic: 45 (1915): 148; sp. (larvae and pupae); Holarctic  
 890 (1966): 415; subgen.; Connecticut  
 Palaearctic: 45 (1915): 148; sp. (larvae and pupae); Holarctic

### (Hexatoma)

Nearctic: 890 (1966): 415-416; sp.; Connecticut

## Hexatomaria

Nearctic: 123 (1921): 877; gen. (larvae); Nearctic  
123 (1921): 877; gen. (pupae); Nearctic

## Hexatomini

Ethiopian: 748 (1956): 258; gen.; Ruwenzori  
               861 (1964): 347-348; gen.; South Africa

Fossil: 340 (1931): 45; gen., subgen.; Baltic Amber

Madagascar: 851 (1963): 211; gen., subgen.; Madagascar

Nearctic: 77 (1919): 920; gen.; Eastern Nearctic  
               109 (1920): 428; gen.; Nearctic  
               123 (1921): 836; subtr., gr. (larvae); Nearctic  
               123 (1921): 836-837; subtr., gr. (pupae); Nearctic  
               890 (1966): 365-366; subtr., gen.; Connecticut  
               907 (1967): 100-101; gen.; California

Neotropical: 295 (1929): 112; gen., subgen.; Chili  
               946 (1970): 29; gen., subgen.; Dominica

## L i m o n i ' i d e a - Hexatominae

## Ischnothrix

Neotropical: 295 (1929): 168-169; subgen., sp.; Chili

## (Lasiomastix)

Nearctic: 890 (1966): 380; sp.; Connecticut

## Limnophila

Ethiopian: 748 (1956): 279-281; subgen., sp.; Ruwenzori

861 (1964): 358-359; subgen., sp.; South Africa

Fossil: 340 (1931): 71-72; sp.; Baltic Amber

General: 52 (1916): 122; sp.; General

Nearctic: 38 (1914): 593; sp. lutefpennis gr.; Eastern Nearctic

38 (1914): 594; sp. adusta gr.; Eastern Nearctic

38 (1914): 597; sp. quadrata gr.; Eastern Nearctic

52 (1916): 120; sp. (in part.); Nearctic

77 (1919): 916-920; subgen., sp.; Eastern Nearctic

109 (1920): 424-426; sp.; Nearctic

890 (1966): 378; subgen.; Connecticut

907 (1967): 107-109; subgen., sp.; California

Neotropical: 295 (1929): 134; sp., subsp.; Chili

Oriental: 364 (1932): 268-269; subgen., sp.; Philippines

Palaearctic: 23 (1913): 313; subgen., sp.; Japan

## (Limnophila)

Nearctic: 890 (1966): 405; sp.; Connecticut

## Limnophilaria

Nearctic: 123 (1921): 857; gen., subgen. (larvae); Nearctic

123 (1921): 858; gen., subgen. (pupae); Nearctic

## Limnophilini

General: 22 (1913): 525; gen.; General

25 (1913): 203-204; gen.; General (add. to: 22 (1913):525)

Nearctic: 77 (1919): 913; gen.; Eastern Nearctic

109 (1920): 423; gen.; Nearctic

## L i m o n i i d e a - Hexatominae

**Mesolimnophila**

Neotropical: 295 (1929): 130; sp.; Chili

**Oxydiscus**

Nearctic: 890 (1966): 366-367; sp.; Connecticut

## (Oxyrhiza)

Ethiopian: 748 (1956): 258-259; sp.; Ruwenzori  
861 (1964): 348; sp.; South Africa

**Palaeopoecilostola**

Fossil: 340 (1931): 46; sp., subsp.; Baltic Amber

**Paradelphomyia** (see also Adelphomyia)

Nearctic: 907 (1967): 101; sp.; California

**Penthoptera = Eriocera**

Nearctic: 29 (1914): 44; sp.; Nearctic and Neotropical

Neotropical: 29 (1914): 44; sp.; Nearctic and Neotropical

## (Phylidorea)

Nearctic: 890 (1966): 394; gr., subgr.; Connecticut  
890 (1966): 395-396; sp.; Connecticut

**Phyllolabis**

Nearctic: 907 (1967): 101-102; sp.; California

Oriental: 821 (1961): 141-142; sp.; Himalaya

Palaearctic: 821 (1961): 141-142; sp.; Himalaya

**Pilaria**

Ethiopian: 748 (1956): 293; sp.; Ruwenzori

## L i m o n i i d a e - Hexatominae

Fossil: 340 (1931): 80; sp.; Baltic Amber  
 Nearctic: 123 (1921): 872; sp. (larvae); Nearctic  
     123 (1921): 872-873; sp. (pupae); Nearctic  
     890 (1966): 410-411; sp., subsp.; Connecticut  
     907 (1967): 114; sp.; California  
 Oriental: 364 (1932): 271; subgen., sp., subsp.; Philippines

*Polymera*

Nearctic: 22 (1913): 527; sp.; Nearctic and Neotropical  
 Neotropical: 22 (1913): 527; sp.; Nearctic and Neotropical  
     858 (1964): 53; sp., subsp.; Jamaica

## (Polymerodes)

Neotropical: 93 (1920): 143; sp.; Neotropical

## (Prionolabis)

Nearctic: 494 (1941): 307; sp., subsp. *rufibasis* gr.; Nearctic  
     890 (1966): 391; sp.; Connecticut

*Psaronius*

Neotropical: 36 (1914): 250; sp.; Neotropical

*Pseudolimnophila*

Ethiopian: 195 (1924): 4-7; subgen., spec.; Ethiopian  
     748 (1956): 277-278; subgen., sp., subsp.; Ruwenzori  
     861 (1964): 355-356; subgen., sp.; South Africa  
 Fossil: 340 (1931); 62-63; sp.; Baltic Amber  
 Madagascar: 742 (1955): 333; sp.; Madagascar  
 Nearctic: 890 (1966): 374; sp.; Connecticut  
     907 (1967): 106; sp.; California  
 Oriental: 355 (1932): 188; sp.; Philippines

L i m o n i d a e - Hexatominae**Shannonomyia**

- Neotropical: 295 (1929): 144; sp., subsp.; Chili  
366 B (1932): 368; sp.; Puerto Rico  
437 (1937): 526-527; sp., subsp.; Cuba  
692 (1952): 56-57; sp.; Juan Fernandez  
858 (1964): 56-57; sp.; Jamaica

Taiwanomyia: see *Troglophila*

**Tanymera**

- Fossil: 340 (1931): 76; sp.; Baltic Amber

**Ulomorpha**

- Nearctic: 95 (1920): 39; sp.; Nearctic  
890 (1966): 414; sp.; Connecticut  
907 (1967): 114-115; sp.; California

L i m o n i i d a e - Eriopterinae

(*Acyphona*) = (*Psiloconopa*)

Nearctic: 23 (1913): 288; sp.; Holarctic

*Amphineurus*

Neotropical: 295 (1929): 186; subgen., sp.; Chili

*Astelobia* = (*Austrolimnobia*)

Neotropical: 403 (1935): 104; sp.; Neotropical

(*Austrolimnobia*): zie ook *Astelobia*

*Baeoura*

Ethiopian: 861 (1964): 407; sp.; South Africa

*Ceratocheilus*

Ethiopian: 332 (1930): 1020; sp.; Ethiopian

*Cheilotrichia*

Ethiopian: 861 (1964): 414; subgen., sp.; South Africa

Nearctic: 907 (1967): 132; subgen., sp.; California

*Chionea*

Nearctic: 59 (1917): 206; sp.; Nearctic

77 (1919): 903; sp.; Eastern Nearctic

890 (1966): 428; sp.; Connecticut

*Cladura*

Nearctic: 77 (1919): 903; sp.; Eastern Nearctic

890 (1966): 426; sp.; Connecticut

*Clydonodozus*

Ethiopian: 168 (1923): 10-11; sp., subsp.; Ethiopian

332 (1930): 1015-1016; sp.; Ethiopian

748 (1956): 310-311; sp.; Ruwenzori

L i m o n i i d a e - Eriopterinae**Conosia**

- Ethiopian: 748 (1956): 309; sp.; Ruwenzori  
 861 (1964): 376; sp.; South Africa  
 Madagascar: 742 (1955): 341; sp.; Madagascar

**Cryptolabis**

- Nearctic: 22 (1913): 509; sp.; Nearctic and Neotropical  
 907 (1967): 129; sp.; California  
 Neotropical: 22 (1913): 509; sp.; Nearctic and Neotropical  
 295 (1929): 191-192; subgen., sp.; Chili

**Dasymallomyia**

- Oriental: 857 (1964): 215-216; sp.; Asia  
 Palaearctic: 857 (1964): 215-216; sp.; Asia

**Dasymolophilus**

- Nearctic: 907 (1967): 147; sp.; California  
 Palaearctic: 414 (1936): 200; sp. ( $\delta$ ); Palaearctic

**(Dasymolophilus)**

- Ethiopian: 748 (1956): 338-339; sp.; Ruwenzori  
 861 (1964): 410; sp.; South Africa  
 Nearctic: 890 (1966): 476; sp.; Connecticut

**(Empeda)**

- Fossil: 340 (1931): 105-106; sp. ( $\delta$ ); Baltic Amber  
 Nearctic: 59 (1917): 201; sp.; Nearctic  
 890 (1966): 446; sp.; Connecticut

L i m o n i i d a e - Eriopterinae**Erioptera**

Ethiopian: 748 (1956): 347-348; subgen., sp.; Ruwenzori  
                   861 (1964): 416-418; subgen., sp.; South Africa

Nearctic: 74 (1919): 106; sp. chlorophylla gr.; Nearctic  
                   77 (1919): 908; subg.; Eastern Nearctic  
                   77 (1919): 908-909; subg., sp.; Eastern Nearctic  
                   109 (1920): 417-418; subg., sp.; Nearctic  
                   123 (1921): 915; sp. (pupae); Nearctic  
                   890 (1966): 445; subgen.; Connecticut  
                   907 (1967): 134; subgen.; sp., subsp.; California

Neotropical: 295 (1929): 195; subgen., sp.; Chili

Oriental: 360 (1932): 524-625; subgen., sp.; Philippines

**(Erioptera)**

Fossil: 340 (1931): 104; sp. (?); Baltic Amber

Nearctic: 890 (1966): 448-449; sp.; Connecticut

**Eriopterini**

Australian: 973 (1972): 833-834; gen.; Micronesia

Ethiopian: 748 (1956): 306-307; gen.; Ruwenzori  
                   861 (1964): 374-376; gen.; South Africa

Fossil: 340 (1931): 97-98; gen., subgen.; Baltic Amber

General: 22 (1913): 492; gen.; General

Madagascar: 851 (1963): 211-213; gen., subgen.; Madagascar

Nearctic: 55 (1916): 530; gen.; Palaearctic and Nearctic  
                   77 (1919): 901-902; gen.; Eastern Nearctic  
                   109 (1920): 416; gen.; Nearctic  
                   123 (1921): 909-910; gen. (larvae); Nearctic  
                   123 (1921): 910; gen. (pupae); Nearctic  
                   890 (1966): 424-426; subtr., gen.; Connecticut  
                   907 (1967): 119-120; gen., subgen.; California

Neotropical: 295 (1929): 175; gen. subgen.; Chili  
                   946 (1970): 35; gen., subgen.; Dominica

Palaearctic: 55 (1916): 530; gen.; Palaearctic and Nearctic

L i m o n i i d a e - Eriopterinae

(*Eugnophomyia*)

Ethiopian: 861 (1964): 379-380; sp.; South Africa

*Gnophomyia*

Ethiopian: 331 (1930): 356-358; sp.; Ethiopian

748 (1956): 324; subgen., sp.; Ruwenzori

Fossil: 340 (1931): 119-120; sp.; Baltic Amber

Nearctic: 22 (1913): 521; sp.; Nearctic and Neotropical

79 (1919): 145-146; sp.; Nearctic and Neotropical

109 (1920): 442; sp.; Nearctic

Neotropical: 22 (1913): 521; sp.; Nearctic and Neotropical

79 (1919): 145-146; sp.; Nearctic and Neotropical

*Gonomyia*

Ethiopian: 748 (1956): 325-326; subgen., sp.; Ruwenzori

861 (1964): 381-385; subgen., sp.; South Africa

General: 22 (1913): 503; subg.; General

429 (1937): 177; subg.; General

Nearctic: 55 (1916): 511-513; subgen., sp.; Nearctic and Neotropical

77 (1919): 905; subgen., sp.; Eastern Nearctic

109 (1920): 420-421; subgen., sp.; Nearctic

123 (1921): 938; sp. (pupae); Nearctic

858 (1964): 75; subgen., sp.; Nearctic and Neotropical

890 (1966): 433-434; subgen.; Connecticut

907 (1967): 122-123; subgen., gr., sp.; California

Neotropical: 55 (1916): 511-513; subgen., sp.; Nearctic and Neotropical

233 (1926): 226; sp. (in part.), subcinerea gr.; Neotropical

858 (1964): 75; subgen., sp.; Nearctic and Neotropical

946 (1970): 40-41; subgen., sp.; Dominica

Oriental: 360 (1932): 615-617; subgen., sp.; Philippines

L i m o n i i d a e - Eriopterinae

## (Gonomyia)

- Nearctic: 22 (1913): 504; sp.; Nearctic and Neotropical  
           43 (1915): 172; sp. cognatella gr.; Eastern Nearctic  
           50 (1916): 18; sp.; Nearctic and Neotropical  
           890 (1966): 438-439; sp.; Connecticut
- Neotropical: 22 (1913): 504; sp.; Nearctic and Neotropical  
           50 (1916): 18; sp.; Nearctic and Neotropical

## Gonomyodes

- Nearctic: 907 (1967): 133; subgen., sp.; California

## Gymnastes

- Ethiopian: 748 (1956): 322; (subgen.), sp.; Ruwenzori

## Hesperoconopa

- Nearctic: 907 (1967): 129; California

## (Idiocera)

- Nearctic: 890 (1966): 436; sp.; Connecticut

## Idiognophomyia

- Ethiopian: 861 (1964): 378; sp.; South Africa

## (Ilisia)

- Nearctic: 890 (1966): 459-460; sp.; Connecticut

## Lecteria

- Ethiopian: 182 (1923): 376-379; sp., subsp.; Ethiopian  
           386 (1934): 288; subgen.; Oriental, Ethiopian and Neotropical  
           748 (1956): 307-309; sp., subsp.; Ruwenzori
- Neotropical: 22 (1913): 493-494; sp.; Neotropical  
           386 (1934): 288; subgen.; Oriental, Ethiopian and Neotropical  
           938 (1969): 322-323; sp.; Neotropical
- Oriental: 386 (1934): 288; subgen.; Oriental, Ethiopian and Neotropical

L i m o n i d a e - Eriopterinae

(Leiponeura) = Lipophleps

- Nearctic: 22 (1913): 503-504; sp.; Nearctic and Neotropical  
           36 (1914): 241-242; sp. ♂, manca gr.; Nearctic and Neotropical  
           54 (1916): 345-346; sp.; Nearctic and Neotropical  
           55 (1916): 514; sp. (in part.); Nearctic and Neotropical
- Neotropical: 22 (1913): 503-504; sp.; Nearctic and Neotropical  
           36 (1914): 241-242; sp. ♂, manca gr.; Nearctic and Neotropical  
           54 (1916): 345-346; sp.; Nearctic and Neotropical  
           55 (1916): 514; sp. (in part.); Nearctic and Neotropical

(Lipophleps): zie ook Leiponeura

- Australian: 361 (1932): 87; sp.; Marquesas  
           370 (1933): 53; sp.; Tahiti  
           973 (1972): 848; sp.; Micronesia
- Nearctic: 890 (1966): 434; sp.; Connecticut
- Neotropical: 366 B (1932): 371; gr., sp.; Puerto Rico

*Limnophilomyia*

- Ethiopian: 748 (1956): 326; sp.; Ruwenzori  
           861 (1964): 403; subgen., sp.; South Africa

*Lipsothrix*

- Nearctic: 907 (1967): 128; sp.; California
- Oriental: 683 (1952): 128-129; sp.; Himalaya
- Palaearctic: 683 (1952): 128-129; sp.; Himalaya

(*Mesocyphona*)

- Nearctic: 22 (1913): 512; sp., subsp.; Nearctic and Neotropical  
           858 (1964): 82; sp., subsp.; Nearctic and Neotropical  
           890 (1966): 456-457; sp.; Connecticut
- Neotropical: 22 (1913): 512; sp., subsp.; Nearctic and Neotropical  
           366 B (1932): 376; sp.; Puerto Rico  
           858 (1964): 82; sp., subsp.; Nearctic and Neotropical

L i m o n i d a e - Eriopterinae

(Meterioptera)

Oriental: 387 (1934): 464; sp. (in part.); Oriental

**Molophilus**

Australian: 305 (1929): 137; gr., subgr.; Australian  
 Nearctic: 77 (1919): 906-907; sp.; Eastern Nearctic  
     109 (1920): 419-420; sp.; Nearctic  
     890 (1966): 476-478; sp. (♂); Connecticut  
     907 (1967): 147-148; subgen., gr., subgr., sp.; California  
 Neotropical: 22 (1913): 510; sp.; Neotropical  
     295 (1929): 200-202; gr., subgr., sp., subsp. (♂); Chili  
     692 (1952): 61-64; sp.; Juan Fernandez  
 Oriental: 360 (1932): 631-632; sp. *gracilis* group; Philippines

## (Molophilus)

Ethiopian: 748 (1956): 355; sp.; Ruwenzori  
     861 (1964): 424; sp. (♂); *gracilis* gr.; South Africa

**Mongoma**

Neotropical: 22 (1913): 500; sp.; Neotropical  
     36 (1914): 248; sp. *Bromeliadicola* gr.; Neotropical

## (Mongoma)

Australian: 973 (1972): 857; sp.; Micronesia  
 Oriental: 353 (1931): 471; sp.; Philippines  
     391 (1934): 464-465; sp. *carinicens* gr.; Indonesia

**Ormosia**

Ethiopian: 748 (1956): 343; subgen., sp.; Ruwenzori  
     861 (1964): 412; sp.; South Africa  
 Fossil: 340 (1931): 100; sp. (♂); Baltic Amber  
 Nearctic: 77 (1919): 911-912; sp.; Eastern Nearctic  
     109 (1920): 422; sp.; Nearctic  
     123 (1921): 923; sp. (pupae); Nearctic

L i m o n i d a e - Eriopterinae

Nearctic: 890 (1966): 462-464; sp.; Connecticut  
 907 (1967): 142-143; subgen., sp.; California

**Palaeogonomyia**

Fossil: 340 (1931): 112-113; sp., subsp.; Baltic Amber  
 (Paramongoma)  
 Neotropical: 79 (1919): 142; sp. *bromeliadicola* gr.; Neotropical

**Paratropesa**

Neotropical: 28 (1913): 446; sp.; Neotropical  
 (Paratropesa)  
 Neotropical: 374 (1933): 44-45; sp.; Neotropical

**(Plesiomongoma)**

Australian: 399 (1935): 67; sp.; Australian  
 Oriental: 399 (1935): 67; sp.; Australian

**Podoneura**

Ethiopian: 332 (1930): 1017-1018; sp.; Ethiopian

**(Progonomyia)**

Neotropical: 497 (1941): 249; sp.; Neotropical

**(Psiloconopa): zie ook (Acyphona)**

Nearctic: 890 (1966): 458; sp.; Connecticut

**Rhabdomastix**

Australian: 6 (1911): 71; subg.; Australian and Nearctic  
 Nearctic: 6 (1911): 71; subg.; Australian and Nearctic  
 907 (1967): 130-131; subg., sp., subsp.; California  
 Neotropical: 295 (1929): 182; subgen., sp.; Chili  
 Oriental: 857 (1964): 222-223; subgen., sp.; India, Pakistan, Ceylon

L i m o n i i d a e - Eriopterinae**Sacandaga**

Nearctic: 22 (1913): 508; sp.; Nearctic and Neotropical  
 Neotropical: 22 (1913): 508; sp.; Nearctic and Neotropical

## (Sacandaga)

Ethiopian: 861 (1964): 405-406; sp.; South Africa  
 Nearctic: 77 (1919): 904; sp.; Eastern Nearctic  
 890 (1966): 442; sp.; Connecticut

**Sigmatomera**

Neotropical: 22 (1913): 521; sp.; Neotropical  
 36 (1914): 246-247; sp.; Neotropical  
 318 (1930): 3-4; sp.; Neotropical

**Styringomyia**

Australian: 973 (1972): 844; sp.; Micronesia  
 Ethiopian: 748 (1956): 370-383; sp.; Ruwenzori  
 861 (1964): 425; sp.; South Africa  
 Madagascar: 705 (1953): 305-306; sp.; Madagascar, Seychelles  
 Oriental: 352 (1931): 287; sp. (♂); Philippines  
 705 (1953): 305-306; sp.; Madagascar, Seychelles

## (Teleneura)

Oriental: 352 (1931): 287; sp.; Oriental

**Teucholabis**

Ethiopian: 332 (1930): 1019; sp., subsp.; Ethiopian  
 748 (1956): 320-321; subgen., sp., subsp.; Ruwenzori  
 General: 606 (1946): 378; subgen.; General  
 Nearctic: 36 (1914): 235-239; sp.; Nearctic and Neotropical  
 109 (1920): 416; sp.; Nearctic  
 890 (1966): 431-432; sp.; Connecticut  
 Neotropical: 19 (1913): 43-44; sp. polita group; Neotropical  
 36 (1914): 235-239; sp.; Nearctic and Neotropical  
 946 (1970): 36; sp.; Dominica

L i m o n i i d a e - Eriopterinae

## (Teucholabis)

Neotropical: 858 (1964): 68-69; sp.; Jamaica, Cuba

Oriental: 356 (1932): 43-44; sp.; Philippines

## (Teucholabis) nodipes

Ethiopian: 861 (1964): 400; subsp.; South Africa

## Toxorhina

Ethiopian: 748 (1956): 364-365; subgen., sp., subsp.; Ruwenzori

861 (1964): 429; subgen., sp.; South Africa

General: 386 (1934): 297; subgen.; General

## Toxo(r)rhina

Nearctic: 77 (1919): 899; sp.; Eastern Nearctic

109 (1920): 414; sp.; Nearctic

Nearctic: 890 (1966): 484; sp.; Connecticut

Neotropical: 19 (1913): 50-51; sp.; Neotropical

946 (1970): 50; sp.; Dominica

## Trentepohlia

Ethiopian: 232 (1926): 177-180; subgen., sp., subsp.; Ethiopian

748 (1956): 311-314; subgen., sp., subsp.; Ruwenzori

861 (1964): 396-397; subgen., sp.; South Africa

General: 79 (1919): 141; subgen.; General

441 (1938): 354; subgen.; General

Madagascar: 705 (1953): 293-294; subgen., sp., subsp.; Madagascar

Oriental: 259 (1927): 302; subg., sp.; Philippines

330 (1930): 297-298; subg., sp.; Philippines

387 (1934): 442-444; subg., sp.; Philippines

## (Trentepohlia)

Australian: 399 (1935): 66; sp.; New Britain

## L i m o n i i d a e - Eriopterinae

**Trimicra**

Nearctic: 22 (1913): 524; sp.; Nearctic and Neotropical

Neotropical: 22 (1913): 524; sp.; Nearctic and Neotropical

T i p u l i d a e

(*Arctotipula*)

Nearctic: 890 (1966): 246; sp.; Connecticut

(*Arctotipula*) *conjuncta*

Palaearctic: 666 (1950): 420; subsp.; Palaearctic

(*Beringotipula*)

Nearctic: 907 (1967): 22-23; sp.; California

*Brachypremna*

General: 16 (1912): 228; sp.; General

(*Brithura*)

Palaearctic: 397 (1935): 89-90; sp.; China

*Clytocosmus*

Australian: 98 (1920): 184; sp.; Australian

142 (1922): 159-160; sp.; Australian

359 (1932): 18-19; sp.; Australian

*Ctenacroscelis* = *Holorusia*

Ethiopian: 861 (1964): 242; sp.; subsp.; South Africa

*Ctenophoraria*

Palaearctic: 414 (1936): 167; gen. (♂); Eastern Asia

Oriental: 414 (1936): 167; gen. (♂); Eastern Asia

*Ctenophorini*

Nearctic: 77 (1919): 930; gen.; Eastern Nearctic

109 (1920): 394; gen.; Nearctic

*Ctenophora*

Nearctic: 77 (1919): 932; sp.; Eastern Nearctic

109 (1920): 394; sp.; Nearctic

890 (1966): 218; sp.; Connecticut

T i p u l i d a e**Dolichopeza**

- Ethiopian: 748 (1956): 188-189; subgen.; sp.; Ruwenzori  
 861 (1964): 282-283; subgen., sp. (♂); South Africa
- General: 352 (1931): 270; subgen.; General
- Nearctic: 890 (1966): 210; subgen.; Connecticut
- Oriental: 355 (1932): 169-171; subg., gr., sp.; Philippines

**Dolichopezini**

- General: 9 (1912): 64; gen.; General
- Nearctic: 77 (1919): 928; gen.; Eastern Nearctic  
 109 (1920): 393; gen.; Nearctic

## (Eremotipula)

- Nearctic: 907 (1967): 25; sp.; California

## (Eumicrotipula)

- Neotropical: 101 (1920): 8; sp.; South Neotropical

## (Hesperotipula)

- Nearctic: 907 (1967): 27-28; sp.; California

**Holorusia**: zie ook Ctenacroscelis

## Ethiopian:

- Neotropical: 295 (1929): 23-24; sp.; Chili  
 834 (1962): 19; sp.; Bolivia

**Leptotarsus**

- Australian: 308 (1929): 242; subg., sp.; Australian

**Longurio**

- Ethiopian: 748 (1956): 134; sp.; Ruwenzori  
 861 (1964): 245-248; subgen., sp. (♂); South Africa  
 861 (1964): 248-249; sp. (?); South Africa
- Nearctic: 890 (1966): 220; subgen.; Connecticut

T i p u l i d a e

(Longurio)

Nearctic: 890 (1966): 221; sp.; Connecticut

(Lunatipula)

Nearctic: 890 (1966): 276; gr.; Connecticut

890 (1966): 276-277; sp. bicornis/fascipennis gr.;  
Connecticut890 (1966): 277; sp. (♂) bicornis/fascipennis gr.;  
Connecticut

890 (1966): 278; sp. macrolabis gr.; Connecticut

890 (1966): 281-282; sp. dorsimacula gr.; Connecticut

907 (1967): 33-38; gr., subgr., sp., subsp.; California

Macgregoromyia

Oriental: 344 (1931): 273; sp.; Philippines

Macromastix

Australian: 391 (1934): 443; sp.; New Caledonia

Neotropical: 295 (1929): 14; subgen., sp.; Chili

(Megistomastix)

Neotropical: 937 (1969): 170-171; sp.; Puerto Rico

(Mitopeza)

Oriental: 352 (1931): 272; sp.; Oriental

Nephrotoma: see also Pachyrhina

Australian: 406 (1936): 84-85; sp.; Flores Isl.

421 (1936): 3; sp., subsp.; Solomon Isl.

Ethiopian: 85 (1920): 20; sp. (in part.); Ethiopian

748 (1956): 135-139; sp., subsp.; Ruwenzori

861 (1964): 266-268; sp. (♂); South Africa

Madagascar: 761 (1957): 289; sp.; Réunion

T i p u l i d a e

809 (1960): 217; sp., subsp.; Madagascar

Nearctic: 77 (1919): 935-936; sp.; Eastern Nearctic

77 (1919): 936-937; sp.; Eastern Nearctic

109 (1920): 395; sp.; Nearctic

890 (1966): 222-224; sp. subsp.; Connecticut

Palaearctic

(Nobilotipula)

Nearctic: 890 (1966): 239; sp.; Connecticut

(Oreomyza)

Nearctic: 890 (1966): 263-264; gr.; Connecticut

890 (1966): 264; sp. borealis/unca gr.; Connecticut

890 (1966): 266-267; sp. fragilis/marmorata gr.; Connecticut

890 (1966): 269-270; sp. trivittata gr.; Connecticut

Oropeza

Nearctic: 77 (1919): 930; sp., subsp.; Eastern Nearctic

109 (1920): 393; sp.; Nearctic

(Oropeza)

Nearctic: 890 (1966): 210-211; sp. ( $\delta$ ); Connecticut

890 (1966): 211; sp. ( $\delta$ ); Connecticut

Pachyrhina = Nephrotoma

Palaearctic: 23 (1913): 158; sp.; Japan

(Pectinotipula)

Neotropical: 834 (1962): 38-39; sp.; Neotropical

Phymatopsis

Australian: 279 (1928): 55; sp. (in part.); Eastern Australia

T i p u l i d a e**Prionocera**

Nearctic: 890 (1966): 219; sp.; Connecticut

**Pselliophora**

Neotropical: 540 (1944): 40; sp.; Neotropical

**(Pterelachisus)**

Nearctic: 907 (1967): 49-50; sp.; California

**Scamboneura**

Oriental: 259 (1927): 293-294; sp.; Philippines

344 (1931): 266-267; sp.; Philippines

**(Schummelia)**

Nearctic: 494 (1941): 291-293; sp.; hermanniagr.; Eastern N.

890 (1966): 261; sp.; Connecticut

907 (1967): 51; sp.; California

**Semnotes**

Australian: 308 (1929): 246-247; sp.; subsp.; Australian

**(Serratipula)**

Nearctic: 907 (1967): 52; sp.; California

**(Setitipula)**

Nearctic: 907 (1967): 53-53; sp.; California

**(Sinotipula)**

Nearctic: 907 (1967): 54; sp.; California

**Tanypremna**

General: 433 (1937): 484-485; subgen.; General

Neotropical: 35 (1914): 207-208; sp.; Neotropical

419 (1936): 302; subg.; Neotropical

## T i p u l i d a e

## Tanyptera

- Nearctic: 77 (1919): 931; sp.; Eastern Nearctic  
 109 (1920): 394; sp.; Nearctic  
 890 (1966): 217; sp.; Connecticut

## Tipula

- Ethiopian: 748 (1956): 165-169; subgen., sp.; subsp.; Ruwenzori  
 861 (1964): 294-295; subgen., sp. (♂), South Africa
- Fossil: 340 (1931): 23-24; sp. (♂ only); Baltic Amber  
 449 (1938): 113-114; sp. (in part.); Miocene Nearctic
- General: 47 (1915): 503-504; sp. (in part.); General
- Madagascar: 809 (1960): 206-207; subgen., sp.; Madagascar
- Nearctic: 47 (1915): 482; sp. (in part.); Nearctic  
 47 (1915): 483-484; sp. (in part.); Nearctic  
 47 (1915): 504-505; sp. *bicornis* gr., ♂; Nearctic  
 77 (1919): 939; subgen.; Eastern Nearctic  
 77 (1919): 942-955; subgen., gr., subgr., sp.; Eastern  
     Nearctic  
 109 (1920): 398-403; subgen., gr., sp.; Nearctic  
 890 (1966): 236-237; subgen.; Connecticut  
 907 (1967): 19; subgen.; California
- Neotropical: 50 (1916): 27; sp. (in part.); Neotropical  
 295 (1929): 39-42; sp. (♂); Chili  
 295 (1929): 42-43; sp. (in part.); Chili
- Oriental: 44 (1915): 190; sp. (in part.); Java  
 364 (1932): 232-234; subgen., sp.; Philippines  
 397 (1935): 83-85; subg.; Central and Eastern Asia
- Palaearctic: 23 (1913): 205-206; sp.; Japan  
 397 (1935): 83-85; subgen.; Central and Eastern Asia

T i p u l i d a e

(Tipula)

Nearctic: 77 (1919): 939-942; gr., subgr.; Eastern Nearctic  
 890 (1966): 258; sp.; Connecticut

## Tipulidae

Australian: 359 (1932): 14-15; subfam.; Australian  
 973 (1972): 738; subfam., tr.; Micronesia  
 976 (1973): 153; gen., subgen., sp.; Kermadec Isl.  
 Ethiopian: 748 (1956): 132; subfam., tr.; Ruwenzori  
 748 (1956): 132; subapterous subfam., tr., gen.; Ruwenzori  
 861 (1964): 239; subfam., tr.; South Africa  
 861 (1964): 239-240; subapterous subfam., tr., gen.; South Africa  
 999 (1976): 21; tr., gen., subgen., sp.; St. Helena  
 Fossil: 340 (1931): 17-18; subfam.; Baltic Amber  
 General: 22 (1913): 491; subfam.; General  
 109 (1920): 392; subfam., tr.; General

## Tipulidae (and Ptychopteridae)

Madagascar: 851 (1963): 208; fam., subfam., tr.; Madagascar

## Tipulidae

Nearctic: 77 (1919): 889-890; subfam., tr.; Eastern Nearctic  
 123 (1921): 792; subfam. (larvae); Nearctic  
 123 (1921): 792-793; subfam. (pupae); Nearctic  
 383 (1934): 36-52; subfam.; tr., gen., subgen.; Nearctic  
 383 (1934): 52; subapterous genera; Nearctic  
 890 (1966): 207; subfamilies; Connecticut  
 907 (1967): 8; subapt.; subfam., tr., gen., subgen., sp.; California  
 907 (1967): 15; subfam.; California

## T i p u l i d a e

## **Tipulinae**

Australian: 359 (1932): 15-16; gen., subgen.; Australian  
359 (1932): 16; gen. (in part.; ♀); Australian

Ethiopian: 748 (1956): 133; gen.; Ruwenzori

861 (1964): 240-241; gen.; South Africa

Madagascar: 851 (1963): 208-209; gen.; subgen.; Madagascar

Nearctic: 123 (1921): 977; gen. (larvae); Nearctic

123 (1921): 977: gen. (pupae): Nearctic

890 (1966): 208-209: subtr.. gen.: Connecticut

907 (1967): 15: gen., sp.: California

Neotropical: 295 (1929): 13-14: gen.: Chili

858 (1964): 8-9: gen., subgen.: Greater Antilles

946 (1970): 2: gen.: Dominica

Tipulini

Fossil: 340 (1931): 19: gen., subgen.: Baltic Amber

Nearctic: 77 (1919): 932: gen., subgen.: Eastern Nearctic

109 (1920): 395: gen.: Nearctic.

T i p u l i d a e**Tipulodina**

Oriental: 330 (1930): 278-279; sp.; Philippines

**Tipuloidea**

Ethiopian: 861 (1964): 234; fam.; South Africa

Fossil: 340 (1931): 13; fam.; Baltic Amber

General: 109 (1920): 389; fam.; General

Nearctic: 77 (1919): 883; fam.; Eastern Nearctic

123 (1921): 768; fam. (larvae); Nearctic

123 (1921): 768; fam. (pupae); Nearctic

907 (1967): 7; fam.; California

**Trichotipula**

Nearctic: 595 (1946): 1-3; sp. (♂); California

890 (1966): 238; sp.; Connecticut

907 (1967): 56-57; sp.; California

**(Trichodolichopeza)**

Ethiopian: 222 (1925): 41-43; sp.; South Africa

**(Triplicitipula)**

Nearctic: 907 (1967): 60-62; sp.; California

**Valdiviana**

Neotropical: 295 (1929): 18; sp.; Chili

**(Vestiplex)**

Nearctic: 890 (1966): 242-243; sp.; Connecticut

**(Yamatotipula)**

Nearctic: 890 (1966): 248-240; sp.; Connecticut

907 (1967): 67; sp., subsp.; California

T r i c h o c e r i d a e

(Nothotrichocera)

Australian: 235 (1926): 301-302; sp.; Tasmania

## Paracladura

Neotropical: 295 (1929): 223; sp.; Chili

Palaearctic: 326 (1930): 103-104; sp.; Asia

## Trichocera

Nearctic: 77 (1919): 887; subg., spec.; Eastern Nearctic

109 (1920): 391; sp.; Nearctic

890 (1966): 189; sp.; Connecticut

Palaearctic: 396 (1935): 526-527; sp. *maculipennis* gr.; Eastern Asia

## Trichoceridae

General: 235 (1926): 301; gen.; General

295 (1929): 221; gen.; General

996 (1976): 12; subfam., gen., subgen.; General

Nearctic: 383 (1934): 31; gen.; Nearctic

890 (1966): 188; gen.; Connecticut,

907 (1967): 12; gen., sp.; California

## (Trimicra)

Australian: 838 (1962): 941; sp., subsp.; Nw Zealand, Sub-Antarctic

Anisopodidae

Anisopodidae: zie ook Rhypidae

General

Nearctic: 383 (1934): 60; subfam., gen.; Nearctic  
890 (1966): 192; subfam., gen.; Connecticut

Anisopus

Nearctic: 890 (1966): 193; sp.; Connecticut

Rhypidae = Anisopodidae

General: 12 (1912): 7-8; gr., sp., subsp. ( $\delta$ ); General  
109 (1920): 390; gen.; General  
Nearctic: 77 (1919): 887; subfam.; Eastern Nearctic

Rhypus = Sylvicola

Nearctic: 77 (1919): 888; sp.; Eastern Nearctic  
109 (1920): 390; sp.; Nearctic

Blephariceridae

Blepharoceridae

General: 777 (1958): 815-817; gen. subgen.; General

Bibionoidea

Bibionoidea

Nearctic: 341 (1931): 10-11; gen. (in part.); Nearctic

D i x i d a e**Dixa**

Ethiopian: 283 (1928): 27; sp.; Ethiopian  
Madagascar: 763 (1957): 99; sp.; Madagascar

P s y c h o d i d a e**Sylvicola: see Rhyphus****Bruchomyia**

Neotropical: 297 (1929): 3; sp.; Neotropical  
' 481 (1940): 795; sp.; Neotropical

**Bruchomyinae**

General: 270 (1927): 4; gen.; General  
282 (1928): 292; gen.; General  
297 (1929): 2; gen.; General  
481 (1940): 794-795; gen.; General

**Nemopalpus**

Australian: 282 (1928): 293; sp.; Australian  
Neotropical: 297 (1929): 7; sp.; Neotropical

**Psychodidae**

General: 282 (1928): 292; subfam.; General  
297 (1929): 2; subfam.; General

P t y c h o p t e r i d a e

## Bittacomorpha

Nearctic: 55 (1916): 546; subg., sp.; Nearctic

## Bittacomorphinae

General: 269 (1927): 7; gen.; General

269 (1927): 8; gen. (larvae); General

269 (1927): 8; gen. (pupae); General

Nearctic: 123 (1921): 779; gen. (larvae); Nearctic

123 (1921): 779; gen. (pupae); Nearctic

## Ptychoptera

Ethiopian: 129 (1921): 145; sp.; Ethiopian

283 (1928): 24-25; sp.; Ethiopian

861 (1964): 237; sp.; South Africa

## Ptychoptera

General: 23 (1913): 197-198; sp.; General

Madagascar: 763 (1957): 95; sp.; Madagascar

Nearctic: 81 (1920): 4; sp. (in part.); Nearctic

Oriental: 593 (1946): 1-3; sp.; Oriental and Palaearctic

Palaearctic: 593 (1946): 1-3; sp.; Oriental and Palaearctic

## Ptychopteridae

General: 109 (1920): 389; gen.; General

269 (1927): 4; subfam.; General

269 (1927): subfam. (larvae); General

269 (1927): 4; subfam. (pupae); General

## Ptychopteridae (and Tipulidae)

Madagascar: 851 (1963): 208; fam., subfam., tr.; Madagascar

## Ptychopteridae

Nearctic: 77 (1919): 884; subfam., gen.; Eastern Nearctic

123 (1921): 773; subfam. (larvae); Nearctic

123 (1921): 773; subfam. (pupae); Nearctic

383 (1934): 30; gen.; Nearctic

890 (1966): 185; subfam., gen.; Connecticut

907 (1967): 9; subfam., gen., sp.; California

T a n y d e r i d a e

## Protanyderus

Nearctic: 907 (1967): 8; sp.; California

## Protoplaza

General: 270 (1927): 7; subg.; General

## Radinoderus

Australian: 287 (1928): 372; sp.; Australian

## (Radinoderus)

Australian: 199 (1924): 141; sp.; Australian

## Tanyderidae

Australian: 444 (1938): 223; sp.; Australian

General: 270 (1927): 3; subfam.; General

287 (1928): 368; gen.; General (incl. Baltic Amber)

Nearctic: 383 (1934): 29; gen.; Chili

Neotropical: 295 (1929): 228; gen.; Chili

## Tanyderinae

General: 270 (1927): 6; gen.; General

## Tanyderus

General: 270 (1927): 9; subgen.; General

Neotropical: 20 (1913): 331; sp.; Neotropical

