

NOTE XVIII.

SECOND SUPPLEMENTARY LIST OF THE
DESCRIBED SPECIES OF THE GENUS HELOTA ¹⁾

BY

C. RITSEMA Cz.

- attenuata* Rits. *Notes Leyd. Mus.* XVI, 1895, Kurseong.
p. 112 (near *rotundata* Rits.).
- Bouchari* Rits. *Notes Leyd. Mus.* XVIII, Sumatra.
1897, p. 131 (near *immaculata* Rits.).
- Breitaudeani* Rits. *Notes Leyd. Mus.* XVI, Kurseong.
1895, p. 116 (near *dubia* Rits.).
- Candezei* Rits. *Notes Leyd. Mus.* XX, 1899, Sumatra.
p. 199; XXII, 1900, p. 31.
- Durelli* Rits. *Notes Leyd. Mus.* XXV, 1905, Brit. Bhotan.
p. 127 (near *rotundata* Rits.).
- elongata* Rits. *Notes Leyd. Mus.* XXV, 1905, Tonkin.
p. 121 (near *curvipes* Oberth.).
- Fruhstorferi* Rits. *Notes Leyd. Mus.* XXV, Tonkin.
1905, p. 117 (near *Vandepolli* Rits.).
- Fryi* Rits. *Notes Leyd. Mus.* XVI, 1895, Burma.
p. 101 (near *dubia* Rits.).
- indicator* Rits. *Notes Leyd. Mus.* XXV, 1905, Tenasserim.
p. 130 (near *Breitaudeani* Rits.).
- intermedia* Rits. *Notes Leyd. Mus.* XXV, Brit. Bhotan
1905, p. 125 (near *curvipes* Oberth.).
- Jordanii* Rits. *Notes Leyd. Mus.* XX, 1899, Assam.
p. 252 (near *Breitaudeani* Rits.).

1) See: *Notes Leyd. Mus.* Vol. XIII, 1891, p. 229, and Vol. XV, 1893, p. 160.

- Krugeri* Rits. *Notes Leyd. Mus.* XXII, 1900, Brit. Bhotan.
pp. 29 and 32 (near *Candezei* Rits.).
- Margarethae* Rits. *Notes Leyd. Mus.* XXII, Brit. Bhotan
1900, pp. 27 and 31 (near *Candezei* Rits.).
- Mariae* Rits. *Notes Leyd. Mus.* XX, 1899, Brit. Bhotan.
p. 249; XXII, 1900, p. 31 (near
Candezei Rits.).
- Moutonii* Rits. *Notes Leyd. Mus.* XXV, 1905, China.
p. 129 (near *rotundata* Rits.).
- Olliffii* Rits. *Notes Leyd. Mus.* XX, 1899, Assam.
251 (near *Boysii* Rits.).
- Pauli Weise*, *Deutsche Entom. Zeitschr.* 1903, E. Africa.
p. 171. — Rits. *Notes Leyd. Mus.*
XXV, 1905, p. 212.
- Renati* Rits. *Notes Leyd. Mus.* XXV, 1905, China.
p. 123 (near *curvipes* Oberth.).
- semipurpurea* Rits. *Notes Leyd. Mus.* XXV, E. Africa.
1905, p. 210 (near *costata* Rits.).
- Sjöstedti* Rits. *Notes Leyd. Mus.* XXV, 1905, Cameroon.
pp. 163 and 205 (near *guineensis* Rits.).
- stigma* Rits. *Notes Leyd. Mus.* XXV, 1905, E. Africa.
p. 209 (var. of *costata* Rits.).
- thoracica* Rits. *Notes Leyd. Mus.* XVII, 1896, Thibet.
p. 49 (near *Feae* Rits.).
- tonkinensis* Rits. *Notes Leyd. Mus.* XXV, Tonkin.
1905, p. 119 (near *sinensis* Olliff).
- tripartita* Rits. *Notes Leyd. Mus.* XXV, Cameroon.
1905, p. 212.
- verrucosa* Rits. *Notes Leyd. Mus.* XVI, 1895, Burma.
p. 98 (near *thibetana* Westw.).

Moreover I have published a detailed description of the female-sex of *Helota thibetana* Westw. ¹⁾ (type-specimen) and *africana* Oll. ²⁾, and of both sexes of *Helota Boysii*

1) *Notes Leyd. Mus.* Vol. XVI, 1895, p. 104.

2) l.c. Vol. XXV, 1905, p. 205.

Rits. ¹⁾, *guineensis* Rits. ²⁾ and *costata* Rits. ³⁾. — I also indicated the characteristics of the female-sex of *Helota rotundata* Rits. ⁴⁾ and *Desgodinsi* Rits. ⁵⁾ and of the male-sex of *Helota pustulata* Rits. ⁶⁾.

The number of the described species in the genus *Helota* amounts as yet to 69 and one named variety (*stigma*).

1) l. c. Vol. XVI, 1895, p. 114.

2) l. c. Vol. XXV, 1905, p. 203.

3) l. c. Vol. XXV, 1905, p. 207.

4) l. c. Vol. XVI, 1895, p. 101.

5) l. c. Vol. XVI, 1895, p. 111.

6) l. c. Vol. XVI, 1895, p. 118.

Leyden Museum, June 1905.