

INDEX TO SCIENTIFIC PLANT NAMES

compiled by

M. J. VAN STEENIS-KRUSEMAN and E. E. VAN NIEUWKOOP

Families and higher taxa have been entered under their name.

Names of families which have been revised in volumes 4–9 have been entered and are printed in **bold type**, so that as far as this is concerned this index is complete for all preceding volumes as well.

Suprageneric epithets have been entered under the family name to which they belong preceded by the indication of their rank (subfamilies, tribes, *etc.*).

Infrageneric epithets have been entered immediately under the generic name to which they belong preceded by the indication of their rank (subgenera, sections, series, *etc.*).

Infraspecific epithets have been entered under the specific name to which they belong preceded by the indication of their rank (subspecies, variety, forma, *etc.*).

Epithets of new names and *new combinations* have been printed in **bold type**, *synonyms* in *italics*.

Page numbers in **bold type** denote main treatment; an *asterisk* behind a page number denotes the presence of a figure of the concerned taxon; 'map' printed behind a page number denotes that a map of the concerned taxon is present on that page.

Some minor printing errors in plant names have been corrected.

Of synonyms with a double authority, the latter has not always been cited in full. The full authority can easily be derived from the text.

- Acacia 562
Acanthopanax (Decne & Planch.) H. Witte 2, 4, 7, 9, 103, 554
aculeatus H. Witte 103
malayanus M.R. Henders. 103, 104*, 554
trifoliatus (L.) Voss. (non (L.) Merr.) 103, 554
Acanthophora Merr. 19
scandens Merr. 19
Aceraceae 4: 3–4, 592; 6: 915; 7: 820; 8: 549; 9: 280
Actinidiaceae s.str. 4: 37–39
Actinophyllum palmatum Bl. ex Boerl. 99
Adamboe Rheede 558
Agavaceae 191, 192
Agelaea trinervis (Llanos) Merr. 558
Aizoaceae 4: 267–275; 7: 133
Albizia lophantha Bth. 2
'*Alethris*' 230
Alettris L. 189, 191, 192, 230
foliolosa Stapf 230, 231*, 232*
'*foliosa*' 230
japonica Lambert 232
rigida Stapf 230, 231
spicata (Thunb.) Franch. 230, 231*, 232
sumatrana Masam. 230
Alismataceae 5: 317–334; 6: 915; 9: 553
Alismatales 199
Allium *fragrans* Vent. 234
inodorum W. Ait. 234
Allophyllus 275
Alseuosmia A.Cunn. 557
Amaranthaceae 4: 69–98, 593; 5: 554; 6: 915–917; 7: 820; 8: 549
Amaryllidaceae 190, 191
Anacardiaceae 8: 395–548; 9: 553
Anakasia Philipson 1, 7, 9, 89
simplicifolia Philipson 89, 90*
Ancistrocladaceae 4: 8–10; 5: 553; 9: 275, 281
Ancistrocladus Wall. 275
Anguillaria *indica* (L.) R. Br. 198
Anisoptera Korth. 239, 241, 255, 258, 259, 261, 263, 265, 266, 267, 269, 271, 274, 276, 277, 280, 283, 284, 288, 290, 291, 327, 328 map, 338
sect. Anisoptera 257, 279, 328
sect. *Antherotriche* Heim 328
sect. *Glabrae* Heim 279, 328, 335
sect. *Pilosae* Heim 328
aurea Foxw. 328, 334
bantamensis Hassk. 364
brunnea Foxw. 333
calophylla Perk. 333
cochinchinensis Pierre ex Lanness. 271, 330
costata Korth. 239, 243, 244, 245, 249, 256, 270, 271, 278, 303, 304, 326*, 328, 330, 331, 333, 334, 354
costata (non Korth.) Ridl. 332
curtisii Dyer ex King 251, 270, 328, 329, 331
(Anisoptera *curtisii*)
var. *latifolia* King 329
curtisii (non Dyer ex King) Foxw. 334
curtisii (non Dyer ex King) Merr. 331
forbesii Brandis 334
glabra Kurz 271, 335
glabra (non Kurz) Pierre 331
grandiflora Brandis 328
grossivenia Sloot. 253, 262*, 328, 330*, 331
guiso DC. 448
kostermansiana Dilmy 334
laevis Ridl. 271, 326*, 327, 328, 335
lanceolata Walp. 333
mangachapoi DC. 365
marginata Korth. 253, 256, 261, 328, 329*
marginatoides Heim 331
megistocarpa Sloot. 328, 331, 332
melanoxyton Hook. f. 341
mindanensis Foxw. 331
mindanensis (non Foxw.) Wyatt-Smith 328, 335
oblonga Dyer 330
oblonga (non Dyer) F.-Vill. 333
odorata Kurz 361
palembanica Miq. 303
'*parviflora*' 436
parvifolia Warb. 436
plagata Bl. 423
polyandra Bl. 334
reticulata Ashton 253, 328, 333

(Anisoptera)

- robusta* Pierre 331
scaphula (Roxb.) Kurz 243,
 244, 271, 328, 335
sp. Brandis 335
sp. Dyer 334
sp. 'B' Wyatt-Smith 331
thurifera (Blco) Bl. 241, 243,
 244, 249, 255, 256, 278,
 326*, 328, 331, 332*, 333,
 354
 ssp. *polyandra* (Bl.) Ashton
 334
 ssp. *thurifera* 333
thurifera (non Bl.) Foxw. 335
thurifera (non Bl.) Ridl. 335
tomentosa Brandis 333
vidaliana Brandis 333

Anisopteroxylon 241

- Anisum moluccanum* Rumph.
 105

Anomopanax Harms 7, 27

- arfakensis* Gibbs 27
celebicus Harms 27
cumingianus (Presl) Merr. 76
digitata Merr. 27
philippinensis Harms 27
schlechteri Harms 29
variifolius C.T. White 29
versteegii Harms 29
warburgii Harms 27

Anthericum L. 205

Antherotriche Turcz. 327*lanceolata* Turcz. 333*Anthoshorea* Pierre ex Heim
 437, 485*Aphoma* Raf. 197*Apium leptophyllum* (Pers.)
 F.v.M. ex Bth. 569*tenuifolium* (Moench.) Thell.
 569**Aponogetonaceae** 4: 11–12; 5:
 553; 7: 213–218*Aporosa minahassae* Koord. 491*Aralia* L. 1, 2, 4, 7, 8, 9, 17*apoensis* Elmer 21*armata* (Wall.) Seem. 22*beccarii* Ridl. 19*bipinnata* Blco 17, 18*, 21
 f. *inermis* Steen. 21*bipinnata* Reinw. 22*calyculata* Z. & M. 87*capitulata* Jungh. & de Vriese
 22*chinensis* L. 22*chinensis* (non L.) Bl. 17*cochleata* Lamk 75*dasyphylla* Miq. 17, 19, 20*var. *latifolia* Miq. 17var. *strigosa* Bl. 17var. *urticifolia* (Bl. ex Miq.)
 Bakh. f. 17

(Aralia)

- decaisneana* Hance 22
decomposita Reinw. ex de
 Vriese 22
disperma Bl. 86
ferox Miq. 17, 21
 f. *nana* Steen. 22
ferox (Miq.) King 19
filicifolia C. Moore 76
filicifolia Ridl. 21
foliolosa Seem. 22
glauca Merr. 21
glomerulata Bl. 94
guilfoylei (Bull) Cogn. & Mar-
 ché 76
hypoleuca Presl 21
javanica Miq. 17, 19
javanica (non Miq.) F.-Vill.
 21

montana Bl. 17, 22var. *acutata* Miq. 22var. *crassifolia* Bakh. f. 22var. *naumannii* E. Marchal 76, 77var. *nodosa* Bl. 78var. *palmata* Lamk 42var. *palmata* Reinw. ex Bl. 99var. *pendula* Blco 78var. *pinnatifida* Jungh. 16var. *reinwardiana* Steud. 99var. *scandens* (Merr.) Ha 4, 17, 19var. *thomsonii* Seem. 22var. *tripinnata* Blco 73var. *umbellifera* Lamk 35var. *umbraculifera* Roxb. 78var. *urticifolia* Bl. ex Miq. 17**Araliaceae** 1–105, 553–554

tribe Aralieae Harms 6, 7, 9

tribe Mackinlayeae Harms 6,
 9

tribe Schefflereae Harms 6

Aralidium Miq. 1, 4, 6, 7, 8, 14var. *dentatum* Miq. 16var. *integrifolium* Heine 16var. *pinnatifidum* (Jungh. & de

Vriese) Miq. 15*, 16

Araliopsis Kurz 89*Arbor camphorifera* Rumph.

375

Arenga 289*Arthrocnemum* Moq. 557var. *ciliolatum* Bunge ex Ung.-

Sternb. 557

var. *indicum* (Willd.) Moq. 557var. *leiostachya* (Bth.) Paulsen 557*Arthrophyllum* Bl. 1, 4, 7, 8, 9,

53, 56 map

var. *ahernianum* Merr. 55, 56, 58,

59*

var. *alternifolium* Maingay ex

Clarke 67

var. *alternifolium* Maingay ex

Ridl. 55, 58*, 64, 67, 553

(Arthrophyllum)

- angustifolium* Ridl. 55, 56
ashtonii Philipson 55, 56, 58*
blumeanum Z. & M. 60
 var. *ellipticum* (Bl.) Miq. 60
 var. *oblongatum* Miq. 60
 var. *ovalifolium* (Jungh. &
 de Vriese) Miq. 60
borneense Baker 60
borneense Merr. 56
cenabrei Merr. 55, 65
ceylanicum Miq. 67
collinum Philipson 55, 59*
congestum Ridl. 60, 63
crassum Philipson 55, 59*, 63
dilatatum Miq. 60
diversifolium Bl. 54*, 55, 58,
 59*, 60, 61*, 62*, 64
 var. *lanceolata* Miq. 60
diversifolium (non Bl.) Harms
 63
ellipticum Bl. 60
elmeri Merr. 56
enganoense Philipson 55,
 59*, 63
havidandii Ridl. 60, 63
javanicum Bl. 60
kjellbergii Philipson 55, 58*,
 65
lancifolium Ridl. 101
macranthum Philipson 55,
 59*, 60, 63
maingayi Philipson 55, 57*,
 58*, 64, 67
merrilliana Furtado 56
montanum Ridl. 55, 57*, 58*,
 64, 65, 553
nitidum Ridl. 65
 'ovalifolium' 60
ovalifolium Jungh. & de
 Vriese 60
ovatum Ridl. 65
pacificum Philipson 55, 60
papyraceum Philipson 55, 64
pinnatum (Lamk) Clarke 64,
 67, 76
pinnatum (non Clarke) F.-
 Vill. 56
proliferum Philipson 55, 57*
pulgarensis Elmer 55, 58*, 65
reticulatum Bl. ex Miq. 67
rubiginosum Ridl. 60, 63
rufosepalum Ridl. 60, 63
sablanense Elmer 56
serratifolium Miq. 68
stonei Ah-Lan Lim 553
trifoliatum Ridl. 87
Anthropodium R. Br. 189–192,
 202
capillipes 202
neocaledonicum 202
strictum R. Br. 202, 203*

- Asparagopsis* Kunth 215
decaisnei Kunth 216
javanica Kunth 216
schoberiolides Kunth 216
Asparagus L. 189–192, 215
cochinchinensis (Lour.) Merr.
 189, 216, 217
declinatus L. 217
dubius Decne 216
graminifolius L. 225
lucidus Lindl. 216
 var. *dolichocladus* Merr. &
 Rolfe 216
penduliflorus Zipp. 216
racemosus Willd. 190, 216,
 217
Astelia Banks & Soland. ex R.
 Br. 189–192, 232, 234
 map
alpina R. Br. 189, 190, 233*,
 567
novoguineensis Krause 235
papuana Skotts. 190, 233
 f. *minor* Skotts. 232
- Baillonodendron* Heim 371
malayanum Heim 373
Balanocarpus Bedd. 273, 276,
 388, 415, 561
 sect. *Microcarpae* Heim 415
 sect. *Pachynocarpoides* Heim
 415
 sect. *Sphaerocarpae* Heim
 391, 409
acuminatus Brandis 475
acuminatus (non Brandis)
 Heim 389
bancanus Boerl. 424
anomalus King 421
bracteatus Merr. 414
cagayanensis Foxw. 431
coriaceus Brandis 474
curtisii King 414
grandifolius Ridl. ex Sym. 473
heimii King 388
hemsleyanus King 536
latifolius Brandis 475
longiflorus Foxw. 473
maximus King 478
multiflorus Sym. 475
ovalifolius Ridl. 407, 465
ovalifolius (non Ridl.) Foxw.
 413
pahangensis Foxw. 475
penangianus King 475
pubescens Ridl. 432
sibogae Boerl. 475
sp. Sloot. ex Merr. 475
sphaerocarpus Heim 411
wrayi King 389
Balanocarpus (non Bedd.) King
 388
- Balanophora abbreviata* Bl. 554
 elongata Bl. 554
hansenii Hambali 554
papuana (non Schltr) Soepad-
 mo 554
Balanophoraceae 7: 783–805; 8:
 549; 9: 554
Banksia dentata 562
Basellaceae 5: 300–304
Batatas crassicaulis Bth. 558
Batidaceae 5: 414–415; 6: 917
Befaria Mutis 275
Betulaceae 5: 207–208; 6: 917
Bignonia chelonoides L. f. 554
colais Ham. ex Dillw. 554
Bignoniaceae 8: 114–186; 9: 554
Bixaceae s.str. 4: 239–241
Boerlagiodendron Harms 3, 5,
 7, 31, 34
agusanense Elmer 52
barbatum (Becc.) Harms 41
boerlagei (Warb.) Harms 46
borneense (Seem.) Merr. 39
camiguinense Merr. 48
carpophagarum (Becc.) Harms
 45
catanduanense Merr. 37
caudatum Merr. 37
celebicum Harms 49
clementis Merr. 52
dinagatense Merr. 34
diversifolium Merr. 52
elegans (Ridl.) Harms 38
eminens (Bull) Merr. 48
fenicis Merr. 48
geelvinkianum (Becc.) Harms
 38, 53
helleborinum (Becc.) Harms
 39
heterophyllum Merr. 38
humilis Elmer 44
insidiator (Becc.) Harms 45
insigne (Miq.) Harms 53
lauterbachii Harms 43
ledermannii Harms 53
lineare Merr. 39
luzoniense Merr. 52
micranthum Harms 51
mindanaense Merr. 48
moluccanum (Miq.) Bakh. f.
 & Ooststr. 42
monticola Harms 53
novoguineense (Scheff.)
 Harms 43
pachycephalum Harms 45, 46
palmatum (Zipp. ex Boerl.)
 Harms 42
pectinatum Merr. 45
pfeilii (Warb.) Harms 41
pulcherrimum (Vidal) Harms
 40
ramosii Merr. 43
- (*Boerlagiodendron*)
sayeri Harms 51
serratifolium Elmer 49
sessiliflorum Laut. 47
sibuyanense Elmer 40
simplicifolia Elmer 34
stenolobum Harms 38
tayabense Merr. 48
teysmannii (Boerl.) Harms 44
tricolor Philipson 51
trilobatum Merr. 51
warburgii Harms 46
yatesii Merr. 38
Bonnetiaceae 281
Brachycyrtis 197
Brachypodandra Gagn. 345
Brassia 7
Brassaiopsis Decne & Planch. 2,
 4, 7, 9, 89
cystostyla (Miq.) Seem. 95
elegans Ridl. 91, 92*, 95
glomerulata (Bl.) Regel 91, 94
minor Stone 91, 93
ovalifolia Ridl. 93
palmata (Roxb.) Kurz 93
polyacantha (Wall.) Banerjee
 91, 93, 94*
simplex (King) Stone 91, 93
speciosa Decne & Planch. 94
sumatrana Ridl. 91, 93
 var. *sumatrana* 91
 var. *variaefolia* Philipson 93
sumatrana × *glomerulata* 93
Brownlowioideae 268
Brugiera 568
Buddleja Houst. ex L. 568
Bulbisperma Reinw. ex Bl. 227
ovigera Reinw. ex Bl. 229
Bulbospermum Bl. 227
javanicum Bl. 229
Burmanniaceae 4: 13–26, 592;
 5: 553; 7: 820; 9: 554–
 555
Burseraceae 5: 209–296, 567; 6:
 917–928; 7: 820–822; 9:
 246, 555–556
Butomaceae 5: 118–120, 566
Byblidaceae 7: 135–137
- Caesalpinioxylon palembangense*
 241
Caesia R. Br. 189–192, 203
setifera Baker 204*
Caldesia parnassifolia (Bassi ex
 L.) Parl. 553
Callitrichaceae 4: 251–252
Calycites 241
Campanulaceae 6: 107–141,
 928; 8: 549; 9: 556
Canarium L. 555–556
acutifolium Merr. 556
balsamiferum Willd. 556

- (Canarium)
 batjanense Leenh. 555, 556
 cestracion Leenh. 556
 decumanum Gaertn. 555
 fusco-calycinum Ridl. 555
 grandifolium (Ridl.) H.J.
 Lam 555
 hirsutum 555
 oleosum Engl. 556
 rigidum (Bl.) Miq. 556
Cannabinaceae 4: 222–223
Cappar(id)aceae 6: 61–105; 7:
 822
Caprifoliaceae 4: 175–194; 6:
 928–930; 9: 556–557
 subfam. Alseuosmoideae 556
Capura hullettii Ridl. 358
 Caraipa 281
 Carex L. 107, 119*, 121*, 123*,
 125*, 127*, 129*
 subg. Carex 107, 117, 141
 sect. *Acrarrhenae* Fries
 Sippe *Longebracteatae*
 Pax 136
 sect. *Acutae* Fries
 subsect. *Praelonga* Kük.
 170
 sect. Anomalae (Carey)
 Mackenz. 111, 159
 sect. *Anomalae* (non Carey)
 Nelmes 157
 sect. *Borneenses* Nelmes 139
 sect. *Capitellatae* Meinsh.
 111, 158
 sect. Carex 111, 171
 sect. *Confertiflorae* Franch.
 ex Ohwi 160
 sect. *Cruciatae* (Clarke)
 Nelmes 117
 sect. Cryptostachyae (Ohwi)
 Nelmes 110, 148
 sect. *Decorae* (Kük.) Ohwi
 109, 139
 sect. *Digitatae* Fries
 subsect. *Radicales* Kük.
 153
 sect. *Dispalatae* Ohwi 159
 sect. *Extensae* Fries
 ser. *Tumidae* (Kük.) Koyama
 160
 subsect. *Baccantes* Koyama
 136
 subsect. *Capitellatae*
 (Meinsh.) Koyama 158
 subsect. *Rhizopodae*
 (Ohwi) Koyama 159
 sect. Ferrugineae Tuckerm.
 ex Bailey 110, 165
 sect. *Filicinae* (Clarke) Nelmes
 117
 sect. Folliculatae Mackenz.
 110, 166
- (Carex)
 sect. *Frigidae* Fries
 subsect. *Decorae* Kük.
 139
 subsect. *Ferrugineae*
 (Bailey) Kük. 165
 sect. Graciles Tuckerm. ex
 Kük. 109, 111, 172
 sect. *Hymenochlaenae* Drejer
 subsect. *Debiles* (Carey)
 Kük. 166
 subsect. *Graciles* (Kük.)
 Kük. 172
 sect. Hypolytroides Nelmes
 110, 134
 sect. *Japonicae* Franch. 159
 sect. *Indicae* Clarke 117
 subsect. *Indicae* Koyama
 117
 subsect. *Japonicae* (Kük.)
 Koyama 132
 subsect. *Scaposae* Kük.
 136
 sect. Japonicae Kük. 109,
 132
 sect. Lageniformes (Ohwi)
 Nelmes 109, 110, 118,
 148
 sect. Longispicae Clarke
 111, 169
 sect. Mapaniifoliae Nelmes
 & Airy Shaw 109, 136
 sect. Mitratae Kük. 110,
 150
 sect. *Molliculae* Ohwi 160
 sect. *Muricatae* Fries
 subsect. *Multiflorae* Kük.
 178
 sect. Oclusae Clarke 110,
 168
 sect. Oligostachyae Clarke
 109, 139
 sect. *Orthocerates* Koch
 subsect. *Folliculatae*
 (Mackenz.) Koyama 166
 subsect. *Pseudocypereae*
 (Bailey) Koyama 167
 sect. *Paciricae* Ohwi 132
 sect. Paludosae Bailey 111,
 113, 176
 subsect. *Lacustres* Carey
 176
 sect. Phyllostachyae
 Tuckerm. 153
 sect. '*Polystachae*' 136
 sect. *Polystachaeae* Clarke
 117
 ser. *Cruciatae* Clarke 117
 ser. *Filicinae* Clarke 117
 ser. *Longispicae* Clarke
 136, 139
- (Carex)
 ser. *Stramentitiae* Clarke
 117
 sect. Polystachyae
 (Tuckerm.) ex Kük. 110,
 136
 sect. *Praecoces* Christ 150
 subsect. *Cryptostachydeae*
 Franch. ex Ohwi 148
 subsect. *Lageniformes*
 Ohwi 148
 sect. Praelongae (Kük.) Nelmes
 111, 158, 170
 sect. Pseudocypereae
 Tuckerm. ex Bailey 111,
 167
 sect. Radicales (Kük.) Nelmes
 110, 111, 153, 156
 sect. *Rarae* Clarke 158
 sect. Rhizopodae Ohwi 111,
 159
 sect. Rhomboidales Kük.
 110, 144
 sect. *Scabrellae* Kük. 144
 sect. *Scleriiculmes* Nelmes
 168
 sect. *Stramentitiae* (Clarke)
 Nelmes 117, 157
 sect. Surculosae Raym. 110,
 144
 sect. Sylvaticae (Tuckerm.)
 Boott ex Mackenz. 110,
 166
 sect. Trachychlaenae Drejer
 110, 157
 sect. *Tumidae* Kük. non
 Meinsh. 159
 sect. *Tumidae* Meinsh. 176
 sect. *Unciniaeformes* Kük.
 subsect. *Capitellatae*
 (Meinsh.) Kük. 158
 sect. Vigneastrae Tuckerm.
 107–110, 117
 sect. *Vigneastrae* (grev) *Indi-*
caae (Tuckerm.) ex Bailey
 117
 sect. *Vulgares* (Aschers.)
 Nelmes 171
 subg. *Indocarex* Baill. 117,
 141
 subg. *Primocarex* Kük. 117
 subg. Vigneae (Beauv.) Clarke
 107, 176
 sect. *Capituligerae* Kük.
 subsect. *Divisae* Christ ex
 Kük. 176
 sect. *Divisae* (Christ) Kük.
 111, 176
 sect. Elongatae Kunth 111,
 180
 sect. *Elongatae* Kunth sensu
 Kük. 179

(Carex)

- sect. *Heleonastes* Kunth 111, **181**
 sect. *Multiflorae* (Carey) Bailey 111, **178**
 sect. *Muricatae* Fries
 subsect. *Paniculatae* Kunth ex Kük. 177
 sect. *Paniculatae* (Kunth) Meinsh. 111, **177**
 sect. *Stellulatae* Kunth 111, **179, 180**
 sect. *Vigneae* Beauv.
 subsect. *Multiflorae* Carey 178
 sect. *Vigneastrae* 182
abacta L.H. Bailey 166
acaulis d'Urv. 153
acrophila S.T. Blake 172
acuta (a) L. 117, 171
alopeuroides D. Don 113, 114, 160
 var. '*chlorostachya*' 160
 var. *chlorostachys* (D. Don) Clarke **160**
alta Boott 180, 181
anomocarya Nelmes 112, **144, 145***
appendiculata (Trautv.) Kük. 172
appressa R. Br. 108, 116, **177**
 var. *virgata* (Sol. ex Boott) Kük. 177
arenaria L. 176
arenicola F. Schmidt 177
arnottiana Nees ex Drejer 182
arridens Clarke 140, 141
asperinervis Koyama 172
atjehensis Kük. 166
'atjehiensis' 166
atrosanguinea Nelmes 142
baccans Nees 115, **137*, 162***, 180, 183
 var. *nigra* O. K. 137
 var. *siccifructus* Clarke 137
basilata Ohwi 180
bengalensis Roxb. 120
 var. *scaberrima* Boeck. 122
 var. *virgata* Boeck. 122
bilateralis Hayata 108, 117, **163*, 172, 174**
blepharolepis Nelmes 118
borbonica Lamk 183
borneensis Clarke 139, 140, 141
 var. *clemensii* (Kük.) Kük. f. *angustifrons* Kük. 141
brachyathera Ohwi 108, 113, **163*, 165**
 var. *brevispiculosa* Koyama 165

(Carex)

- breviceps* Kük. 144
 var. *recurvirostris* Kük. 144
breviculmis R. Br. 108, 109, 112, 114, **150**
 ssp. *royleana* Kük. 151
 var. *kingiana* Kük. 151
 var. *breviculmis* **151**
 var. *montivaga* (S.T. Blake) Noot. **151**
 var. *perciliata* Kük. **151**
 var. *perciliata* (non Kük.) Ridl. 165
breviglumis Ridl. 140, 141
brevis S.T. Blake 151
breviscapa C.B. Clarke 112, **148, 561**
brizopyrum Kunze 180, 181
brownii Tuckerm. 108, 113, 114, **161**
 ssp. *brownii* 111, **161**
 ssp. *transversa* (Boott) Kern **163***
 var. *dissociata* Koyama 163
 var. *transversa* (Boott) Kük. ex Matsum. 161, 163
 var. *viridis* Boeck. 161
brownii × *transversa* 163
brunnea Thunb. 108, 117, 140, **163*, 173**
 ssp. *meyenii* (Nees) Koyama 174
 var. *dolichocarpa* Nelmes 173, 174
 var. *meyenii* (Nees) Koyama 173, 174
 var. *subteinogyna* Kük. 173, 174
brunnea (non Thunb.) Nelmes 175
buennemeijeri Nelmes 122
bukaënsis Palla 144
bulbostylis Kük. 151
 var. *ciliato-marginata* Kük. 151
 var. *hispidula* Kük. 151
buruensis Nelmes 173, 174
caespitosa (non L.) R. Br. 172
canescens L. 182
canescens (non L.) Boott 181
 var. β 181
capillacea Boott 108, 112, **158, 161***
 var. *capillacea* 159
 var. *major* Nelmes 159
 var. *nana* Franch. 159
 var. *sachalinensis* (F. Schmidt) Ohwi **158, 159**
capitellata Boiss. & Bal. 158
celebica Kük. 112, **139**
ceramica Nelmes 122
cernua Boott 182

(Carex)

- ceylanica* Boeck.
 var. *saturata* Kük. 124
chinensis Retz. 144
chlorostachys D. Don 160
cirrhulosa Nees 115, 117
cladostachya Wahlenb. 182
clarkeana Kük. 122
clemensii Kük. 141
commixta Steud. 115, **118, 130**
compacta Poir. 184
composita (non Boott) Clarke 138
concolor Nees 155
condensata Nees 120
confertiflora Boott 165
conorrhyncha Nelmes 151
constricta S.T. Blake 139
continua Clarke 120
continua (non Clarke) S.T. Blake 128
continua (non Clarke) Clarke 122
contracta Boeck. 132
courtallensis Nees ex Boott 155, 156
 var. *angustifolia* Boott 155
craspedotricha Nelmes 180, 181
cruciata Wahlenb. 109, 116, **118, 120, 182**
 var. *condensata* Ridl. 120
 var. *cruciata* **120, 131***
 var. *rafflesiana* (Boott) Noot. 120, **122, 131***
cryptostachys Brongn. 114, 118, **148**
cumingiana Steud. 144
cumingii (Boott) ex Clarke 128
curta Gooden. 108, 114, **181**
curtisii Ridl. 149
curvirostris Kunze 137
'cyrtostachys' 148
decora Boott
 var. *losirensis* Kük. 143
densiflora Presl 117
depauperata 132
diétrichiae Boeck. 126
dimorpholepis Steud. 182
divisa Huds. 176
divulsa Stokes
 var. *javanica* Nelmes 182
dolichocarpa C.A. Mey. ex Krecz. 167
dolichostachya Hayata 108, 112, **151**
doniana Spreng. 160
 var. *cacuminis* Nelmes 160
drepanorhyncha Franch. 166
duriuscula C.A. Mey. 108, 116, **176**

(Carex)

- echinata* Murr. 108, 114, 162*, 179, 180
eggytera Steud. 151
elibates Nelmcs 157, 158
elmeri Kük. 146
elongata L. 180
eminens Nees 138
eremostachys S.T. Blake 112, 159
erythrolepis Kük. 182
euphlebica S.T. Blake 169
exploratorum Nelmcs 169
eymae Nelmcs 140, 141
fallux Steud. 178
 var. *franchetiana* Ohwi 179
fascicularis Soland. ex Boott 167
ferruginea Scop. 165
fibrata Boott ex Vidal 117
filicina Nees 116, 122, 182
 f. *saturata* Kük. 124
 var. *angustifolia* Nelmcs 122
 var. *ciliata* O. K. 122
 var. *laevis* O. K. 122
 var. *saturata* (Clarke) Kük. 122
 var. *zipelii* Nelmcs 122
finitima Boott 108, 113, 114, 166
fleckeri Nelmcs 124
floribunda Boeck. 138
foliosissima (non F. Schmidt) Franch. 152
folliculata L. 166
formosensis Lév. & Van. 108, 112, 148, 152
fuirenoides Gaudich. 118, 126
 var. *cirrhulosa* Kük. 117
fuirenoides (non Gaudich.?) Clarke 126
fuirenoides (non Gaudich.?) F.-Vill. 117
furusei Koyama 163
fusifformis Nees 166
 var. *borneensis* (Clarke) Kük. 141
 var. *enervosa* Kük. 166
fusifformis (non Nees) Stapf 141
gajonum Nelmcs 179, 180
galactolepis Nelmcs 120, 122
gaudichaudiana Kunth 108, 114, 117, 171
 var. *humilior* Kük. 171
 var. *thunbergii* (Steud.) Kük. 172
gembolensis Clarke 132
 var. *crebra* Nelmcs 132
 var. *timorensis* Clarke 122
gibbsiae Rendle 142

(Carex)

- gracilis* R. Br. 172, 173
gracilispica Hayata 112, 149
graeffeana Boeck. 114, 162*, 169
 var. *samoensis* Nelmcs 169
haenkeana Presl 182
harlandii Boott 146
 f. *longibracteata* Gross 144
 var. *angustior* Kük. ex Back. 144
harlandii (non Boott) Merr. & Chun 144
hattoriana Nakai & Tuyama 173
hatusimana Ohwi 150
havilandii Clarke 143
hebecarpa C.A. Mey.
 var. *lachnosperma* Clarke 168
 var. *ligulata* (non Kük.) Back. 168
 var. *maubertiana* Franch. 168
heleonastes Ehrh. 181
helferi Boeck. 108, 114, 136
hexasticha Reinw. ex Miq. 170
hispidula Willd. 157
hispidangula Koyama 156
horsfieldii Boott 108, 116, 124, 126, 131*
 var. *major* Nelmcs 124
horsfieldii (non Boott) Miq. 118
hypolytroides Ridl. 112, 115, 131*, 134
hypolytroides Gross & Matff. 134
hypolytropis Gross 134
hypophila Miq. 143
 var. *havilandii* (Clarke) Kük. 143
 var. *verticillata* (Zoll. & Mor.) Kük. 143
imbricata Kük. 180
impunctata Boott 132
indica L. 108, 116, 117, 118, 126, 131*, 133*
 var. *fissilis* (Boott) Kük. 126
 var. *laetebrunnea* Clarke 126
 var. *milnei* Boott ex Clarke 126
ischnostachya Steud. 164
jackiana Boott 113, 114, 146
 ssp. *jackiana* 146, 147
 ssp. *parciflora* (Boott) Kük. 146
 var. β 146
 var. *breviculmis* Thw. 148
 var. *minor* Clarke 146, 147

(Carex)

- var. *tumens* Kük. 146, 151
japonica Thunb. 160
japonica (non Thunb.) Boott 160
 ssp. *subtransversa* (Clarke) Koyama 160
 var. *chlorostachys* Kük. ex Matsum. 160
 var. *mesogyna* Kük. 160
 var. *minor* Boott 160
javanica Boeck. 137
kanehirae Ohwi 173, 174
kemiriensis Nelmcs 171
kerrii Nelmcs 171
kinabaluensis Stapf 140, 141
kuntzeana Boeck. 138
lacerans Kük. 172
lachnosperma Nees 168
lamprochlamys S.T. Blake 116, 126, 131*
 var. *diplocolea* Nelmcs 128
lateralis Kük. 113, 146, 147
lenticularis D. Don 170
leucantha Arn. ex Boott 155
leuchochloa Bunge 151
leucostachys Ridl. 140, 141
ligata Boott
 var. *formosensis* (Lév. & Van.) Kük. 152
 var. *nexa* Kük. 152
ligata (non Boott) Ridl. 149
lindleyana Nees 182
loheri Clarke 113, 147
 f. *grandimacula* Kük. 147
'longibracteata' 138
longibracteata Steud. 138, 139
 f. *angustifolia* Kük. 138
 f. *distans* Kük. 138
 var. *gigantea* Kük. 138
 var. *major* Miq. 138
longipes D. Don 108, 117, 174, 175*
 var. *ramosa* Kük. 174
longispica Boeck. 155
lutchuensis Ohwi 149
macrothyrsa Miq. non Soland. ex Boott 122
maculata Boott 108, 122, 157, 171
 f. *humilior* Kük. 157
 var. *neurochlamys* Kük. 157, 158
 var. *sanguineo-squamata* Kük. 157, 158
madoerensis Clarke 156
malaccensis C.B. Clarke 108, 115, 153, 157
malayana Nelmcs 149
manca Boott
 var. *contigua* Gross 144
mapaniifolia Ridl. 136

(Carex)

- maubertiana Boott 112, 162*,
168
maximowiczii Miq. 171
megacarpa Koyama 173, 174
melanophora S.T. Blake 130
merrillii Kük. 143
meyenii Nees 173, 174
michauxiana Boeck. 108, 112,
162*, 166
f. *asiatica* (Hultén) Akiya-
ma 167
ssp. *asiatica* Hultén 167
var. *asiatica* (Hultén) Ohwi
166
mitrata Franch. 150, 153
monopleura Krecz. 181
montivaga S.T. Blake 151
moritzii Steud. 126
moupinensis Franch. 134
multiflora Muehl. ex Willd.
178
multifolia Ohwi 152
muricata L. 182
muricata (non L.) Ohwi 180
mysurus Nees 115, 136, 138
var. *celebica* Nelmes 138
var. *eminens* (Nees) Clarke
138, 139
var. *floribunda* (Boeck.)
Kük. 139
neoguineensis Clarke 122, 124
neurochlamys F.v.M. 157, 158
nigra (L.) Reich. 172
'*nikkoensis*' 132
nikoensis Franch. & Savat.
132, 134
nilagirica Steud. 122
nipposinica Ohwi 161
nodiflora Boeck. 115, 128
nodiflora (non Boeck.) Kük.
140
notha 170
nubigena D. Don 108, 117,
178*
var. *fallax* Clarke 178
var. *fallax* Kük. 178
nubigena (non D. Don) Kük.
179
oblonga Nelmes 122
oedorrhapha Nelmes 113,
163, 165, 561
var. *arfakiana* Ohwi 163
var. *microcarya* Nelmes
163, 164
oligostachya Nees 115, 144
olivacea Boott 113, 164*
ssp. *confertiflora* (Boott)
Koyama 165
ssp. *olivacea* 164
ssp. *recurvisaccus* (Koyama)
Koyama 165

(Carex)

- var. *minor* Kük. 165
olivacea (non Boott) Kük. 163
var. *altissima* Kük. 163
omiana Franch. & Sav. 180
var. *perileia* Koyama 179
pairaei F. Schultz
var. *javanica* Nelmes 182
palawanensis Kük. 115, 149
paludosa Gooden. 176
pandanus Ohwi 169
paniculata L. 170, 177
paniculata (non L.) Benth.
177
papuana Nelmes 128
pentacarpa Boeck. 122
perakensis C.B. Clarke 109,
114, 115, 140
var. *borneensis* (Clarke)
Noot. 141, 162*
var. *perakensis* 141, 142,
162*
var. *vansteenisii* (Kük.)
Noot. 141, 142
perciliata (Kük.) Nelmes 151
perileia S.T. Blake 179, 180
petecticalis Nelmes 171
phacelostachys Nelmes 143
var. *losirensis* (Kük.) Nel-
mes 143
'*phacodes*' 170
phacota Spreng. 113, 117,
158, 163*, 170, 171
phacota (non Spreng.) Kük.
171
philippinensis Nelmes 169
platycarpa Hochst. ex Steud.
170
plesiocephala Turr. 156
pocilliformis Boott 153
praelonga Clarke 170
pruinosa Boott 113, 158,
163*, 170
f. *submutica* O. K. 170
f. *tristigmata* Back. 157,
170, 171
ssp. *maximowiczii* (Miq.)
Kük. 171
var. *aristata* O. K. 170
pruinosa (non Boott) Kük.
157
pseudocyperus L. 108, 113,
167
var. *fascicularis* (Soland. ex
Boott) Boott 163*, 167
var. *haenkeana* (Presl) Kük.
182
var. *pseudocyperus* 168
pseudocyperus (non L.) R. Br.
167
pseudorivulorum Kük. 140,
141

(Carex)

- pterochaulos* Nelmes 156
pullei Nelmes 143
punctata 170
pycnothyrso Kük. 122
radicales Boott 153
rafflesiana Boott 122
var. *continua* Kük. 122
var. *continua* (non (Clarke)
Kük.) Kük. 128
var. *macrothyrsa* Kük. 122
var. *minor* Hochr. 122
var. *scaberrima* Kük. 122
var. *tenuior* Clarke 122
var. *virgata* Nelmes 122
ramosii Kük. 112, 115, 155,
157
rara Boott 159
ssp. *capillacea* Kük. 158
var. *nana* Kük. 159
rara (non Boott) Stapf 158
rechingeri Palla 169
'*recurvirostra*' 137
recurvisaccus Koyama 165
remota L. 114, 180
ssp. *alta* (Boott) Kük. 180,
181
var. *brizopyrum* Kük. 180
ssp. *remota* 181
ssp. *rochebrunii* (Franch. &
Sav.) Kük. 181
var. *rochebrunii* Clarke 180,
181
remotiflora Hayata 166
repanda Clarke
var. *implumis* Clarke 120, 122
rhizomatosa Steud. 144
var. *impunctata* (Boott)
Kük. 132, 144
var. *aristulata* Kük. 144
rhizopoda Maxim. 159
rhynchachaenium Clarke 108,
112, 150
riparia Curt. 176
riparia (R. Br.) Poir. 184
rivulorum Ridl. 140, 141
rochebrunii Franch. & Sav. 181
rostrata Michx. 166
royleana Nees 151
rugata (non Ohwi) Nelmes 151
rugulosa Kük. 176
samoensis Boeck. 157
sarawaketensis Kük. 116, 122,
128
var. *brevirostris* Kük. 122
var. *glabrinux* 124
var. *minor* 128
'*satumensis*' 134
saturata Clarke 124
satumensis Franch. & Sav.
108, 115, 132
scaberrima Clarke 122

(Carex)

- scabrata* Schwein. 160
scabriculum Ohwi 175
scabrifolia Steud. 182
scleroides Ridl. 124
secta Boott 170
semiglomerata Kük. 122
setulifolia Nelmes 140
simplicissima F.v.M. 158
smitinandii Raym. 118
sociata Boott 152
 sp. 113
 sp. 176
 sp. Nelmes 176
spadiceo-vaginata Ohwi 173, 174
spathaceo-bracteata Kük. 172
spathulata Nelmes 171
spatiosa Boott 118
 var. *bogorensis* Clarke 118
speciosa Kunth 108, 111, 115, 154*, 155
 var. *abscondita* Kük. 155
 var. *angustifolia* (Boott) Kük. 155, 156
 var. *angustifolia* Raym. 155
 var. *courtallensis* Kük. 155
 var. *minor* Boeck. 155
spiculata Boott 138
spongocrepis Nelmes 120
spongoneura Nelmes 122
squamata Krecz. 180
stellulata Gooden. 179
stenophylla Wahlenb. 176, 177
 var. *duriuscula* Trautv. 176
stenura Nelmes 155, 156
stramentitia Boott ex Boeck. 108, 116, 130, 131*
striata R. Br. 161
subfilicina Ohwi 182
sublateralis Koyama 147
subteinogyna Ohwi 172, 174
subtransversa Clarke 160, 161
sumatrensis Clarke 143
sylvatica Huds. 166
tartarea Ridl. 143
tatsutakensis Hayata 147
teinogyna Boott 108, 117, 174, 175
 var. *scabriculum* Kük. 175
teinogyna (non Boott) Back. 173
'teinogyna' 175
teres Boott 114, 163*, 171
 var. *spathulata* Kük. 171
thorelii Camus 156
thunbergii Steud. 172
timorensis (Clarke) Nelmes 122
tonkinensis Franch. 140
transversa Boott 163

(Carex transversa)

- var. *dissociata* Franch. & Sav. 163
tricephala Boeck. 108, 112, 115, 156
tricholoma S.T. Blake 151
tricuspidata Kük. 165
 var. *brevispiculosa* Kük. 165
 var. *minor* Kük. 165
tristachya Thunb. 112, 114, 152
 var. *pocilliformis* (Boott) Kük. 153
 var. *pseudopocilliformis* Gross 149
 var. *tristachya* 153
tumida Boott 163
turrita C.B. Clarke 109, 114, 142
 var. *merrilli* (Kük.) Noot. 143
 var. *turrita* 142, 162*
turrita (non Clarke) Kük. 143
typhoides Bory 183
tytholepis Nelmes 128
uda Maxim.
 var. *sachalinensis* F. Schmidt 159
vacua Boott ex Boeck. 120, 122
valida Nees 120
vansteenisii Kük. 140, 142
 var. *brevispiculosa* Kük. 142
verticillata Z. & M. 109, 112, 140, 143, 174
 var. *havilandii* (Clarke) Nelmes 143
 var. *lutescens* Nelmes 143
vesiculosa Boott 108, 116, 130, 131*
 var. *congesta* Kük. 132
 var. *latifolia* Kük. 132
 var. *paniculata* Clarke 130
virgata Miq. 122
virgata Soland. ex Boott 177
vulcanica Elmer 128
vulgaris Franch.
 var. *gaudichaudiana* Boott 172
vulgaris (non Franch.) F.v.M. 172
wahuensis C.A. Mey. 182
walkeri Arn. ex Boott
 var. *turrita* (Clarke) Kük. 142
walkeri (non Boott) Boeck. 143
walkeri (non Arn. ex Boott) Kük. 137
wightiana Nees
 var. *perakensis* Kük. 140

(Carex)

- xestogyne* Nelmes 122
Caryolobis indica Gaertn. 552
Celastraceae 6: 227–291, 389–421, 930–932; 9: 557
Celastrus hindsii Bth. 557
 monospermoides Loes. 557
Celtis paniculata (Endl.) Planch. 569
Centrolepidaceae 5: 421–427
Cephaloschefflera 2
Ceratophyllaceae 4: 41–42
Chenopodiaceae 4: 99–106, 594; 6: 932; 8: 549; 9: 557
 tribe *Salicornieae* 557
Chlaenaceae 268, 275, 282
Chlamysporum Salisb. 211
 chrysantherum (F.v.M.) O. K. 211
 tuberosum (R. Br.) O. K. 213
Chloopsis Bl. 225
 acaulis Bl. 226
 caulescens Bl. 226
Chlorophytum Ker-Gawl. 189, 191, 192, 205
 glaucum 206
 laxiflorum Baker 205
 laxum R. Br. 205
 f. *javanicum* (Hassk.) Back. 205, 206
 longissimum Ridl. 206
 malayense Ridl. 205, 206
 nimmonii 206
 orchidastrum s.s. 206
 orchidastrum (non Lindl.) Ridl. 206
Cladium scleroides F.v.M. 187
Clethraceae 7: 139–150
Clusiaceae 275
Cnidium tenuifolium Moench. 569
Cochlospermaceae 4: 61–63
Columniferae (order) 281
Combretaceae 4: 533–589; 5: 564; 6: 932–933; 7: 823
Compositae 5
Composita D. Don 195
Connaraceae 5: 495–541; 6: 933–936; 7: 823; 8: 549; 9: 557–558
Conarus L. 558
 euphlebius Merr. 558
 impressinervis Stone 558
 monocarpus L.
 ssp. *malayensis* Leenh. 558
Convallaria japonica L. f. 227
Convolvulaceae 4: 388–512, 599; 5: 558; 6: 936–941; 7: 823; 9: 558
Copaifera palustris (Sym.) de Wit 552
Cordylina 191

- Cornaceae** 8: 85–97; 9: 4, 6, 16
Cornales 5
- Corynocarpaceae** 4: 262–264; 5: 557; 6: 941
- Cotylelobiopsis* Heim 275
beccariana Heim 552
- Cotylelobium* Pierre 239, 259, 263, 265–268, 270, 274, 276, 277, 278, 280, 284, 288–291, 327, 338, 340, 342 map, 347, 561
asperum Sloot. 343
beccarianum Heim 341
beccarii Pierre 341
burckii (Heim) Heim 253, 256, 341, 342, 343*
flavum Pierre 342
flavum (non Pierre) Ridl. 345
harmandii Heim 341
hopeifolium Heim 482
lanceolatum Craib 341, 343*
leucocarpum Sloot. 342
lewisianum (Trim. ex Hook. f.) Ashton 277, 278
malayanum Sloot. 253, 256, 343
melanoxylo (Hook. f.) Pierre 243, 253, 275, 340*, 341, 342*, 343, 552, 561
philippinense Heim ex Brandis 365
- Crassula scutellaria* Burm. f. 75
- Crassulaceae** 4: 197–202; 9: 558–560
- Crypteroniaceae** 8: 187–204
- Cyperaceae** 7: 435–753, 823; 9: 107–187, 560–561
subfam. Cyperoideae 186
tribe Hypolytreae 186, 187
- Cyperus compactus* Retz. 561
esculentus L. 561
- Dacrycarpus imbricatus* 2
- Dacryodes longifolia* (King) H.J. Lam 555
var. *longifolia* 555
multijuga Leenh. 556
rugosa (Bl.) H.J. Lam 555
var. *rugosa* 555
- Dammara selanica* Rumph. 505
- Datiscaceae** 4: 382–387; 7: 823
- Delarbrea* Vieill. 2, 7, 9, 24
collina Vieill. 23*, 24 map
lauterbachii Harms 24
paradoxa Vieill. 25
paradoxa (non Vieill.) Britten 24
sp. Hemsl. 24
- Dendropanax* Decne & Planch. 2, 3, 9, 101, 102 map
borneensis (Philipson) Merr. 100*, 101, 102
- (*Dendropanax*)
lancifolius (Ridl.) Ridl. 101
maingayi King 101
parviflorus (non (Champ.) Bth.) Clarke 101
- Deplanchea bancana* (Scheffer) Steen. 554
glabra (Steen.) Steen. 554
- Dianella* Lamk 189–193, 206
albiflora Hall. f. 207 (erron. 'C.')
- austro-caledonica* Seem. 209
bambusifolia Hall. f. 207
bancana Miq. 207, 209
caerulea (non Sims) Merr. 207
carinata Hall. f. 207
celebica (Bl.) Kunth 209
ensata (Thunb.) R.J. Henders. 208
ensifolia (L.) DC. 207
flabellata Hall. f. 207
javanica (Bl.) Kunth 207, 208*, 209
f. *alba* Schlittl. 209
f. *rubra* Schlittl. 209
f. *stenophylla* Schlittl. 209
ledermannii Krause 208
levis (non R. Br.) C.T. White 208, 209
monophylla Hall. f. 207
montana Bl. 207, 209
monticola Krause 208
nemorosa Lamk 207, 209
odorata (Rumph.) Bl. 207, 209
parviflora Ridl. 208
parviflora Zipp. ex Hall. f. 207
pullei Krause 208
revoluta (non R. Br.) Schauer 207
robusta Elmer 207
serrulata Hall. f. 207
sparsiflora Schlittl. 208, 209
- Dichapetalaceae** 5: 305–316, 567; 6: 941–943; 7: 823
- Dichopogon* Kunth 202
strictus (R. Br.) Baker 202
- Dilleniaceae ? *nervosa* Wall. 548
- Dimorphanthera
sect. *Pachyanthae* 563
albida P.F. Stevens 563
amblyornidis (Becc.) F.v.M. var. *steinii* Stevens 563
apoana (Merr.) Schltr var. *mindanaensis* (Merr.) Stevens 563
ingens (Sleum.) Stevens 563
mindanaensis Merr. 563
napuensis P.F. Stevens 563
steinii Sleum. 563
wisselensis P.F. Stevens 563
- (*Dimorphanthera*)
wrightiana (Koord.) J.J.S. 563
- Dioticarpus* Dunn 391, 415
- Dipsacaceae** 4: 290–292; 5: 557
Diptera 3
- Dipterocarpaceae** 237–552, 240 map, 561–562
subfam. *Dipterocarpoideae* 237, 240 map, 242, 266–270, 273, 274, 279, 282, 283, 561
tribe *Dipterocarpeae* 275, 276, 277, 281, 290
tribe *Shoreae* 276, 280, 290
subfam. *Monotoideae* 237, 240 map, 241, 266, 268, 270, 274, 276, 278, 282, 283
subfam. *Pakaraimoideae* 237, 240 map, 266, 268, 270, 276, 278, 282
- Dipterocarphyllum humei* Seward 242
zeraibense Seward 242
- Dipterocarpoxylo* 241, 242
africanum Bancroft 242
annamense Colani 241
- Dipterocarpus* Gaertn. f. 239, 241, 242, 245, 246, 247, 258, 259, 261, 263, 265–269, 271, 273–280, 283, 289, 290, 291, 294*, 297 map, 561
sect. *Alati* Dyer 291, 293
sect. *Angulati* Dyer 291, 293
sect. *Plicati* Dyer 291, 293
sect. *Sphaerales* Dyer 291, 293
sect. *Tuberculati* Dyer 291, 293
acutangulus Vesque 294*, 297, 322
affinis Brandis 301
alatus Roxb. 247, 249, 269, 271, 315
alatus (non Roxb.) Foxw. 318, 325
angulatus Dyer 320
angustialatus Heim 303
angustifolius W. & A. 321
appendiculatus Scheff. 324
appendiculatus (non Scheff.) Dyer 322
applanatus Sloot. 295, 310
apterus Foxw. 247, 293, 312, 561
artocarpifolius Pierre ex Laness. 271, 321
balsamiferus Bl. 307
bancanus Burck 303
basilanicus Foxw. 324
baudii Korth. 243, 271, 293, 303

(Dipterocarpus)

- beccarianus* Vesque 311
beccarii Dyer 311
 var. *glabrata* Dyer 311
blancoi Bl. 317
borneensis Sloot. 253, 256,
 293, 295, 319
caudatus Foxw. 293, 305
 ssp. *caudatus* 305
 ssp. *penangianus* (Foxw.)
 Ashton 305
caudiferus Merr. 293, 299
chartaceus Sym. 293, 304
cinereus Sloot. 295, 316
concaucus Foxw. 297, 315,
 322, 323, 326
confertus Sloot. 295, 315,
 323, 326
confertus (non Sloot.) Sloot.
 321, 322
conformis sensu Ashton 321,
 323
conformis Sloot. 278, 295,
 321
 ssp. *borneensis* Ashton 321
 ssp. *conformis* 321, 322
coriaceous Sloot. 251, 253, 297,
 324
cornutus Dyer 271, 294*, 295,
 311, 312
costatus Gaertn. f. 243, 244,
 256, 271, 293, 295, 321,
 325
costulatus Sloot. 293, 295, 310
crintus Dyer 293, 299, 300*,
 304
cuneatus Foxw. 305
cuspidatus Ashton 297, 324
dryobalanops Steud. 375
duperreana Pierre 303
dyeri Pierre 243, 295, 315
dyeri (non Pierre) Foxw. 324
elongatus Korth. 256, 271,
 293, 294*, 295, 304, 310,
 312, 561
eurynchoides Scheff. 324
eurynchus Miq. 297, 322, 324,
 325
exalatus Sloot. ex Wood 309
fagineus Vesque 251, 293,
 295, 315, 316, 320
fulvus Bl. 302
fusififormis Ashton 295, 319
geniculatus sensu Ashton 321
geniculatus Vesque 295, 320
 ssp. *geniculatus* 320
 ssp. *grandis* Ashton 255,
 321
gibbosus Sloot. 311
glabrigemmatum Ashton 295,
 318
glandulosus Thw. 321, 325

(Dipterocarpus)

- globosus* Vesque 253, 293,
 295, 310, 311, 322
gracilis Bl. 239, 243, 244, 245,
 256, 293, 301, 304, 307,
 308, 325, 326
grandiflorus (Blco) Blco 243,
 256, 294*, 295, 310, 317,
 326
griffithii Miq. 317
guiso Blco 448
hasseltii Bl. 239, 243, 274,
 293, 301, 306*, 307*
helicopterix Sloot. 322
hirtus Vesque 299
hispidus Thw. 304
hispidus (non Thw.) F.-Vill. 303
humeralatus Sloot. 268, 295,
 311, 312
insignis Thw. 322
insularis Hance 321
intricatus Dyer 243, 271
junghuhnii Becc. 375
kerrii King 239, 243, 256, 293,
 305
kunstleri King 271, 293, 294*,
 295, 301, 309, 310
kutaianus Sloot. 299
lamellatus Hook. f. 295, 312
lampongus Scheff. 307
lasiopodus Perk. 301
lemeslei Vesque 321
littoralis Bl. 243, 293, 309
lowii Hook. f. 295, 313, 314*
macrocarpus Vesque 308
macrorrhinus Sloot. 299
malaanonan Blco 383
mangachapoi Blco 364
marginatus Korth. 302
mayapis Blco 333
microcarpus Zipp. ex Miq.
 334
motleyanus Hook. f. 317
mundus Sloot. 294*, 295, 319
nobilis Dyer 323
nudus Vesque 282, 295, 320
obconicus Foxw. 305
oblongifolius Bl. 246, 253,
 256, 271, 295, 317*
obtusifolius Teysm. ex Miq.
 243, 255, 271, 278, 293,
 304
 var. *glabricalyx* Smitinand
 304
 var. *subnudus* Ryan & Kerr
 304
 var. *vestitus* Smitinand 304
ochraceus Meijer 255, 297,
 325
orbicularis Foxw. 293, 326
pachyphyllus Meijer 294*,
 295, 313

(Dipterocarpus)

- palembanicus* Ashton 319
palembanicus Sloot. 295, 318
 ssp. *borneensis* Ashton 319
 ssp. *palembanicus* 318
palosapis Blco 517
parallelus Korth. ex Burck 330
parviflora Zipp. 334
parvifolius Heim 321
penangianus Foxw. 305
pentagonus DC. 307
pentapterus Dyer 320
perakensis Ashton 297, 325
perturbinatus Foxw. 305
philippinensis Foxw. 243, 297,
 325
pilosus Roxb. 301
pilosus (non Roxb.) Brandis
 303
pilosus (non Roxb.) F.-Vill.
 301
plagatus Blco 423
polyspermus Blco 514
prismaticus Dyer 316
pseudofagineus Foxw. 316
pterygocalyx Scheff. 318
pubescens K. & V. 308
pulcherrimus Ridl. 317
punctulatus Pierre 304
quinquegonus Bl. 307
retusus Bl. 239, 243, 244, 245,
 255, 293, 294*, 308, 309
retusus (non Bl.) Ridl. 311
rigidus Ridl. 253, 295, 310,
 311
rotundifolius Foxw. 293, 304
sarawakensis (Browne) Sloot.
 253, 271, 297, 323
schmidtii Heim 303
scortechinii King 303
semivestitus Sloot. 295, 316
skinneri King 303
skinneri (non King) Ridl. 305
 var. *hirtus* Ridl. 303, 304
sp. Ashton 318
spanoghei Bl. 308
 var. *cordata* Burck 308
speciosus Brandis 271, 309,
 310
stellatus Vesque 282, 297, 323,
 326
 ssp. *parvus* Ashton 323
 ssp. *stellatus* 323
stenopterus Vesque 317
subalpinus Foxw. 307, 308
sublamellatus Foxw. 293, 297,
 322
tampurau Korth. 306
tampurau (non Korth.) Burck
 299
tawaensis Sloot. 322
tempehes Sloot. 247, 293, 297

- (Dipterocarpaceae)
teres Steud. 375
thurifer Blco 333
tonkinensis A. Chev. 308
trinervis Bl. 308
 var. *canescens* Bl. 308
 var. *elegans* Bl. 308
trinervis (non Bl.) Foxw. 307
tuberculatus Roxb. 243, 269,
 270, 271, 278
turbinatus Gaertn. f. 239,
 271, 304
turbinatus (non Gaertn. f.) F.-
 Vill. 333
undulatus Vesque 313
ursinus Sloom. 311
validus Bl. 293, 301, 302*,
 561
validus (non Bl.) Brandis 311
vanderhoevenii K. & V. 303
velutina Vidal 303
verbeekianus 241
verniciifluus Blco 302
verrucosus Foxw. ex Sloom.
 293, 296*, 297, 298*
vestitus Wall. 304
warburgii Brandis 271, 301
woodii Merr. 301
zeylanicus Thw. 293
 Disporopsis Hance 189, 191,
 193, 219
 fusco-picta Hance 219, 220*
 Disporum Salisb. 189, 190, 191,
 193, 217
calcaratum D. Don 219, 220
cantoniense (Lour.) Merr. 218*
chinense (Ker-Gawl.) O. K.
 219
horsfieldii D. Don 218
leschenaultianum D. Don 218
luzoniense Merr. 219
multiflorum (Bl.) D. Don 219
pullum Salisb. 218
 var. *multiflorum* Ridl. 218
pullum (non Salisb.) Merr.
 219
Doona Thw. 269, 274, 275, 277,
 436, 552
javanica Burck 421
micrantha Burck 421
multiflora Burck 475
odorata (Roxb.) Burck 421
Dracaena 191, 192
ensata Thunb. 207
ensifolia L. 207
graminifolia (L.) L. 225
Drapiezia Bl. 217
multiflora Bl. 218
 var. *albiflora* Zoll. 218
 Drosera L. 562
banksii R. Br. ex DC. 562
peltata J.E. Smith 562
 Droseraceae 4: 377-381; 5: 557;
 6: 943; 9: 562
 Dryobalanops Gaertn. f. 237,
 239, 241, 242, 246, 259,
 261, 263, 265-269, 271,
 274-282, 284, 288-291,
 371, 373 map, 391
abnormis Sloom. 373
aromatica Gaertn. f. 246, 253,
 256, 271, 273, 289, 371,
 372*, 374*, 375, 376*,
 377*
beccariana Ridl. 373, 375
beccarii Dyer 289, 372, 375
camphora Colebr. 375
fusca Sloom. 253, 256, 372,
 377
hallii Korth. 330
javanica 241
kayanensis Becc. 374
keithii Sym. 372, 373
lanceolata Burck 245, 289,
 372, 374
neglectus Korth. ex Burck 421
oblongifolia Dyer 247, 271,
 279, 372, 373, 374, 379
 ssp. *oblongifolia* 373
 ssp. *occidentalis* Ashton 373
oblongifolia (non Dyer)
 Wyatt-Smith 378
oiocarpa Sloom. ex Heyne 375
oocarpa Sloom. 377
ovalifolia I.H. Burkill 373
rappa Becc. 251, 253, 256,
 372, 377, 378*
schefferi Hance 350
sericea Korth. 420
spectabilis 241
vriesii Becc. 375
 Dryobalanoxylon 241
Duvaliella Heim 292
problematica Heim 316
Dyerella Heim 340
 Elaeocarpaceae 275, 281, 282
 Elaeocarpus 275
Elaeogene Miq. 345, 349
sumatrana Miq. 351
 Elatinaceae 4: 203-206
 Elatineae 275
 Eleutherococcus Maxim. 553
malayanus (M.R. Henders.)
 Stone 554
trifoliatus (L.) S.Y. Hu 554
 Elisma natans 182
 Ellipanthus beccarii Pierre 558
 var. *beccarii* 558
 Engelhardtia *selanica* Bl. 505
 Epacridaceae 6: 422-444, 943
 Eremolaena boinensis 282
Eremopanax Baill. 53
 Ericaceae 6: 469-914; 7: 827; 8:
 549; 9: 562-563
 Eriophorum comosum (Wall.)
 Nees 187
filamentosum Boeck. 187
 Erythroxylaceae 5: 543-552; 8:
 549
 Eschweilera Zipp. ex Boerl. 31
barbata (Becc.) Boerl. 41
boerlagei Warb. 46
carpophagarum (Becc.) Boerl.
 45
elegans Ridl. 38
gawadensis Baker f. 51
geelvinkiana (Becc.) Boerl. 38
helleborina (Becc.) Boerl. 39
insidiatrix (Becc.) Boerl. 45
insignis (Miq.) Boerl. 52
novogvineensis (Scheff.)
 Boerl. 43
palmata Zipp. ex Boerl. 42
pfeilii Warb. 41
pulcherrima (Vidal) Boerl. 40
teysmannii Boerl. 44
 Euaraliopsis Hutch. 91
palmata (Roxb.) Hutch. 94
sumatrana (Ridl.) Hutch. 91
 Euphoria *malaanonan* Blco 448
 vel *Nephelium* Blco 448
 Eupteron Miq. 7, 72, 78
nodosa (Bl.) Miq. 78
 Eustrephus 191, 193
celebicus (Bl.) D. Dietr. 209
javanicus (Bl.) D. Dietr. 209
 Exocarya Benth. 186
montivaga Domin 187
scleroides (F.v.M.) Benth.
 185*, 187
 Fagaceae 7: 265-403; 8: 549; 9:
 253, 255, 563
 Fagara ? *avicennae* Lamk 105
 Fagraea
 sect. *Cyrtophyllum* 567
 sect. *Fagraea* 567
auriculata Jack 567
 ssp. *auriculata* 567
 ssp. *borneensis* 567
 ssp. *parviflora* 567
blumei 567
fragrans Roxb. 567
gracilliflora Leenh. 567
resinosa Leenh. 567
ridleyi K. & G. 567
tubulosa Bl. 567
 Fatsia 3
 Fernandoa *macroloba* (Miq.)
 Steen. 554
 Fimbristylis *eragrostis* (Nees)
 Hance 560
fusca (Nees) Clarke 560
malayana Ohwi 155

- Flacourtiaceae** 5: 1–106, 565; 6: 943–944; 7: 827; 9: 563–564
- Flagellaria indica* L. 195
- Flagellariaceae** 4: 245–250; 5: 557; 9: 564
- Flueggea* Rich. 225
- wallichiana* Kunth 226
- '*Fluggea*' 225
- Folium polyphi mas (et femina?)* Rumph. 42
- Fritillaria cantoniensis* Lour. 218
- Funkia* Willd. 232
- Gahnia javanica* 179
- Gastonia* Comm. ex Lamk 1, 2, 4, 5, 7, 8, 9, 67, 68 map
- boridiana* Harms 70
- eupteronoides* T. & B. 68
- papuana* Miq. 68
- '*sasuroides*' 35
- saururoides* Roxb. 35
- serratifolia* (Miq.) Philipson 66*, 68 map
- simplicifolia* Zipp. ex Seem. 33
- spectabilis* (Harms) Philipson 2, 3, 8, 68 map, 69*, 70*
- sundaica* (Miq.) Baill. 99
- winkleri* Harms 68
- Geitonoplesium* 191, 193
- Gelibia* Hutch. 72, 77
- branderhorstii* (Harms) Hutch. 77
- elegans* (C. Moore & F.v.M.) Hutch. 77
- Geniostoma* Forst. 568
- antherotrichum* Gilg & Bened. 568
- var. *archboldianum* (Merr. & Perry) B.J. Conn 568
- archboldianum* Merr. & Perry 568
- arfakense* Kan. & Hat. 568
- leenhoutsii* B.J. Conn 568
- rupestre* 568
- Gentianaceae** 567
- tribe *Tachiinae* 567
- Geomitra* Becc. 554, 555
- clavigera* Becc. 555
- Geraniaceae** 6: 445–449; 9: 565–566
- Geranium* L. 565
- ardjunense* Z. & M. 565
- balgooyi* Veldk. 565
- editum* Veldk. 565
- frigidurbis* Moerman 565
- homeanum* Veldk. 565
- hyperacrium* Veldk. 565
- lacustre* Veldk. 565
- leptodactylon* Veldk. 565
- monticola* Ridl. 565
- (*Geranium*)
- nepalense* Sweet 565
- niuginiense* Veldk. 566
- papuanum* Ridl. 565
- subcompositum* Veldk. 565
- whartonianum* Veldk. 565
- wilhelminae* Veldk. 565
- Gilibertia* Ruiz & Pav. 101
- borneensis* Philipson 102
- maingayi* Philipson 101
- saururoides* DC. 35
- Gladiolus odoratus indicus* Rumph. 207
- Gloriosa* L. 189, 190, 191, 193
- superba* L. 190, 193, 194*, 195*
- virescens* Lindl. 195
- Gnetaceae** 4: 336–347; 6: 944–949
- Gomphandra capitulata* (Jungb. & de Vriese) Becc. 22
- Gonocaryum* Miq. 566
- macrophyllum* (Bl.) Sleum. 566
- Goodeniaceae** 5: 335–344; 6: 949–952; 7: 827; 9: 566
- Grewia* 281
- Griselinia* 6, 16
- Griselinaceae** 16
- Guttiferae* 275, 280, 281, 282
- Guttiferales* 275, 281, 282
- Gymnosiphon* Bl. 554
- aphyllum* Bl. 554
- Haemodoraceae** 5: 111–113
- Halongia* Jeanplong 211
- purpurea* Jeanplong 211
- Haloragaceae** 7: 239–263, 828
- Halosarcia* P.G. Wilson 557
- indica* (Willd.) P.G. Wilson 557
- ssp. *indica* 557
- ssp. *leiostachya* (Bth.) P.G. Wilson 557
- Hamamelidaceae** 5: 363–379; 6: 952
- Hancea* Pierre 391, 397
- beccariana* Pierre 407
- '*beccarii*' 407
- cernua* Pierre 398
- dryobalanoides* Pierre 403
- griffithii* Pierre 406
- mengerawan* Pierre 400
- micrantha* Pierre 401
- microptera* Pierre 407
- pierrei* Pierre 405
- Hanguana major* Shaw 564
- malayana* (Jack) Merr. 235, 564
- var. *anthelminthica* (Bl.) Bakh. f. 564
- Haploclathra* 281
- Haplophragma macrolobum* (Miq.) Steen. 554
- Harmsioplanax* Warb. 1, 3, 4, 6, 7, 8, 9
- aculeatus* (Bl.) Warb. ex Boerl. 3, 11, 12*
- harmsii* K. Sch. 3, 11
- ingens* Philipson 3, 11, 13*
- ssp. *ingens* 10*, 13, 14
- ssp. *moniliformis* Philipson 14
- Hedera* 2, 4, 101
- australiana* F.v.M. 83
- disperma* (Bl.) DC. 87
- glomerulata* (Bl.) DC. 94
- nodosa* (Bl.) Hassk. 78
- polyacantha* Wall. 93
- umbelliferum* (Lamk) DC. 35
- Hederopsis* Clarke 7, 86
- maingayi* Clarke 87
- major* Tidl. 87
- Heimiatomia* Pierre 292
- Helmholtzia novoguineensis* (Krause) Skottsb. 235
- Helosciadium leptophyllum* (Pers.) DC. 569
- Heteromorpha** 6
- '*Heterophragma macrolobium*' 554
- Heterosmilax* 191, 192
- Homalium* Jacq. 563
- acutissimum* Gilg 564
- bismarckense* Craven 564
- caput-avis* Craven 564
- dentrecasteauxense* Craven 564
- foetidum* (Roxb.) Bth. 564
- maneauense* Craven 564
- reductum* Craven 564
- streimannii* Craven 564
- subcordatum* Craven 564
- tatambense* Sleum. 564
- velutinum* Craven 564
- Homalostachys sinensis* Boeck. 134
- Hopea* Roxb. 237, 239, 244, 245, 246, 255, 257, 258, 259, 261, 263, 265–269, 271, 273, 275–280, 283, 284, 288, 289, 291, 327, 388, 391, 398 map
- sect. *Dryobalanoides* Miq. 257, 280, 281, 392*, 397, 406, 410*
- subsect. *Dryobalanoides* 392, 393, 397
- subsect. *Sphaerocarphae* (Heim) Ashton 393, 394, 409, 429
- sect. *Euhoepa* Miq. 415
- sect. *Hancea* (Pierre) Heim 391, 397

(Hoepa)

- sect. *Hoepa* Ashton 277, 280, 388, 406, 415
 subsect. *Hoepa* 257, 388, 393, 395, 415, 416*, 418, 429
 subsect. *Pierrea* (Heim) Ashton 259, 393, 396, 418, 429, 430*, 562
 sect. *Petalandra* Heim 415
Bracteata group Sym. 409
Euhoepa group Sym. 415
Nervosa group 429
Pierrea group Sym. 429
 acuminata Merr. 243, 394*, 395, 420
acuminata (non Merr.) Ashton 423
 aequalis Ashton 394, 409
albescens Ridl. 483
albescens (non Ridl.) Foxw. 421
 altocollina Ashton 394, 409
 andersonii Ashton 396, 425
 ssp. *andersonii* 425
 ssp. *basalticola* Ashton 426
anomala Foxw. 421
 apiculata Sym. 396, 430*, 431
 aptera Ashton 253, 395, 418
argentea Meijer 398
aspera de Vriese 548
 auriculata Foxw. 395, 413
avellanea Heim 405
balangeran Korth. 509
 bancana (Boerl.) Sloom. 396, 424
 basilanica Foxw. 396, 425
 beccariana Burck 243, 251, 269, 271, 390*, 392*, 393*, 404, 406*, 407
beccariana (non Burck) Sym. 404
 biltonensis Ashton 243, 253, 396, 430*, 433
borneensis Heim 403
 brachyptera (Foxw.) Sloom. 395, 414
 bracteata Burck 395, 410*, 414, 415
 bullatifolia Ashton 396, 433, 434
 cagayanensis (Foxw.) Sloom. 243, 396, 431
 celebica Burck 243, 244, 396, 427
celebica (non Burck) Diels 419
 celtidifolia Kosterm. 395, 406, 415
 centipeda Ashton 253, 395, 416*, 423
 cernua T. & B. 253, 255, 393, 398, 400

(Hoepa)

- coriacea Burck 253, 393, 398
curtisii King 421
dalingdingan Gutierrez 403
 dasyrrhachis Sloom. 253, 395, 417, 424
dasyrrhachis (non Sloom.) Ashton 423
dealbata Hance 418
decandra Buch.-Ham. ex Wight 423
 depressinerva Ashton 395, 420
diversifolia Miq. 426
diversifolia (non Miq.) Scheff. 421
dolosa Sloom. 427
 dryobalanoides Miq. 264*, 286*, 390*, 393, 402, 403, 404
 dyeri Heim 392*, 394, 407
 enicosanthoides Ashton 251, 396, 436
fagifolia Miq. 241, 421
faginea Wall. 360
 ferrea Laness. 243, 253, 256, 267, 392, 395, 416*, 421
 ferruginea Parijs 392*, 393, 404
floribunda Wall. 493
 fluvialis Ashton 256, 393, 399
 forbesii (Brandis) Sloom. 243, 244, 253, 255, 256, 395, 416*, 417
 foxworthyi Elmer 393, 397, 403
foxworthyi (non Elmer) Foxw. 403
garangbuaya Ashton 399
 glabra W. & A. 271
 gabrifolia C.T. White 243, 256, 396, 428
 glaucescens Sym. 396, 429
globosa Brandis 421
glutinosa Elmer 397
gracilis Miq. 436
grandiflora Wall. 360
gratissima Wall. 487
 gregaria Sloom. 243, 244, 396, 428
 griffithii Kurz 243, 256, 394, 397, 406
 var. *pedicellata* Brandis 406, 408
grisea Brandis 482
hasskarliana Heim 421
heimiana Brandis 483
 helferi (Dyer) Brandis 243, 395, 418
 hongayanensis Tard. 429
hopeifolia (Heim) Sloom. 483
 inexpectata Ashton 394, 405
intermedia King 407

(Hoepa)

- intermedia* (non King) Brandis 408
intermedia (non King) Foxw. 404
 iriana Sloom. 243, 255, 259, 396, 428
javanica (Burck) Heim 421
 johorensis Sym. 393, 404
kelantanensis Sym. 399
 kerangasensis Ashton 253, 393, 401
laevifolia Parijs 461
lanceolata de Vriese 451
 latifolia Sym. 269, 271, 393, 404, 562
laxa Sym. 433
linggensis Boerl. 456
longiflora Brandis 473
longifolia (non Dyer) Merr. 473
 longirostrata Ashton 393, 399
lowii Dyer ex Brandis 421
 lowii (non Dyer) Foxw. 424
macrophylla de Vriese 523
malibato Foxw. 243, 393, 398, 402*, 403, 404*
maquilingensis Foxw. 420
maranti Miq. 540
 megacarpa Ashton 396, 426
 mengerawan Miq. 393, 400*
mengerawan (non Miq.) Brandis 408
 mesuoides Ashton 395, 413
 micrantha Hook. f. 253, 393, 401
micrantha (non Hook. f.) Burck 407
micrantha (non Hook. f.) Dyer 404
micrantha (non Hook. f.) Foxw. 399
micrantha (non Hook. f.) Hance 405
micrantha (non (Hassk.) Hook. f.) Heim 421
micrantha (non Hook. f.) King 403, 408
microcarpa Heim 398
microptera Dyer ex Brandis 407
 mindanensis Foxw. 396, 435
minima Sym. 414
 var. *penangiana* Sym. 414
 var. *perakensis* Sym. 414
minutiflora Fischer 421
 montana Sym. 395, 413
multiflora (Burck) Brandis 475
 var. *venosa* Boerl. 475
multiflora (non Brandis) Foxw. 421, 426

(Hopea)

- myrtifolia Miq. 392*, 394, 408
myrtifolia (non Miq.) Heyne 404
nabirensis Sloot. 428
nervosa King 271, 394, 397, 409, 410*, 412*
nervosa (non King) Foxw. 411
nicholsoni Heim 407
nigra Burck 395, 411
nodosa Sloot. 396, 427
novoguineensis Sloot. 243, 395, 419, 428
nutans Ridl. 259, 269, 271, 396, 424
oblongifolia Dyer 429
odorata Roxb. 243, 256, 263, 269, 270, 271, 393, 395, 422*
odorata (non Roxb.) Foxw. 423
odorata (non Roxb.) Hance 421
odorata (non Roxb.) Vidal 434
ovalifolia Boerl. 449
ovalifolia (non Boerl.) Foxw. 451
ovoidea Ashton 396, 426
pachycarpa (Heim) Sym. 391, 396, 415, 432*, 434*
papuana Diels 395, 419
parviflora Bedd. 259, 423
parvifolia (Warb.) Sloot. 436
paucinervis Parijs 396, 431
pedicellata (Brandis) Sym. 243, 394, 408
pentanervia Sym. ex Wood 253, 255, 396, 425
philippinensis Dyer 243, 396, 430*, 434
philippinensis (non Dyer) Ashton 435
pierrei Hance 243, 256, 394, 403, 405, 562
pierrei (non Hance) Brandis 407
pierrei (non Hance) Foxw. 397, 403, 404
pierrei (non Hance) Ridl. 406, 407, 408
plagata (Blco) Vidal 243, 388, 391, 395, 416*, 423, 424, 426, 562
plagata (non Blco) Vidal Foxw. 426
plagata (non Vidal) Sym. 426
polyalthioides Sym. 396, 431, 433
pterygota Ashton 253, 396, 434

(Hopea)

- pubescens* Ridl. 271, 393, 397
quisumbingiana Gutierrez 393, 398
resinosa Sym. 433
reticulata Tardieu 429
rudiformis Ashton 394, 409
samarensis Gutierrez 396, 427
sangal Korth. 241, 243, 271, 288*, 395, 416*, 420, 421
sarawakensis Heim 403
scabra Ashton 395, 419
scabra Buch.-Ham. 419
scaphula Roxb. 335
selanica W. & A. 505
semicuneata Sym. 396, 426
seminis de Vriese 451
sericea (Korth.) Bl. 420
siamensis Heim 408
similis Sloot. 395, 417
singawang Miq. 537
siranda Miq. 436, 562
sp. Sloot. ex Merr. 426
sp. 'Gyam' Foxw. 423
sp. nov. Sym. 429
sp. nov. aff. H. pachycarpa (non Sym.) Meijer & Wood 409
sphaerocarpa (Heim) Ashton 395, 411
splendida de Vriese 522
squamata Turcz. 517
suava Wall. ex DC. 466
subalata Sym. 263, 269, 270, 271, 393, 394*, 395, 413
subalata (non Sym.) Ashton 413
subanceolata Sym. 394, 397, 409, 411
sulcata Sym. 393, 399
sumatrana King ex Gilg 436
tangili Bl. 514
tenuinervula Ashton 396, 435
treubii Heim 253, 394, 406, 410*
ultima Ashton 243, 395, 418
vaccinifolia Ridl. ex Ashton 253, 395, 410*, 414
vasta Wall. ex DC. 423
vesquei Heim 253, 393, 401
wightiana Wall. ex W. & A. 263, 271
woodiana Gutierrez 403
wyatt-smithii Wood ex Ashton 396, 429, 430*
Hopeoides Cretzoiu 327, 335
scaphula Cretzoiu 335
Hopeoxylon 241
'Hoppea' 391
Horsfieldia Bl. ex DC. 9
aculeata (Bl.) DC. 11
peltata Bth. 11

Hydrocaryaceae 4: 43–44

Hydrocharitaceae 5: 381–413, 569; 6: 952; 7: 828; 9: 566

Hydromystria G. Meyer 566
laevigata (H. & B. ex Willd.) Diaz-Miranda & Philcox 566

Hydrophyllaceae 4: 207–209

Hypericaceae 8: 1–29

Hypolytrum 134, 186, 187
humile (Steud.) Boeck. 136
memorum (Vahl) Spreng. 235
Hypoxis spicata Thunb. 232

Icacinaceae 7: 1–87, 828; 9: 566

Indokingia Hemsl. 67

Iphigenia Kunth 189, 190, 191, 193, 197
indica (L.) A. Gray ex Kunth 190, 198*

Ipomoea campanulata L. 558

carnea Jacq.
 ssp. *fistulosa* (Mart. ex Choisy, in DC.) D. Austin 558

crassicaulis (Bth.) B.L. Robinson 558

fistulosa Mart. ex Choisy in DC. 558

illustris (Clarke) Prain 558

macrantha R. & S. 558
tuba (Schlechtend.) G. Don 558

Iridaceae 8: 77–84

Irvingia F.v.M. 72

australiana (F.v.M.) F.v.M. 84

Isauxis (Arn.) Reichb. 345, 349

Isoptera Scheff. ex Burck 276, 436, 447

borneensis Scheff. ex Burck 247, 451

borneensis (non Scheff. ex Burck) King 453

burckii Boerl. 448

dasyrrhachis Sloot. ex den Berger & Ender 417

seminis Burk. 451

sumatrana Sloot. ex Thorenaar 453

Juglandaceae 6: 143–154, 953

Juncaceae 4: 210–215; 5: 557; 6: 953; 9: 566

Juncus balticus Willd. 566

bufonius L. 566

inflexus L. 566

nupela Veldk. 566

Juncaginaceae 4: 57; 5: 554

Kalopanax resectum Miq. 91, 93
sumatranum Miq. 91

- Kielmayera** 281
Kissodendron Seem. 7, 72, 81
australianum (F.v.M.) Seem. 83, 84
australianum (non (F.v.M.) Seem.) Boerl. 81
biplinatum Gibbs 81
Klotzschia 5
Kobresia 134
Labiatae 8: 301–394; 9: 566–567
Lauraceae 280
Laurineae d. Pterigiae 275
Laxmannia sessiliflora Decne 235
Leeaceae 7: 755–782
Leguminosae 557
Lemnaceae 7: 219–237
Lentibulariaceae 8: 275–300
Leonurus indicus L. 567
Lepironia 187
Lethea Noroña 217
Leucas decedentata (Willd.) J. Sm. 567
flaccida R. Br. 567
indica R. Br. ex Spreng. 567
lavandulaefolia J. Sm. 566
lavandulifolia J.E. Sm. 566
linifolia (Roth) Spreng. 566
stachyoides Spreng. 567
Leucopogon juniperinum 270
Ligustrum 3
Liliaceae 189–235, 567
subfam. Aletroideae 191
tribe Nartheciae 191
subfam. Allioideae 191
subfam. Asparagoideae 191
tribe Asparageae 191
tribe Aspidistreae 191, 220, 221
tribe Convallarieae 191
tribe Polygonatae 191
subfam. Asphodeloideae 191
tribe Asphodeleae 191
tribe Asphodelinae 191
tribe Dianell(in)iae 191
tribe Johnsonieae 191
tribe Lomandreae 191
subfam. Dracaenoideae 191
tribe Dracaeneae 191
tribe Milliganieae 191
subfam. Lilioideae 191
tribe Tulipeae 191
subfam. Luzuriagoideae 191
subfam. Melanthoideae 191
tribe Anguillariaceae 191
tribe Iphigenieae 191
tribe Petrosavieae 191
tribe Tricyrtae 191, 197
tribe Tricyrtideae 191, 197
tribe Uvularieae 191
(Liliaceae)
subfam. Mondoideae 191
tribe Ophiopogoneae 191
tribe Peliosantheae 191
subfam. Smilacoideae 191
Liliales 199
Lilium L. 189–192, 214
longiflorum Thunb. 214, 215
'longifolium' 214
'philippense' 215
philippinense Baker 214, 215
Limnobium Rich. ex Steud. 566
laevigata 566
stoloniferum 566
Linaria alpina 182
Lipocarpa chinensis (Osb.) Kern 560
Liriope Lour. 189–192, 223
brachyphylla Merr. 230, 231
graminifolia (L.) Baker 225, 228*
muscaria (Decne) L.H. Bailey 225
muscaria (non (Decne) L.H. Bailey) Hatus. 225
spicata Lour. 225
Litsea palustris 499
Lobelia 556
victoriensis v. Royen 556
Loganiaceae 6: 293–387, 953, 960; 7: 828–829; 9: 567–568
tribe Potalieae 567
Lomandra 187, 191, 192
Lophira Banks ex Gaertn. 275
Lophiraceae 275
Lophopyxidaceae 7: 89–91
Lourya Baill. 227
campanulata Baill. 229
Luzula DC. 566
campestris (L.) DC. 566
var. *australasica* 566
papuana M.E. Jansen 566
philippinensis M.E. Jansen 566
Luzuriaga 191
Lythraceae 275
Macadamia hildebrandii Steen. 568
Machaerina rubiginosa 187
Mackinlaya F.v.M. 1, 6, 7, 9, 27
amplifolia Hemsl. 27
brassii Philipson 29
celebica (Harms) Philipson 4, 27, 28*, 31
digitata (Merr.) Philipson 29
klossii Philipson 29
radiata Philipson 27, 28, 29
schlechteri (Harms) Philipson 4, 27, 29
subulata Philipson 29
(Mackinlaya)
versteegii (Harms) Philipson 29
warburgii (Harms) Philipson 29
Macropanax Miq. 2, 7, 9, 38, 86
concinnum Miq. 86, 87
cyrtostylum Miq. 95
dispermus (Bl.) O. K. 86
floribunda Miq. 87
glomerulatum (Bl.) Miq. 95
maingayi (Clarke) Philipson 86, 87, 88*
oreophilus Miq. 87
sp. Vidal 56
undulatus (Wall. ex G. Don) Seem. 87
Mahurea 281
'Majau' Durant 492
Malpighiaceae 5: 125–145, 566; 6: 960
Malvaceae 275, 280
Malvales 274, 280, 281, 282
Mapania Aubl. 560
cuspidata (Miq.) Uittien 560
macrocephala (Gaudich.) K. Sch. 560
Marcgraviaceae 275
Marila 281
Marquesia Gilg 237, 240 map, 274, 279, 282
excelsa R.E. Fr. 282
Melanthium cochinchinense Lour. 216
indicum L. 198
Memecyanthes Gilg & Schltr 556
Meryta 89
colorata F.M. Bailey 105
spathipedunculata Philipson 34
Mesua acuminatissima (Merr.) Kosterm. 370
Meta-aletis Masam. 230
rigida (Stapf) Masam. 230
sumatrana (Masam.) Masam. 230
Metanarthecium Maxim. 230
brachyphyllum (Merr.) Masam. 230
Methonica Tourn. ex Crantz 193
superba (L.) Crantz 195
Miyoshia Makino 199
sakurii Makino 200
Miyoshiaceae 199
Miyoshiales (order) 199
Mocanera Blco 292, 327
grandiflora Blco 317
guiso Blco 448
malaanonan Blco 383
mangachapoi Blco 364
mayapis Blco 333

(Mocanera)

- plagata* Blco 423
polysperma Blco 514
thurifera Blco 333
verniciiflua Blco 292, 302
Mondo Adans. 225
graminifolia (L.) Koidz. 225
japonicum (L.f.) Farwell 227
malayanum (Ridl.) Farwell 226
Monoporandra Thw. 263, 275, 279
Monotes A. DC. 237, 240 map, 241, 261, 263, 268, 274, 275, 276, 279, 281, 282, 284, 338
 africanus 275
Moringaceae 4: 45–46; 5: 554; 6: 960
Mormoraphia Jack ex Wall. 53
sumatrana Jack ex Wall. 60
Myodocarpus 6
Myoporaceae 4: 265–266; 9: 568
Myoporum papuanum Kraenzl. 568
Myricaceae 4: 276–279
Myrrhidendron 6
Najadaceae 6: 157–171
Nanolirion Bth. 204
Neisandra Rafin. 391, 415
Neobalanocarpus Ashton 239, 246, 263, 265, 266, 269, 271, 274, 276, 278, 288, 289, 291, 388
 heimii (King) Ashton 267, 269, 270, 271, 276, 277, 388*, 389*
Neolourya Rodriguez 227
Neuburgia corynocarpa (A. Gray) Leenh. 568
 var. *sarcantha* (Gilg & Bened.) B.J. Conn 568
sarcantha (Gilg & Bened.) Leenh. 568
Neuwiedia *curtisii* Rolfe 223
singaporeana (Baker) Rolfe 223
 zollingeri Rchb.
 var. *singaporeana* (Baker) de Vogel 223
Nolina *javanica* Hassk. 205
Nothapodytes *foetida* (Wight) Sleum. 566
 nimmoniana (J. Grah.) Maberley 566
Nothofagus Bl. 563
 sect. *Calucechinus* (Hombr. & Jacq.) Krasser 563
 subsect. *Calucechinus* 563
 sect. *Calusparassus* (Hombr. & Jacq.) Krasser 563

(Nothofagus)

- sect. *Nothofagus* 563
 subsect. *Antarctica* Steen. 563
 subsect. *Nothofagus* 563
 subsect. *Quadripartitae* Steen. 563
betuloides (Mirb.) Oerst. 563
Nothopanax Miq. 72
anisum Miq. 105
cochleatum (Lamk) Miq. 75
crispatum (Bull) Merr. 76
cumingii (Presl) Seem. 76
elegans (C. Moore & F.v.M.) Seem. 77
fruticosum (L.) Miq. 73
 var. *plumatum* (Hort.) Merr. 73
 var. *victoriae* (Hort.) Merr. 73
guilfoylei (Cogn. & Marché) Merr. 76
macgillivrayi Seem. 74
obtusum (Bl.) Miq. 73
ornatum (Bull) Merr. 76
pinnatum (Lamk) Miq. 76
scutellarium (Burm. f.) Merr. 75
tricochleatum Miq. 75
zippelianum (Miq.) Seem. 81
Nothoscordum Kunth 190, 191, 192, 234
fragrans Kunth 234
 inodorum (W. Ait.) G. Nichols. 192, 234
Nyctaginaceae 6: 450–468; 7: 829
Nyssaceae 4: 29–31
Ochnaceae 7: 97–119; 9: 275
Oleoxyton Roxb. 292
Onagraceae 8: 98–113
Ophiopogon Ker-Gawl.
 189–192, 225
acaulis (Bl.) Ridl. 226
caulescens (Bl.) Back. 224*, 226, 228*
 'gauliscens' 226
intermedius D. Don 226, 227
 var. *macranthum* Ridl. 226
japonicus (L. f.) Ker-Gawl. 226, 227, 228*
japonicus (non (L. f.) Ker-Gawl.) Koord. 226
malayanus Ridl. 226
merrillii Masam. 227
prolifera Lindl. 226
 sp. 228*
 'spicata' 228*
spicatus (Lour.) Ker-Gawl. 225
wallichianus (Kunth) Hook. f. 226

- Ophiopogon** (non Ker-Gawl.) Kunth 223
Oplopanax 2
Oreobolus *ambiguus* Kük. & Steen. 561
 kükenthalii Steen. 561
Oreomyrrhis *plicata* Mathias & Constance 569, 570*
Oreopanax 2
Oroxylum *indicum* (L.) Kurz 67
Osmoxylon Miq. 1, 3, 4, 5, 7, 8, 9, 31, 34 map
amboinense Miq. 33, 35
articulatum Philipson 32, 35
barbatum Becc. 32, 41, 42
boerlagei (Warb.) Philipson 33, 44, 46*
 borneense Seem. 32, 33, 39
camiguinense (Merr.) Philipson 33, 48, 52
carpophagarum Becc. 45, 46
catanduanense (Merr.) Philipson 32, 37, 38
caudatum (Merr.) Philipson 32, 37
celebicum Philipson 33, 49
cumingii Seem. 51
dinagatense (Merr.) Philipson 32, 34
eminens (Bull) Philipson 33, 40, 48, 49
fenicis (Merr.) Philipson 33, 48
geelvinkianum Becc. 32, 38, 39
globulare Philipson 32, 40, 47, 48
helleborinum Becc. 39
heterophyllum (Merr.) Philipson 32, 37, 38
humile (Elmer) Philipson 33, 44, 52
insidiator Becc. 33, 45
insigne (Miq.) Becc. 33, 52
kostermansii Philipson 32, 41
lanceolatum Philipson 32, 35, 36*
lineare (Merr.) Philipson 32, 38, 39, 553
luzoniense (Merr.) Philipson 32, 33, 48, 52
masarangense Philipson 33, 45
micranthum (Harms) Philipson 33, 50*, 51, 53
miquelii Boerl. 32, 33
moluccanum (Miq.) Becc. 42
novoguineense (Scheff.) Becc. 30*, 33, 43*
oblongifolium Philipson 32, 33, 37
palmatum (Lamk) Philipson 32, 41, 42, 43

(Osmyoxylon)

- pectinatum (Merr.) Philipson 33, 45, 48, 52
 pfeilii (Warb.) Philipson 32, 41
 pulcherrimum Vidal ex F.-Vill. 32, 40, 49
 ramosii (Merr.) Philipson 32, 43
 serratifolium (Elmer) Philipson 33, 49
 sessiliflorum (Laut.) Philipson 33, 40, 41, 47, 51
 simplicifolium (Elmer) Philipson 32, 34
 soelaense Philipson 32, 40, 47, 48
 spathipedunculatum (Philipson) Philipson 32, 34
 talaudense Philipson 33, 47, 49
 teysmannii (Boerl.) Philipson 33, 44
 trilobatum (Merr.) Philipson 33, 45, 51, 52
 umbelliferum (Lamk) Merr. 32, 35
 yatesii (Merr.) Philipson 32, 38
 zippelianum (Miq.) Becc. 42
- Otophora *hullettii* Ridl. 358
Oxalidaceae 7: 151-178, 829
- Pachychlamys* (Dyer ex King) Dyer ex Ridl. 437, 504
beccarianus Dyer ex Brandis 513
beccarianus (non Dyer ex Brandis) Ridl. 537
brachypteris Dyer ex Brandis 513
 'ghysbertiana' 523
ghysbertiana Ridl. 523
hemsleyanus Ridl. 536
thiseltonii Ridl. 537
- Pachydiscus* Gilg & Schltr 556
Pachynocarpus Hook. f. 345, 349
grandiflorus Ridl. 349
ridleyanus Anders. 352
ridleyanus (non Anders.) Ridl. 352
ruminatus Brandis 352
stapfianus King 349
umbonatus Hook. f. 349
umbonatus (non Hook. f.) Ridl. 350, 352
verrucosus Heim 349
verrucosus Ridl. 350
wallichii King 349, 351

- Pakaraimaea* Maguire & Ashton 237, 263, 266, 268, 279, 282, 283, 561
- Palmervandenbroekia* Gibbs 7, 72, 84
papuana Gibbs 85
- Panax* 2
 subg. *Acanthopanax* Decne & Planch. 103, 554
aculeatus Ait. 103
anisum DC. 105
armatus Wall. ex G. Don 22
bandanense Zipp. ex Span. 76
cochleatum (Lamk) DC. 75
conchifolium Roxb. 75
crispatum Bull 76
cumingiana (Presl) Rolfe 76
elegans C. Moore & F.v.M. 77
fruticosum L. 73
macgillivraei (Seem.) Bth. 74
murrayi (non F.v.M.) F.v.M. 79
obtusum Bl. 73
ornatum Bull 76
palmatum Roxb. 93
pinnatum Lamk 46, 76
rumphii Hassk. 75
scutellarioides Reinw. ex Bl. 75
secundum Schult. 76
zippelianum Miq. 81
- Pandorea pandorana* (Andr.) Steen. 554
- Papaveraceae 5: 114-117**
Papaya silvestris Rumph. 78
Parahopea Heim 437, 485
balangeran Heim 509
- Paramapania 187
- Parashorea Kurz 239, 245, 259, 263, 266, 267, 269, 271, 276, 277, 278, 280, 281, 283, 284, 289-292, 379, 381 map
 aptera Sloot. 380, 381
 aptera (non Sloot.) Foxw. 380
balangeran (Korth.) Merr. 509
 densiflora Sloot. & Sym. 271, 380
 globosa Sym. 380, 381
longisperma (Roxb.) Kurz 481
 lucida (Miq.) Kurz 380, 383, 387
 lucida (non (Miq.) Kurz) Sloot. 383
 macrophylla Wyatt-Smith ex Ashton 258, 379, 380, 382*
 malaanonan (Blco) Merr. 243, 288, 380, 381 map, 383, 384*, 385*, 387
 var. *tomentella* Sym. 385

(Parashorea)

- parvifolia* Wyatt-Smith ex Ashton 380, 382
plicata Brandis 383
poilanei Tard. 383
smythiesii Wyatt-Smith ex Ashton 267, 380, 382, 387
 sp. Browne 382
 sp. Thomas 385
 stellata Kurz 243, 380, 383
 stellata (non Kurz) Sloot. 387
 tomentella (Sym.) Meijer 380, 385, 386*, 387
 warburgii Brandis 387
- Paratropia cumingiana* Presl 76
nodosa (Bl.) DC. 78
- Passifloraceae 7: 405-434, 829**
Pedaliaceae 4: 216-221; 5: 557; 7: 829
- Peekeliopanax* Harms 7, 67
spectabilis Harms 70
- Peliosanthes* Andr. 189-192, 227
albida Baker 229
campanulata (Baill.) Rodri-guez 229
graminea Ridl. 229
grandifolia Ridl. 229
humilis Andr. 229
hypogyna Ridl. 229
javanica (Bl.) Dietr. 229
lurida Ridl. 229
mantegazziana (Pamp.) Pamp. 228
monticola Ridl. 229
parviflora Ridl. 229
sessiliflora Ridl. 229
stellaris Ridl. 229
sumatrensis Ridl. 229
 teta Andr. 228
 ssp. *humilis* (Andr.) Jessop 228*, 229 map
 ssp. teta 228, 229 map
 var. *angustifolia* Ridl. 229
 var. *mantegazziana* Pamp. 228
tonkinensis Wang & Tang 229
violacea Wall. ex Baker 229
viridis Ridl. 229
- Pentace 281
- Pentacme* A. DC. 269, 275, 436, 465
contorta (Vidal) Merr. & Rolfe 466
malayana King 466
mindanensis Foxw. 467
paucinervis Brandis 467
siamensis (Miq.) Kurz 272, 466
 var. *laevis* Pierre 466
 var. *suavis* (DC.) Pierre 466
suavis A. DC. 466
tomentosa Craib 466

- Pentapanax* Seem. 2, 3, 9, 25
elegans Koord. 25, 26*
 var. *elegans* 25
 var. *puberula* (sphalm.) 25
 var. *pubescens* Koord. 25
- Pentaphragmataceae 4: 517–528**
- Pentaphylacaceae 5: 121–124, 566**
- Pentaphylax auryoides* 554
- Periomphale* Baill. 556
papuana Steen. 557
- Perissandra* Gagn. 345
- Petalandra* Hassk. 276, 391, 415
micrantha Hassk. 421
- Petasula* Noronha 95
- Petrosavia* Becc. 189–192, 198
sakurarii (Makino) J.J. Smith
 ex Steen. 199, 200*
sinii (Krause) Krause 199
stellaris Becc. 199, 200*
- Petrosaviaceae* 191, 199
- Philesiaceae* 191, 193
- Philydraceae 4: 5–7; 7: 829**
- Phlomis decemdentata* Willd. 567
indicus L. 567
linifolia Roth 566
- Phytolaccaceae 4: 228–232; 5: 557**
- Pierrea* Heim non Hance 429
pachycarpa Heim 432
penangiana Heim ex Brandis 389
- Pierreocarpus* Dunn 391
- Pierreocarpus* Ridl. ex Sym. 429
pachycarpa Ridl. ex Sym. 433
 ‘*Ptiliosanthes*’ 227
- Pimpinella dioica* L. 569
leptophylla Pers. 569
- Pinus merkusii* 568
- Pittosporaceae 5: 345–362; 6: 960–963; 7: 829–830; 9: 5, 568**
- Pittosporum pumilum* Schodde 568
- Platanaceae* 2
- Pleomele* 192
- Pleranda* 5, 7
- Plumbaginaceae 4: 107–112**
- Podostemaceae 4: 65–68; 6: 962–964**
- Polemoniaceae 4: 195–196**
- Polygonum* 263
- Polyscias* J.R. & G. Forster 1, 2, 7, 8, 9, 25, 27, 72, 74
 map, 89
 sect. *Eupteron* (Miq.) Philipson 7, 73, 78
 sect. *Gelibia* (Hutch.) Philipson 73, 77
 sect. *Kissodendron* (Seem.) Philipson 73, 81
- (*Polyscias*)
 sect. *Palmervandenbroekia* (Gibbs) Philipson 73, 80, 84
 sect. *Polyscias* 8, 72, 73
acuminata Vidal 79
anisum Harms 105
australiana (F.v.M.) Philipson 81, 83
 var. *disperma* (F.v.M.) Philipson 84
belensis Philipson 78, 80
bipinnata (Gibbs) Philipson 81
borneensis Philipson 78, 80
branderhorstii Harms 77
caroli Harms 81, 83
cibaria White & Francis ex Lane-Poole 29
clemensiana Harms 79
cumingiana (Presl) F.-Vill. 64, 73, 74, 75, 76, 77
cumingii (Presl) Harms 76
disperma Blco 86
elegans (C. Moore & F.v.M.) Harms 3, 77
filicifolia (C. Moore) Bailey 76
floribunda Elmer 79
florosa Philipson 78, 79
forbesii Baker f. 79
fraxinifolia Philipson non Harms 80
fruticosa (L.) Harms 73, 77
 var. *plumata* (Hort.) Bailey 73
gjellerupii Harms 83
grandifolia Volkens 74
guilfoylei (Cogn. & Marché) L.H. Bailey 73, 76
jacobsii Philipson 84, 85
javanica K. & V. 73, 77
joskei L.S. Gibbs 86
ledermannii Harms 3, 7, 78, 79, 80
macgillivrayi (Seem.) Harms 73, 74
murrayi (F.v.M.) Harms 80
nodosa (Bl.) Seem. 7, 71*, 78, 79
obtusa (Bl.) Harms 73
 ‘*palawanensis*’ 80
palmervandenbroekii Bernardi 84, 85
papuana (Miq.) Seem. 68
philipsonii Bernardi 78, 80
pinnata J.R. & G. Forster 77
roemeriana Harms 86
royenii Philipson 81, 83, 84
rumphiana Harms 76
schultzei Harms 81*, 82*, 83, 84
scutellaria (Burm. f.) Fosb. 73, 75, 77
- (*Polyscias*)
sleumeri Philipson 84
sorongensis Gibbs 76
 sp. C.T. White 74
tricochleata (Miq.) Fosb. 75
verticillata Stone 73, 75
vogelkopensis Philipson 84, 85
zippeliana (Miq.) Valeton 81
- Pontederiaceae 4: 255–261; 5: 557; 6: 964**
- Portulacaceae 7: 121–123**
- Premna nimmoniana* J. Grah. 566
- Primocarex* Kük. 117
- Primulaceae 6: 173–192, 964**
- Proteaceae 5: 147–206, 566; 6: 965; 7: 830; 9: 568**
- Protolirion* Ridl. 198
miyoshia-sakurarii Makino 200
paradoxum Ridl. 199
sakurarii (Makino) Dandy 200
sinii Krause 199
- Pseudobrassaiopsis* Banerjee 91
polyacantha (Wall.) Banerjee 94
- Pseudopanax* 2, 86
- Pseudosandalum* O. K. 31
amboinense Rumph. 35
miquelii (Boerl.) O. K. 33
umbelliferum (Lamk) O. K. 35
 ‘*Pseudosantalum*’ 31
- Pseudosindora palustris* Sym. 275, 552
- Pteranthera* Bl. 345, 359
mangachapoi DC. 365
sinensis Bl. 365
- Pteridium* Correa 275, 292, 371
costatum (Gaertn. f.) Correa 292, 321
teres Correa 371, 375
 ‘*Pterygium*’ 292
- Punicaceae 4: 226–227**
- Radermachera glandulosa* (Bl.) Miq. 554
- Reaumuriaceae* 275
- Restionaceae 5: 416–420, 569**
- Retinodendron* Korth. 345, 349
bancanum King 350
kunstleri King 350
moluccanum Heim 353
pallidum King 358
pauciflorum Korth. 351
rassak Korth. 353
scortechinii King 357
- Retinodendropsis* Heim 345
aspera Heim 354
- Rhipogonum* 191, 192
- Rhizophora* 568

- Rhizophoraceae** 5: 429–493; 6: 965–967; 8: 550–551; 9: 568
- Rhodea tupistra* Schult. 223
- Rhododendron subg. Rhododendron
- sect. *Vireya* (Bl.) Copel. f. subsect. *Euvireya* Copel. f. ser. *Buxifolia* Sleum. 562
- anagalliflorum* Wernh. 563
- atjehense* Sleum. 563
- burtii* P.J.B. Woods 562
- capellae* P. Kores 562
- frey-wysslingii* J.J.S. 562
- irroratum* Franch. 563
- ssp. *kontumense* (Sleum.) Chamberlain 563
- nervulosum* Sleum. var. *exuberans* Sleum. 563
- pulleanum* Koord. 562
- roseiflorum* P.F. Stevens 562
- rubineiflorum* Craven 562
- ruttenii* J.J.S. 562
- scortechinii* K. & G. 562
- stenophyllum* Hook. f. 563
- vinkii* Sleum. 562
- Rhuacophila** Bl. 207
- celebica* Bl. 209
- javanica* Bl. 209
- Richetia* Heim 275, 437, 468
- acuminata* Heim 475
- coriacea* Heim 474
- latifolia* Heim 475
- oblongifolia* Heim 475
- penangiana* Heim 475
- Ridleyinda* O. K. 437, 447
- borneensis* O. K. 451
- Romnaldia 191, 192
- Rosaceae 557
- Rourea prainiana* Talbot 558
- Roureopsis asplenifolia* Schel-lenb. 558
- Ryparosa javanica* (Bl.) Kurz 563
- Salacia kalahiensis* Korth. 557
- Salicaceae** 5: 107–110
- Salicornia leiostachya* Bth. 557
- Salvadoraceae** 4: 224–225
- '*Sama rupa chengal*' Foxw. 426
- Sambucus javanica* Bl. 556
- Sandersonia* 197
- Santiria grandiflora* Kalkman 555
- Sapindaceae 275
- Sapotaceae 246
- Sarcolaenaceae 268, 275, 282, 283
- Sarcospermataceae** 4: 32–34; 6: 967
- Sarcostigma* W. & A. 566
- paniculata* Pierre 566
- Satureia gracilis* (Bth.) Loes. 567
- Saul* Roxb. ex W. & A. 436, 447
- iallarea* Roxb. 493
- Saururaceae** 4: 47–48
- Scaevola sericea* Vahl 566
- taccada* (Gaertn.) Roxb. 566
- Scaphula* Parker 327, 335
- glabra* Parker 335
- Schefflera 1–5, 7, 8, 9, 38
- sect. *Brassaia* 3, 4
- subg. *Agalma* 4
- actinophylla* (Endl.) Harms 3, 8
- altigena* Frodin 3
- aromatica* (Bl.) Harms 4
- chimbuensis* Frodin 3
- ericocephala* Harms 4
- falcata* Philipson 3
- gemma* Frodin 3
- longifolia* (Bl.) Vig. 8
- nervosa* (King) Vig. 2, 4
- odorata* (Blco) Merr. & Rolfe 73
- pagiophylla* Harms 3
- rugosa* (Bl.) Harms 2, 3
- singularis* B.C. Stone 3
- stahlia* (Warb.) Frodin 3
- stolleana* Harms 4
- straminea* Frodin 3
- thausasiantha* Harms 3
- Scheffleropsis* 7
- Schelhammera* R. Br. 189, 190, 191, 193, 200
- multiflora R. Br. 201*
- pedunculata 201
- undulata 201
- Schelhammeria* 200
- Schellhammera* 200
- Scheuchzeria palustris* 182
- Scheuchzeriaceae 199
- Schoenoxiphium* 134
- Schoutenia* 268, 276, 281, 282
- Schubertia* Bl. 9
- aculeata* Bl. 11
- Sciadophyllum palmatum* Bl. 99
- Scirpodendron* 187
- Scleria sinensis* H. Pfeiff. 134
- ustulata* F.M. Bailey 187
- Scutellaria prima* Rumph. 75
- secunda* Rumph. 64
- secunda angustifolia* Rumph. 76
- secunda latifolia* Rumph. 75
- tertia* Rumph. 73
- Scyphostegiaceae** 5: 297–299; 6: 967; 7: 830
- Sedum L. 558
- ambiflorum* R.T. Clausen 559
- ambiflorum* (non R.T. Clausen) Backer 560
- australe* Merr. 559
- australe* (non Merr.) Steen. 560
- (Sedum)
- erythrospermum* Hayata 559
- ssp. *australe* Merr. 558, 559*, 560
- ssp. *erythrospermum* 559
- formosanum* N.E. Brown 558, 559
- mariae* R.-Hamet 559
- parvisepalum* Yamamoto
- ssp. *parvisepalum* 560
- ssp. *philippinense* H. Ohba 559*, 560
- Seidlia* Kostel. 345, 349
- '*Semayor*' Durant 505
- Shorea* Roxb. ex Gaertn. f. 239, 241, 243–247, 258, 259, 261, 263, 265, 266, 268, 269, 271, 273–280, 283, 284, 287*, 288–291, 353, 379, 388, 393, 436, 448
- map, 562
- sect. *Anthoshorea* Heim 258, 265, 266, 267, 277, 279, 288, 436, 437, 442, 485, 486*, 488*, 499, 503
- sect. *Brachypterae* Heim 265, 266, 267, 277, 280, 287, 438, 443, 499, 503, 521, 529, 545, 547, 551
- subsect. *Brachypterae* 438, 443, 486*, 504, 506*, 508*
- subsect. *Smithiana* Ashton 438, 443, 503, 504*, 562
- sect. *Doona* 255, 265, 266, 269, 274, 552
- sect. *Eushorea* Brandis 445
- sect. *Hopeoides* Heim 436, 485
- sect. *Isoptera* Scheff. ex Burck 436
- sect. *Isoptera* (Scheff. ex Burck) Foxw. 447
- ciliata* subgroup Sym. 447
- sect. *Mutica* Brandis 247, 258, 266, 267, 277, 279, 280, 287, 436, 439, 444, 503, 527*, 529, 551
- subsect. *Auriculatae* Ashton 439, 444, 472, 528*, 529, 562
- subsect. *Mutica* 258, 439, 445, 534, 552
- subsect. '*Muticaceae*' 534
- sect. *Neohopea* Ashton 277, 436, 437, 440, 467, 468*
- sect. *Ovalis* Ashton 266, 279, 280, 287, 436, 439, 445, 547*
- sect. '*Pachycarpa*' 521
- sect. *Pachycarpae* Heim 246, 258, 265, 266, 267, 277–

- (*Shorea* sect. *Pachycarpae*)
 280, 287, 288, 436, 439,
 444, 520*, 521, 522*
 sect. *Pachychlams* Dyer ex
 King 504
 sect. *Pentacme* (A. DC.) Ash-
 ton 265, 266, 267, 269,
 277, 436, 437, 440, 465,
 467*
 sect. *Pinanga* Brandis 436,
 521
 sect. *Richetioides* Heim 245,
 258, 259, 265, 266, 267,
 277, 279, 280, 288, 289,
 436, 437, 440, 468
 subsect. *Polyandrae* Ashton
 437, 440, 469, 470*
 subsect. *Richetioides* 437,
 440, 470, 472*
 sect. *Rubella* Ashton 266, 267,
 277, 287, 436, 438, 442,
 498*, 500*, 502, 503, 521,
 529, 547
 sect. *Shorea* 257, 258, 265,
 266, 267, 277, 280, 288,
 437, 439, 445, 466, 468,
 491
 subsect. *Barbata* Sym. ex
 Ashton 437, 440, 461,
 462*
 subsect. *Shorea* 437, 439,
 446*, 447, 461
 subg. *Anthoshorea* (Heim)
 Meijer 485
 subg. *Richetia* (Heim) Meijer
 436, 468
 subg. *Rubroshorea* Meijer
 266, 436, 534
Balau group Sym. 445
Barbata group Sym. 461
Meranti Damar Hitam group
 Sym. 468
Meranti Pa'ang group Sym.
 485
Red Meranti group Sym. 499,
 503, 529, 547
ovalis subgroup 547
parvifolia subgroup 529
pauciflora subgroup 503
Richetia group Sym. 468
acuminata Dyer 271, 445, 529,
 535
acuminatissima Sym. 441, 482
acuta Ashton 253, 444, 533*
agamii Ashton 244, 263, 270,
 272, 442, 485, 497
 ssp. *agamii* 497
 ssp. *diminuta* Ashton 497
agsaboensis W.L. Stern 545
alba Ridl. 465
albida Sym. 241, 247, 251,
 253, 254*, 256, 259, 288,
- (*Shorea* *albida*)
 442, 498*, 499, 501*,
 502*, 509, 562
almon Foxw. 252*, 443, 503,
 507
almon (non Foxw.) Browne
 540
alutacea Ashton 441, 472, 481
amplexicaulis Ashton 444,
 521, 524, 525*, 526, 528
andulensis Ashton 443, 514
angustifolia Ashton 441, 472*,
 478, 479
angustiloba Foxw. 447
aptera Burck 513
argentifolia Sym. 272, 445,
 539
asahii Ashton 279, 440, 462*,
 463, 465
assamica Dyer 239, 243, 244,
 272, 442, 485, 491
 ssp. *assamica* 491
 ssp. *globifera* (Ridl.) Sym.
 272, 490*, 491, 562
 ssp. *koordersii* (Brandis)
 Sym. 244, 491, 492
 ssp. *philippinensis* (Brandis)
 Sym. 244, 491, 492, 561
 ssp. *philippinensis* (non
 Sym.) Browne 497
astrostricta Scort. ex Foxw.
 540
astylosa Foxw. 440, 460, 562
atrinervosa Sym. 440, 446*,
 457
attopoensis Pierre 493
auriculata Scort. ex Foxw. 532
bailloni Heim 532
bakeriana Heim 523
bakoensis Ashton 441, 479
balangeran (Korth.) Burck
 251, 253, 256, 443, 486*,
 499, 503, 509
 var. *angustifolia* Boerl. 509
 var. *binnendijkii* Boerl. 489
balangeran (non Burck) Vidal
 458
balangeroides Boerl. 538
balanocarpoides Sym. 279,
 441, 475
barbata Brandis 465
beccariana Burck 255, 444,
 522*, 525, 526
beccarii Dyer ex Brandis 526
bentongensis Foxw. 442, 494
biawak Ashton 279, 440, 446,
 462*, 464
blumutensis Foxw. 441, 480
borneensis Pierre 451
brachyptera Heim 513
bracteata Pierre ex Laness.
 466
- (*Shorea*)
bracteolata Dyer 272, 442,
 485, 496
brunnescens Ashton 439,
 446*, 449
bullata Ashton 444, 517
cambodiana Pierre 494
camphorifera Roxb. 375
carapae Ashton 255, 551
chaiana Ashton 261, 441, 477
chrysophylla Ridl. 525
ciliata King 439, 450, 460
ciliata (non King) Foxw. 460
ciliata (non King) Ridl. 461,
 465
cinerea Fischer 383
cochinchinensis Pierre 493
 var. *oligoneura* Boerl. 538
 var. *saigonensis* Guérin 493
collaris Sloat. 441, 477
collina Ridl. 439, 447, 458
collina (non Ridl.) Foxw. 453,
 457
compressa Burck 272, 526
confusa Ashton 442, 497
conica (Sloat.) 441, 479
contorta Vidal 243, 244, 272,
 440, 466, 467*
cordata Ashton 442, 495
coriacea Burck 253, 255, 443,
 509, 510
costata Presl 321
costata (non (Correa) Presl)
 King 450
crassa Ashton 253, 440, 457
crassifolia Ridl. 494
cristata Brandis 508, 509
curtisii Dyer ex King 245–249,
 250*, 251, 272, 403, 445,
 541, 542*, 543*
 ssp. *curtisii* 541, 562
 ssp. *grandis* Ashton 543,
 562
cuspidata Ashton 441, 472,
 483
dasyphylla Foxw. 546, 551
dasyrrhachis Sloat. ex Endert
 417
dealbata Foxw. 253, 442, 485,
 562
discolor Heim 533
dispar Ashton 443, 500*, 502
dolichocarpa Sloat. 475
domatiosa Ashton 440, 460
dryobalanoides Dyer ex Bran-
 dis 484
dyeri (non Thw. ex Trim.)
 Heim 508
elliptica Burck 442, 498*, 500
elliptica (non Burck) Sym. 455
exelliptica Meijer 439, 455
eximia (Miq.) Scheff. 548

- (*Shorea eximia*)
 var. *angustifolia* Burck 548
eximia (non (Miq.) Scheff.)
 Foxw. 507
faguetiana Heim 441, 472, 484
faguetioides Ashton 441, 480
falcifera Dyer ex Brandis 243,
 253, 260*, 439, 456, 461
falciferoides Foxw. 438*, 440,
 458, 467
 ssp. *falciferoides* 458
 ssp. *glaucescens* (Meijer)
 Ashton 458, 459
fallax Meijer 444, 503, 509,
 516
farinosa C.E.C. Fischer 243,
 442, 487
ferruginea Dyer ex Brandis
 444, 532, 533
flava Meijer 456
flaviflora Wood ex Ashton
 255, 444, 508, 518
flemmichii Sym. 253, 443, 507
floribunda (Wall.) Kurz ex
 Dyer 493
floribunda (non Kurz) F.-Vill.
 517
foraminifera Ashton 253, 445,
 534, 538
forbesii King ex Brandis 417,
 537
foveolata Scort. ex Foxw. 496
foxworthyi Sym. 439, 453
franchetiana Heim 526
furfuracea Miq. 540, 551
furfuracea (non Miq.) Brandis
 548
furfuracea (non Miq.) Rolfe
 507
fusca Burck 551
gardneri (Thw.) Ashton 272
geniculata Sym. ex Ashton
 253, 263, 279, 439, 451
gentilis Parijs 546
gibbosa Brandis 441, 472,
 482, 483, 484
gisok Foxw. 458, 459
glauca King 251, 272, 440,
 461
glauca (non King) Browne 456
glaucescens Meijer 459
globifera (Ridl.) Sym. 491
grandiflora Brandis 536
gratissima (Wall. ex Kurz)
 Dyer 243, 253, 442, 487,
 491
gratissima (non (Wall. ex
 Kurz) Dyer) Foxw. 489
guiso (Blco) Bl. 239, 241, 243,
 244, 253, 256, 272, 439,
 447, 562
gysbertsiana Burck 523
- (*Shorea gysbertsiana*)
 var. *scabra* Burck 523, 526
harmandii Pierre ex Laness.
 493
 aff. *harmandii* (non Pierre)
 Foxw. 492
havilandii Brandis 253, 262*,
 439, 448
helferi Kurz 418
hemsleyana (King) King ex
 Foxw. 261, 288, 445, 536
 ssp. *grandiflora* (Brandis)
 Ashton 536
 ssp. *hemsleyana* 536
hemsleyana (non King) Foxw.
 536
henryana Pierre 243, 442,
 486*, 489
hopeifolia (Heim) Sym. 441,
 472, 482
hypochra Hance 243, 244,
 256, 272, 442, 485, 494
 aff. *hypochra* (non Hance)
 Browne 485
hypoleuca Meijer 440, 446*,
 459, 460
iliasii Ashton 441, 472, 480
inaequilateralis Sym. 251, 253,
 356, 358, 443, 505, 507
inappendiculata Burck 439,
 455
inappendiculata (non Burck)
 Sym. ex Desch 453, 457
induplicata Sloat. 253, 441,
 476
isoptera Ashton 277, 440,
 468*, 469*
javanica K. & V. 288, 442,
 492, 493
johorensis Foxw. 443, 503,
 508*, 513
kalunti Merr. 483
koordinersii Brandis 491
kuantanensis Ashton 440, 472
kudatensis Wood ex Meijer
 441, 472, 483, 562
kunstleri King 444, 503, 519
laccifera Heyne ex Wall. 493
ladiana Ashton 253, 440,
 462*, 463
laevifolia Endert 461
laevis Ridl. 243, 440, 461
lamellata Foxw. 442, 493
lamellata (non Foxw.) Ashton
 492
laurifolia Wall. 493
laxa Sloat. 253, 261, 440, 474
lepidota (Korth.) Bl. 445, 537
lepidota (non Bl.) Foxw. 514
leprosula Miq. 246, 248, 249,
 259, 267, 272, 445, 540,
 541, 542
- (*Shorea*)
leprosula (non Miq.) Boerl.
 541
leprosula × *curtisii* 270
leptoclados Sym. 513
leptoderma Meijer 439, 450
longestipulata Tard. 489
longiflora (Brandis) Sym. 440,
 472*, 473, 474*
longipetala Foxw. 448
longisperma Roxb. 255, 441,
 477, 481
lucida Miq. 387
lumutensis Sym. 439, 453, 456
lunduensis Ashton 440, 458
macrantha Brandis 253, 288,
 445, 527*, 536
macrobalanos Ashton 440,
 473
macrophylla (de Vriese) Ash-
 ton 246, 247, 272, 444,
 522*, 523, 528, 562
macroptera Dyer 444, 472,
 527*, 529, 532
 ssp. *baillonii* (Heim) Ashton
 532
 ssp. *macroptera* 272, 532,
 533
 ssp. *macropterifolia* Ashton
 532, 533
 ssp. *sandakanensis* (Sym.)
 Ashton 532
macroptera Sloat. 532
malaanonan Bl. 383
malibato Foxw. 440, 460
mangachapoi Bl. 365
maranti Burck 540
maritima Pierre 494
martiniana Scheff. 272, 522
materialis Ridl. 251, 253, 256,
 439, 456, 461
maxima (King) Sym. 441,
 472*, 478
maxwelliana King 248, 272,
 279, 440, 462*, 464*, 465
mayapis Bl. 333
meadiana Sym. 449
mecistopteryx Ridl. 272, 444,
 521, 525
megistocarpa Foxw. 538
mekongensis Pierre ex Laness.
 466
micans Ashton 440, 463, 465
mindanensis Foxw. 487
mollis 303
monticola Ashton 255, 444,
 503, 519
montigena Sloat. 243, 244,
 267, 442, 485, 487, 489
mujongensis Ashton 441, 472,
 484
multiflora (Burck) Sym. 248*,

(Shorea multiflora)

- 272, 279, 441, 470, 472, 475
 myrionerva Sym. ex Ashton 444, 528*, 529, 530*, 531*
 nebulosa Meijer 509
 negrosensis Foxw. 243, 443, 499, 502
 nervosa Kurz 330
 nitens Miq. 538
 obovoidea Sloot. 441, 477
 obscura Meijer 440, 457
 obtusa Wall. 243, 270, 272, 447
 var. *kohchangensis* Heim 448
 var. *subeveis* Boerl. 494
 ochracea Sym. 442, 492
 ochrophloia Strugnell ex Sym. 439, 447
 oleosa Meijer 516
 ovalis (Korth.) Bl. 259, 263, 269, 272, 445, 547*, 548*, 550*
 ssp. *ovalis* 548*, 549*, 551
 ssp. *sarawakensis* Ashton 548, 549
 ssp. *sericea* (Dyer) Ashton 269, 270, 272, 551
 ovata Dyer ex Brandis 251, 255, 267, 403, 445, 544*, 545
 pachyphylla Ridl. ex Sym. 251, 253, 443, 511, 512*
 pahangensis Foxw. 494
 palembanica Miq. 247, 272, 288, 443, 513
 pallida Foxw. 492
 pallidifolia Ashton 253, 551
 palosapis (Blco) Merr. 243, 444, 509, 517
 paludosa Foxw. 538
 palustris Ridl. 541
 parvifolia Dyer 246, 249, 259, 263, 272, 278, 445, 502, 534, 535, 546
 ssp. *parvifolia* 546, 547, 562
 ssp. *velutinata* Ashton 502, 547
 parvifolia (non Dyer) King 545
 'parvistipula' 508
 parvistipulata Heim 443, 503, 508
 ssp. *albifolia* Ashton 509, 516
 ssp. *nebulosa* (Meijer) Ashton 509
 ssp. *parvistipulata* 508
 patoiensis Ashton 441, 476
 pauciflora King 272, 443, 503, 511, 545

(Shorea)

- peltata* Sym. 261, 440, 473
peltata (non Sym.) Browne 474
philippinensis Brandis 492
pieyreana Heim 449
pierrei Hance 448
pilosa Ashton 444, 521, 525
pinanga Scheff. 272, 278, 444, 520*, 522, 524, 525, 526
pinangiana Wall. 360
plagata Foxw. 545
platycarpa Heim 251, 253, 256, 259, 445, 527*, 541, 562
platyclados Sloot. ex Foxw. 246, 255, 272, 443, 513, 562
polita Vidal 243, 442, 485, 487, 488*, 491
polyandra Ashton 253, 261, 440, 470*, 471*
polysperma (Blco) Merr. 241, 243, 252*, 443, 467, 514
polysperma (non Merr.) Keith 513
praestans Ashton 444, 524
pubistyla Ashton 444, 516, 518*
purpurea DC. 551
quadrinervis Sloot. 258, 445, 529, 534, 535*
resina-negra Foxw. 481
resinosa Foxw. 263, 269, 272, 442, 485, 496
reticulata (non Thw. ex Dyer) F.-Vill. 423
retinodes Sloot. 253, 256, 442, 485, 495
retusa Meijer 253, 445, 534, 537, 543
revoluta Ashton 253, 255, 445, 534, 543
richetia Sym. 440, 472*, 474
ridleyana King 483, 484
rigida Brandis 551
robusta Gaertn. f. 243, 259, 263, 272, 274, 282, 447
 var. *schmidtii* Heim 448
robusta (non Gaertn. f.) F.-Vill. 448
rogersiana Raizada & Smitinand 461
rotundifolia Ashton 444, 520*, 524
roxburghii G. Don 239, 243, 253, 256, 261, 263, 265, 272, 442, 485, 486*, 493
rubella Ashton 238*, 253, 442, 500*
rubra Ashton 255, 445, 534, 545

(Shorea)

- rugosa* Heim 253, 445, 540, 551
rugosa (non Heim) Foxw. 517
rugosa (non Heim) Sym. 539
 var. *uliginosa* Sym. 539
sagittata Ashton 444, 531
saigonensis Pierre 493
sandakanensis Sym. 532
scaberrima Burck 262*, 288, 443, 506*, 515, 551
scabrida Sym. 253, 445, 534, 537, 543
schefferiana Hance 451
scrobiculata Burck 439, 446*, 449, 450
scrobiculata (non Burck) Foxw. 448
scutalata King 546
selanica (Lamk) Bl. 243, 244, 256, 443, 503, 505
 var. *latifolia* Bl. 505
 var. *obtusata* Burck 505
seminis (de Vriese) Sloot. 247, 253, 256, 288, 439, 451, 453, 460
sericea Dyer 551
sericeiflora Fischer & Hutch. 489
siamensis Miq. 243, 253, 265, 272, 278, 304, 440, 466
singawang (Miq.) Miq. 272, 288, 445, 536
 ssp. *scabrosa* Ashton 537
 ssp. *singawang* 537
slootenii Wood ex Ashton 444, 527*, 529
smithiana Sym. 245, 272, 443, 503, 504*, 562
sororia Sloot. 491
sp. Browne 455, 530
sp. Foxw. 539
sp. Sloot. ex Merr. 503
sp. B. Sym. 543
sp. C. Sym. 537
sp. nov. Sloot. 505
sp. nov. Sym. ex Desch 449
splendida (de Vriese) Ashton 247, 272, 444, 521, 522
squamata Benth. & Hook. f. 517
squamata (non Benth. & Hook. f.) Brandis 508
squamata (non Benth. & Hook. f.) Browne 516
stellata Dyer 383
stenoptera Burck 246, 253, 261, 272, 444, 521, 523, 524
stipulosa Burck 538
suavis (non Wall. ex DC.) Pierre ex Lanessan 466

- (Shorea)
subcylindrica Sloot. 441, 476
sublacunosa Scheff. 548
submontana Sym. 439, 450
subpeltata Miq. 387
sumatrana (Sloot. ex Thor.)
 Sym. 247, 256, 272, 288,
 439, 447, 452*, 453, 454*,
 460
superba Sym. 256*, 440, 459,
 562
symingtonii Wood 442, 495
talura Roxb. 493
talura (non Roxb.) F.-Vill.
 514
tenuiramulosa Ashton 255,
 441, 478
teysmanniana Dyer ex Brandis
 251, 253, 256, 267, 445,
 538
teysmanniana (non Dyer ex
 Brandis) Ashton 538
teysmanniana (non Dyer)
 Foxw. 515
thiseltonii (King) 537
tomentosa (non Miq.) Pierre
 466
trapezifolia (Thw.) Ashton
 272
uliginosa Foxw. 251, 253, 256,
 445, 539
utilis King 465
vandekoppeli Parijs 493
 var. *grandifolia* Parijs 493
venulosa Wood ex Meijer 253,
 255, 443, 503, 506*, 510
verruculosa Dyer ex Brandis
 540
vidaliana Brandis 448
virescens Parijs 442, 492
virescens (non Parijs) Ashton
 497
vulgaris Pierre ex Laness.
 448
waltoni Wood ex Meijer 443,
 510
warburgii Gilg 514
warburgii (non Gilg) Perk.
 448
xanthophylla Sym. 441, 479
 Shoreoxylon 241
 Simaroubaceae 6: 193–226,
 968–972
 Smilacaceae 191, 192
 Smilax 191, 192
 Sonneratiaceae 4: 280–289, 513;
 5: 557; 6: 973
 Sparganiaceae 4: 233–234
 Sphenocleaceae 4: 27–28
 Spondias *malayana* Kosterm.
 553
pinnata (L. f.) Kurz 553
- Stachys decemdentata* Sol. ex
 Forst. f. 567
 Stackhousiaceae 4: 35–36
 Staphyleaceae 6: 49–59
 Stemonoporus Thw. 255, 261,
 263, 265–269, 273, 275,
 276, 278, 279, 280, 283,
 284, 338
lanceolata 262*
 Stemonurus Bl. 566
foetidus Wight 566
 Sterculiaceae 275, 280
 Stereospermum colais (Ham. ex
 Dillw.) Mabblerley 554
personatum (Hassk.) Chatter-
 jee 554
 Stictocardia 558
 Streptopus *multiflorus* (Bl.) D.
 Dietr. 218
 Strombosia *philippinensis* sensu
 Lam & Holth. 569
 Strychnos axillaris Colebr. 568
 Styliidiaceae 4: 529–532; 5: 564;
 6: 976
 Stypandra 191
 Styracaceae 4: 49–56; 6: 976; 9:
 568–569
 Strax benzoin Dryand. 569
crotonoides Clarke 569
 ssp. *fraserensis* (Putz & Ng)
 Steen. 568
fraserensis Putz & Ng 568
ridleyanum Perk. 569
Sunaptea Griff. 278, 345, 359
astrotricha Pierre 361
borneensis Heim 363
bureavi Heim 365
dyeri Pierre 361
faginea Pierre 361
odorata Griff. 360
teysmannianii Heim 360
urbanii Heim 363
 Symplocaceae 8: 205–274; 9:
 569
 Symplocos atjehensis Noot.
 569
columbuli Noot. 569
ophirensis Clarke
 var. *densereticulata* Noot.
 569
 var. *kaliensis* Stone 569
 'Synaptea' Kurz 345, 359
bantamensis Kurz 364
cinerea Ridl. 360
cuspidata Ridl. 367
grandiflora Kurz 361
lancaviensis Ridl. 360
lowii Ridl. 369
maingayi Ridl. 367, 369
nitens Ridl. 367
perakensis Ridl. 367
reticulata Ridl. 365
- Taccaceae 7: 806–819
 Tamaricaceae 275
 Ternstroemiaceae 275, 280
Teta Roxb. 227
viridiflora Roxb. 228
Tetraplasandra (non A. Gray)
 Miq. 7, 67
koordersii Harms 68
paucidens Miq. 68
philippinensis Merr. 68
solomonensis Philipson 68
Textoria Miq. 101
 Theaceae 280, 281
 Thismia Griffith 554
 sect. *Sarcosiphon* (Bl.) Jonker
 555
clavigera (Becc.) F.v.M. 555*
 Thymelaeaceae 4: 349–365; 6:
 1–48, 976; 7: 830
 Thysanotus R. Br. 189–192,
 211, 567
banksii R. Br. 567
chinensis Bth. 189, 190, 210*,
 211
chrysantherus F.v.M. 211
siamensis Ridl. 211
tuberosus R. Br. 210*, 211,
 213, 567
 var. *parviflora* Bth. 213
 Tieghemopanax *elegans* (C.
 Moore & F.v.M.) Vig. 77
macgillivrayi Viguier 74
 Tiliaceae 268, 274, 276, 280,
 281, 282
 Trapaceae 4: 43–44; 6: 982
 Trevesia Visiani 1, 4, 7, 9, 91, 95
arborea Merr. 97, 99
barbata (Becc.) O. K. 41
beccarii Boerl. 97, 99
burckii Boerl. 96*, 97
carpophagarum (Becc.) O. K.
 45
cheirantha (Clarke) O. K. 97
eminens Bull 48
geelvinkiana (Becc.) O. K. 38
helleborina (Becc.) O. K. 39
insidiator (Becc.) O. K. 45
insignis Miq. 52
moluccana Miq. 42
novo-guineensis Scheff. 43
palmata (DC.) Vis. 97
 var. *cheirantha* Clarke 97
 var. *insignis* Clarke 52
pulcherrima (Vidal) O. K. 40
rufo-setosa Ridl. 97
sundaica Miq. 93, 97, 98*, 99
 var. *glomerata* K. & V. 99
teysmannii (Boerl.) O. K. 44
zippeliana Miq. 42
 Tricalistra Ridl. 189, 191, 192,
 220
ochracea Ridl. 221, 222*

- Tricoryne R. Br. 189, 190, 191, 193, 213
 platyptera Rchb. 212*, 214
 pterocaulon Baker 214
 Tricyrtis Wall. 189, 191, 193, 195
 imeldae Gutierrez 196*, 197
 stolonifera 197
Trigonaceae 4: 58–60
 Trigonobalanus Forman 563
 doichangensis 563
 excelsa nov.sp. 563
 Triuridaceae 199
 Triuridales (order) 199
 Tupidanthus 5, 7
 Tupistra Ker-Gawl. 189, 191, 192, 221
 gracilis 223
 grandis Ridl. 221, 222*, 223
 nutans Wall. 223
 perakensis Nichols. 223
 singaporeana (Wall.) Baker 223
 squalida 221, 223
 violacea Ridl. 221
 Tupistra sensu Hutch. 220
 Turneraceae 4: 235–238
 Typhaceae 4: 242–244; 6: 982
- Ulmaceae** 8: 31–76, 551; 9: 569
 Umbellales 4, 5
 Umbelliferae 4: 113–140, 595;
 5: 555; 6: 983–984; 7:
 830–832; 9: 5, 6, 7, 11,
 27, 569–571
 subfam. Apioideae 6
 subfam. Hydrocotyloideae 5
 subfam. Saniculoideae 5
 Uncinia Pers. 107, 109, 183 map
 subgen. 'Eu-Uncinia' 184
 subgen. Pseudocarex 184
 subgen. Uncinia 184
 sect. Platyandra 184
 sect. Uncinia 184
 compacta R. Br. 184
 var. alpina Noot. 185*, 186
 var. compacta 186
 var. nervosa Clarke 184,
 185*, 186
 filiformis Boott 184
 kingii Boott 184
 nervosa Boott 184, 186
 ohwiana Koyama 184
 riparia R. Br. 184, 186
 var. stolonifera Kük. &
 Steen. 184
 riparia (non R. Br.) Ohwi 184
 rupestris Raoul 184
 var. capillacea Kük. 184
 sclerophylla Nelves 184
 subtrigona Nelves 184
- Unjala bifida* Reinw. ex de
 Vriese 42
Unona selanica DC. 505
 Upuna Sym. 239, 259, 261, 263,
 266, 267, 269, 272, 274,
 276, 277, 279, 280, 281,
 284, 288, 290, 291, 337
 borneensis Sym. 253, 262*,
 272, 336*, 337*, 338*,
 339*
 Uvularia chinensis Ker-Gawl.
 218
 multiflora (Bl.) Kunth 219
- Vaccinium altiterrae Veldk. 563
 oranjense J.J.S. 563
Valerianaceae 4: 253–254
 Vateria Arn. 345
 sect. *Isauxis* Arn. 345, 349
 Vateria L. 261, 263, 265, 266,
 269, 273, 275, 276, 278,
 279, 280, 283
 indica L. 263, 275
 rassak Walp. 353
 Vateriaopsis 239, 263, 276, 278,
 279, 283, 284
 Vatica L. 239, 245, 249, 253,
 255, 258, 259, 261, 263,
 265–269, 272, 275, 276,
 277, 279, 280, 281, 283,
 284, 288–291, 338, 341,
 345, 350 map
 sect. *Euvatica* B. & H. 359
 sect. *Isauxis* (Arn.) B. & H.
 345, 349
 sect. *Pachynocarpus* (Hook.
 f.) Burck 345, 349
 sect. *Retinodendron* (Korth.)
 Burck 349
 sect. Sunaptea (Griff.) Burck
 266, 279, 341, 345, 348,
 359, 370
 sect. Vatica Ashton 266, 267,
 278, 279, 280, 346, 347,
 349
 subg. *Isauxis* (Arn.) Brandis
 345, 349
 subg. *Retinodendron* (Korth.)
 Brandis 345, 349
 subg. *Synaptea* (Griff.) Bran-
 dis 345, 359
acrocarpa Sloot. 349
aerea Sloot. 361
 albiramis Sloot. 347, 355, 358
aperta Sloot. 369
apteranthera Blco 364
astrotricha Hance 361
 badiifolia Ashton 348, 367
bancana Scheff. 350
 bantamensis (Hassk.) B. & H.
 ex Miq. 243, 348, 364*
- (Vatica)
bantamensis (non B. & H. ex
 Miq.) Ashton 367
beccariana Heim 341
beccarii Dyer ex Brandis 363
 bella Sloot. 347, 352
blancoana Elmer 349
 borneensis Burck 348, 363
 brevipes Ashton 348, 366
 brunigii Ashton 348, 362
burckii Heim 342
bureavi Heim 365
 cauliflora Ashton 347, 370
celebensis Brandis 353
celebica Koord. ex Sym. 491
celebica Sloot. 353
 chartacea Ashton 347, 351
 'chinensis' 364
 cinerea King 243, 256, 272,
 348, 360
 compressa Ashton 348, 361
 congesta Ashton 348, 362
 coriacea Ashton 253, 348,
 360, 362
cupularis Sloot. 349
curtisii King 361
 cuspidata (Ridl.) Sym. 348,
 367
cuspidata (non Ridl.) Browne
 367
 dulitensis Sym. 255, 347, 356
dyeri Pierre ex Laness. 361
 elliptica Foxw. 347, 369
 endertii Sloot. 348, 366
eximia Miq. 548
faginea 360, 361
 flavida Foxw. 279, 348, 359
 flavovirens Sloot. 243, 244,
 348, 366
fleuryana Tardieu 361
forbesiana Burck 351
furfuracea Burck 356
glabrata Ashton 347, 370
 globosa Ashton 348, 358
grandiflora (Wall. ex DC.)
 Dyer 272, 361
 granulata Sloot. 347, 354
 ssp. granulata 354
 ssp. sabaensis Ashton 255,
 354
harmandii Heim 341
 havilandii Brandis 268, 347,
 351
helferi Dyer 418
 heteroptera Sym. 255, 348, 359
 hulllettii (Ridl.) Ashton 348,
 358
imbricata Sloot. 370
 javanica Sloot. 348, 362
 ssp. javanica 362
 ssp. scaphifolia (Kosterm.)
 Ashton 362

(Vatica)

- kelsalli* Ridl. 352
kunstleri Brandis 350
laccifera (Wall. ex DC.) W. & A. 493
lamponga Burck 351
lanceaefolia Bl. 241, 359
lankaviensis Ridl. 360
laurifolia (Wall.) Steud. 493
lepidota Korth. 538
leucocarpa Foxw. ex den Berger & Endert 342
lobata Foxw. 279, 348, 358
lowii King 243, 348, 369
lowii (non King emend. Sym.) King 369
lutea Ridl. 350
macroptera Sloot. ex Thoren. 369
maingayi Dyer 346*, 348, 368*, 369
maingayi (non Dyer) Sloot. 367
mangachapoi Blco 243, 251, 348, 364, 370
 ssp. *mangachapoi* 364, 562
 ssp. *obtusifolia* (Elmer) Ashton 365
maritima Sloot. 348, 359
melanoxylon Benth. & Hook. f. ex Miq.
 var. *recta* Heim 341
micrantha Sloot. 348, 366
mindanensis Foxw. 361
moluccana Burck 353
nitens King 348, 367
oblongifolia Hook. f. 347, 355, 357, 561
 ssp. *crassilobata* Ashton 253, 355, 356
 ssp. *elliptifolia* Ashton 253, 355, 356
 ssp. *multinervosa* Ashton 355, 356
 ssp. *oblongifolia* 355*, 356
 ssp. *selakoensis* Ashton 255, 356
obovata Sloot. 348, 363
obtusata Burck 347, 349, 352, 370
obtusata (Wall.) Steud. 370
obtusifolia Elmer 365
odorata (Griff.) Sym. 243, 272, 348, 360, 361
 ssp. *mindanensis* (Foxw.) Ashton 255, 361, 365
 ssp. *odorata* 272, 360, 361
ovalifolia Ridl. 352
ovalis Korth. 548
pachyphylla Merr. 243, 348, 363, 365
pallida Dyer 279, 348, 358

(Vatica)

- papuana* Dyer ex Hemsli. 273, 353
parvifolia Ashton 253, 348, 365
patula Sym. 365
pauciflora (Korth.) Bl. 247, 256, 273, 347, 351, 370
pauciflora Walp. 351
pedicellata Brandis 347, 356
pentandra Ashton 347, 370
perakensis King 348, 367, 369
philastreana Pierre 359
ramiflora Sloot. 349, 354, 355
rassak (Korth.) Bl. 243, 244, 246, 247, 255, 256, 270, 273, 347, 349, 353, 354*
 var. *subcordata* Bl. 353
reticulata King 365
reticulata (Thw.) A. DC. 365
ridleyana Brandis 347, 352
rotata Ashton 347, 357
ruminata Burck 351
rynchocarpa Ashton 348, 365
sarawakensis Heim 261, 347, 354, 358, 561, 562
scaphifolia Kosterm. 362
scaphula (Roxb.) Dyer 335
scaphula (non Dyer) F.-Vill. 365
schefferi Brandis 350
schouteniana Scheff. 350
schumanniana Gilg 353
scortechinii (King) Brandis 347, 357
simalurensis Sloot. 351
sinensis (non Gmel.) Blco 364
soepadmoi Ashton 347, 352
songa Sloot. 367
sorsogonensis Foxw. 361
sp. Ashton 365
stapfiana (King) Sloot. 273, 347, 349
stapfiana (non Sloot.) Browne 349
stipulata Ridl. 358
stipulosa Miq. 538
subcordata (Bl.) Hall. f. 353
sublacunosa Miq. 548
sumatrana Sloot. 352
teysmanniana Burck 348, 360
thorelii Pierre 352
tonkinensis (Chevalier) Tardieu 361
trigyna Griff. 317
umbonata (Hook. f.) Burck 247, 256, 270, 344*, 346*, 347, 349, 350, 352, 354, 370, 561
 ssp. *acrocarpa* (Sloot.) Ashton 349, 561
 ssp. *umbonata* 349, 561

(Vatica)

- urbanii* Heim 363
venulosa Bl. 253, 261, 347, 350, 351, 370
 ssp. *simalurensis* (Sloot.) Ashton 351
 ssp. *venulosa* 350
verrucosa Burck 349
vinosa Ashton 279, 347, 357
wallichii Dyer 247, 273, 351
whitfordii Foxw. 365
zollingeriana DC. 351
Vatica (non L.) Dyer 327
Veratonia malayana (Jack) Miq. 235
Veratrum malayanum Jack 235
Vignea Beauv. 176
Violaceae 7: 179–212, 831
Vitis vinifera 273

Wahlenbergia albomarginata Hook. f. 556
papuana v. Royen 556
Wardenia King 7, 89, 93
simplex King 93
Woburnia 241

Xanthorrhoeaceae 191, 192
Xerotes arenaria R. Br. 235
filamentosa A. Cunn. 187
longifolia R. Br. 235
leucocephala R. Br. 187
Xylonymus Kalkman 557
verteeghii Kalkman 557
Xyridaceae 4: 366–376, 598; 5: 557; 9: 571–573
Xyris L. 571
anceps auct., non Lamk 571
bancana Miq. 571, 572 map
 var. *lacerata* v. Royen 571
borneensis Rendle 571
calocephala Miq. 572
capensis Thunb. 571, 572
 var. *nilagirensis* (Steud.) Nilsson 573
 var. *schoenoides* (Mart.) Nilsson 573
capito Hance 572
chinensis Malme 571
chlorocephala v. Royen 572
complanata R. Br. 571
dajacensis v. Royen 573
elongata Rudge 571
flabellata v. Royen 573
glaucella Malme 571
grandis Ridley 571, 572
indica L. 571, 572
indica auct., non Linné 571
intersita Malme 571
lobbii Rendle 571, 573
malaccensis Steud. 571
malmei v. Royen 573

(Xyris)

- maritima* Koyama 573
melanocephala Miq. 573
nilagirensis Steud. 573
novoguineensis Hatus. 573
oligantha Steud. 571, 573
oreophila Ridl. 573
papuana v. Royen 571
pauciflora Willd. 571, 573
 var. *oryzetorum* Miq. 573

(Xyris)

- pauciflora* auct., non Willd.
 573
ridleyi Rendle 571
 var. *penicillata* v. Royen
 571
robusta Mart. 572
schoenoides Mart. 573
subcomplanata Malme 571
sumatrana Malme 573

(Xyris)

- tuberosa* Ridley 571, 573
walkeri Kunth 571
wallichii Kunth 571, 573
Zanthoxylum avicennae (Lamk)
 DC. 105
trifoliatum L. 103
 Zygophyllaceae 4: 64