

VIII. BIBLIOGRAPHY

(cntd from p. 256)

- Alphen de Veer, E.J. & F.A. Verduyn Lunel: Kweekproeven met Intsia palembanica Miq. en Intsia bijuga O.K. (Tectona 40, 1950, 336-345, 5 fig.).
Data on germination and seedlings.
- Anonymous: The Foundation Flora Malesiana (For Inform. Purp., issued by High Commissioner of Indonesia, The Hague, no 17. 1951. 279-282).
- Barrett, M.F.: Ficus in Florida III (Am. Midl. Natur. 45, 1951, 118-183).
Critical remarks on Florida grown trees and shrubs of *F. benjamina*, *F. elastica*, *F. fulva*, *F. hirta*, *F. hispida*, *F. roxburghii*, *F. rumphii*, etc.
- Beekman, H.A.J.M.: Houtteelt in Indonesia (Wageningen, Veerman & Zn. 1949, 386 pp.).
Silviculture of a number of important Indonesian timbers.
- Boedijn, K.B. & J. Reitsma: Notes on the genus Cyindrocladium (Fungi, Muced.) (Reinwardtia 1, 1950, 51-60, 2 fig.)
Key, descr. to 7 spp.; one is described in the perfect stage as *Calonectria ilicicola* n.sp.
- Boer, H.J. de: On the relation between rainfall and altitude in Java (Chron. Nat. 106, 1950, 424-427).
- Burkill, I.H.: A new Dioscorea from the Celebes. D. sexrimata BURK. (Kew Bull. 1950, 259-260).
- - - - : the rise and fall of the Greater Yam in the service of man (The Advanc. of Sci. 7, 1951, 443 - 448, 2 fig.).
- Buwalda, P.: Notes on New Guinea Umbelliferae (J. Arn. Arb. 32, 1951, 59-66, 1 fig.).
List of spp. and localities, full descr. of some new spp. and figure of *Trachymene pulvilliforma*, a remarkable cushion plant from Papuan highlands.
- Chatterjee, R.: The Rasanjana of the Hindus (Lloydia 12, 1949, 178-182).
Early medicinal use and history of the *Berberis* in India. The name "*Berberis*" was derived from the Arabic "*Amburbaree*" meaning "*turmeric coloured wood*".

- Chatterji, R.N. & M.B. Raizada: New or little known plants from Assam (Ind.For., Nov. 1948, 385-392, 2 pl.). Enumeration, full descr. of some spp. new to India.
- Cheesman, E.E.: Classification of the Bananas III. Critical Notes on species. r. Musa borneensis BECC. s. Musa violascens RIDLEY and M.gracilis HOLTUM. (Kew Bull. 1950, 151-155).
- Copeland, E.B.: Aspleniaceae and Blechnaceae of New Guinea (Philip. J.Sc. 78, 1949, 207-230, 6 pl.). Ca 50 spp.; keys. Notes under synonymy. Several new spp. in Asplenium; further genera treated Blechnum Woodwardia and Stenochlaena.
- - - - : Fred William Foxworthy (Madrono 10, 1950, 178-179).
- Corner, E.J.H.: Descriptions of two luminous tropical Agarics (Mycologia 42, 1950; 423-431, 3 fig.). Dictyopanus luminescens n.sp. and Mycena rorida var. lamprospora n. var. from Singapore.
- Cruz, A.O.: Composition of Philippine singkamas oil from the seeds of Pachyrrhizus erosus (L.)Urban (Philip. J. Sc. 78, 1949, 145-148).
- Dammerman, K.W.: Geschiedenis van de natuurbescherming in Indonesië (Chron.Nat. 106, 1950, 216-228). History of nature preservation in Indonesia.
- Derx, H.G.: Further researches on Beijerinckia (Ann.Bog. 1, 1950, 21-11, pl.1). Further data on these anaerobic bacteria, with descr. of a new variety alba of B.indica and a n.sp.: B.alba.
- - - - : Diacetyl as a flower-scent. With remarks on chirop-terophily (Ann.Bog. 1, 1950, 49-52). Fagraea racemosa emits during flowering diacetyl; no diacetyl is found in bat-flowers.
- Ferguson, J.H.A.: Some data on concerning the growth of even-aged stands of Pinus merkusii (O.S.R.-News (Djakarta) 2, 1950, 99-105).
- Finan, J.J.: Maize in the great herbals (Annals Missouri Bot. Gard. 35, 1948, 149-191, 25 fig. 4 tab.). In a very attractive form edited by Chronica Botanica Comp. Waltham Mass. 1950, \$3.00. Learned historical study on the introduction of maize in Europe; apparently 2 different types have been described at an early post-Columbian date, viz a tropical type and apparently the type grown by the Indians in Eastern N.America.

- Fosberg, F.R.: Notes on Micronesian Pteridophyta (Am.Fern. Journ. 40, 1950, 132-147).
- Gagnepain, F.: Genres nouveaux, espèces nouvelles d'Indochine (Not.Syst. 14, 1950, 22-37).
- Gates, B.N.: An electrical drier for herbarium specimens (Rhodora 52, 1950, 129-134).
- Gaussen, H.: Projets pour diverses cartes du monde à 1/1.000.000e, la carte écologique du tapis végétal (Ann.Agron. 19, 1949, 78-104, col.map).
Scheme for making vegetation maps, prepared for the Int.Congr. of Geogr. at Lisboa, 1949.
- Gowda, M.: The story of pan chewing in India (Bot.Mus.Leafl. Harv.Univ. 14, 1951, 181-214, illustrated).
History, botany, ingredients, etc. of betel chewing in India.
- Gray, N.E. & J.T. Buchholz: A taxonomic revision of Podocarpus V. The South Pacific species of Podocarpus sect. Stachycarpus.VI. Ditto, Section Sundacarpus (J.Arn. Arb. 31, 1950, 82-92, pl. 1-4, 93-97).
Notes on P.amara.
- Groenhart, P.: Malaysian lichens II (Reinwardtia 1, 1950, 33-39, 2 fig.).
Umbilicaria zollingeri n.sp. Mycoblastus endoxanthus, n.sp. and notes on Leprocaulon.
- Gundersen, A. c.s.: Families of Dicotyledons (Chron.Bot.Comp. 1950, pp. 237; ill.).
A general and historical account, containing many useful data.
- Harrison, S.G.: Manna and its sources (Kew Bull. 1950, 407-417).
- Herzog, Th.: Hepaticae borneenses (Oxford University Expedition to Sarawak) (Trans.Brit.Bryolog.Soc. 1, 1950, 275-326, 38 fig.).
Contains many novelties among which one new genus Stenorrhypis (Lophoziaaceae).
- Hildebrand, F.: Daftar name pchon-pohonan Manado (Rapport v/h Bosbouw Proefstation No 44. Mimeograph 53 pp. 1951, quarto).
Revised edition of a list of vernacular names of trees in the Northern half of Celebes, both arranged as to families and genera, and as vernaculars.
- - - - : Daftar name pohon-pohonan Selebes. As the preceding, no 43, 1951, 105 pp.
A similar list for the Southern and part of the Central Celebes.

- Holttum, R.E.: A new Vanda from Kuching (Orchid.) (Sarawak Mus.Journ. 5, 1950, p.389-390, pl. xx, 1 fig.).
V.scandens n.sp. with yellow flowers from Kuching.
- - - -: Further notes on the fern-genus Heterogonium Presl (Reinwardtia 1, 1950, 27-31).
Revised key to the 8 spp. hitherto recognized.
- Hu, Shiu Ying: The genus Ilex in China IV-V (J.Arn.Arb. 31, 1950, 214-263).
- Johansen, D.A.: Plant embryology (New ser. of plant Science Books vol. 24 by Chron.Bot., Waltham, 1950, 305 pp.).
General introduction: each family treated separately with references.
- John, H.St & J.R. Kuykendall: Revision of the native Hawaiian species of Gardenia (Rub.) (Brittonia 6, 1949, 431-449).
All spp. are endemic; latin descr. of types, Engl. descr. of other range; one new sp. described.
- Johnston, I.M.: Studies in the Boraginaceae xx. Representatives of three subfamilies in Eastern Asia (J.Arn.Arb. 32, 1951, 1-26, to be concluded).
Cordioideae, Ehretioideae and Heliotropoideae from China, Northern Indochina, Hainan, Formosa, Riukius and Japan. Full keys; elaborate notes; of great importance for Malaysian botany.
- Kobuski, Clarence E.: Studies in the Theaceae, XIX. The genera Archytaea and Ploiarum. (J.Arn.Arb. 31, 1950, 196-207).
- Kostermans, A.J.G.H.: Notes on Pterocymbium R.Br. (Sterc.) (Reinwardtia 1, 1950, 41-49).
In Malaysia 3 spp. are recognized; key, synonymy, and descriptions; one new name in Sterculia.
- Kräusel, R.: Justus Karl Hasskarl (1811-1894) / Botaniker (Veröff. Hist. Komm. Hess. -Wald. 20, 1950, 122-132).
Marburg.
A survey of Hasskarl's life and work in the usual vein of deploring the fate of the wronged German worker in the service of the Dutch colonial Government. Selected bibliography.
- Lam, H.J.: Natuurwetenschap in de Stille Oceaan (Leids Universiteitsblad 15, 1949, 5-16).
Concise survey of research in the S.Pacific in relation with the 7th Int.Pac.Sc.Congr. 1949.
- Lai, Ko Ko: The American species of Triumfetta L. (Tiliac.) (Ann. Mo.Bot.Gard. 37, 1950, 315-395).
- Lasschuit, J.A.: Het vormen van adventiefwortels bij Pinus Merkusii (Tectona 40, 1950, 319-322).
Trials for artificial root formation by twigs.

- Leandri, J.: Contribution à l'étude des Thymélacées d'Indochine (Rev.bot.Appl. & Agric.col. 29, 1949, 497-505, 1 fig.).
- Léonard, J.J.G.: Note sur les genres paléotropicaux Afzelia, Intsia, et Pahudia (Leg.-Caes.) (Reinwardtia 1, 1950, 61-66).
Nomenclatural; Pahudia is reduced to Afzelia, a conserved generic name, resulting in 3 new comb. of spp. and 2 of varieties.
- Li, Hui-Lin: Studies in the Scrophulariaceae of Taiwan (Quart. J.Taiwan Mus. 3, 1950, 55-80).
Enumeration; no novelties, new comb. or new names.
- McVittie, M.B.: On growing Renanthera (Orchid.) (Philip.Orchid. Rev. 3, no 2, 1950, 12-15, 1 fig.).
- Markgraf, F.: Neue Diagnosen (Mitt.Bot.Staatssamml. München 1, 1950, 26-31).
Many new comb. and spp. in Apocynaceae: Alyxia, Anodendron, Chilocarpus, Ervatamia, Holarrhena, Voacanga, Parsonia (= Lyonsia), Pagiantha, etc.
- Merrill, E.D.: A brief survey of the present status of Bornean botany (Webbia 7, 1950, 309-324).
- - - - : Tatea F.Mueller (Pygmaeopremma Merr.) and Premna Linnaeus (J.Arn.Arb. 32, 1951, 73-78).
- - - - : On certain nomenclatural errors in the Euphorbiaceae (J.Arn.Arb. 32, 1951, 79-81).
On Gelonium = Suregada; 3 species are excluded 2 belonging to Rinorea (Viol.) and 1 to Casearia.
- - - - : Unlisted technical plant names in the published works of L.Oken (1841) and J.G. Presl (1846) (J.Arn.Arb. 31, 1950, 264-287).
- - - - : On the synonymy of Jossinia reinwardtiana (Bl.)Bl. (J.Arn.Arb. 31, 1950, 329-333).
- Meijer Drees, E.: Verslag van een oriënterende tournée ten behoeve van het vegetatie-onderzoek in het boscomplex Lubuk Besar op Banka (Mimeogr. Buitenzorg (Java) 1950, 35 folio).
Composition, incl. treelist.
- Monachino, J.: Recent developments in Strophanthus as a precursor of cortisone (J.N.Y.Bot.Gard. 51, 1950, 233-241, 8 fig.).
- Money, L.M., I.W.Bailey & B.G.L.Swamy: The morphology and relationships of the Monimiaceae (J.Arn.Arb. 31, 1950, 372-404, pl. 1-4).
Important anat.-morph. study for understanding relationships of Lauraceae, Hernandiaceae and Chloranthaceae and probably other families. Trimeniaceae

are described as a separate family and a new sub-division of Monim. is proposed.

Moore, H.E.: A substitute for formaldehyde and alcohol in plant-collecting (Rhodora 52, 1950, 123, 124).

Mukherjee, S.: Studies on Saccharum spontaneum and allied grasses (Ind.J.Gen. & Pl.Breed. 9, 1949, 47-58, 3 fig. pl.).

Data on work by the Sugarcane Breeding Station Coimbatore.

- - - - : Cytological investigation of the mango (Mangifera indica L.) and allied Indian species (Proc.Nat.Inst. Sc.India 16, 1950, 287-303, 57 fig.).

Chromosome numbers and karyotypes; generally $n=20$ for the genus.

- - - - : The taxonomic value of the anatomical structures of the inflorescence axis of Mangifera L. (J.Ind. Bot.Soc. 28, 1949, 162-171, 18 fig.).

No distinct characters for specific delimitation are found in anatomy.

- - - - : Comparative morphology of the species of Mangifera L. (Bull.Bot.Soc.Beng. 2, 1948, 15-21, 18 fig.).
Morph. of fruit, stem, seed, leaf and flowers.

- - - - : The varieties of mango (Mangifera indica L.) and their classification (Bull.Bot.Soc.Beng. 2, 1948, no 2, 33 pp. 36 fig.).

Keys and description of 72 varieties.

- - - - : Wild mangoes of India (Sci. & Cult. 15, 1950, 469-471, fig. 1-10).

New types found of fruits in *M.indica* and *M.sylvatica*.

- - - - : Search for wild relatives of sugarcane in India (Int.Sugar Journ. 1950, 261-262).

Brief report on search in Deccan Peninsula.

- - - - : The mango and its relatives (Sc. & Cult. 15, 1949, 5-9, 2 fig.).

Nakai, T.: Phaseolus atsuki Siebold, etc. (Bull. Sci.Mus.Nat. Tokyo no. 27, 1950, 4-49, 1 pl.).

Discrimination of some *Phaseolus* spp.

- - - - : New classification of Gleicheniales (Bull.Nat.Mus. Tokyo no 29, 1950, 1-71).

Nelmes, E.: Notes on Cyperaceae XXIV (Kew Bull. 1950, 189-208).

Many new species.

- - - - : A new Carex from the Malay Peninsula (Kew Bull. 1950, 209).

- Pellegin, F.: Les Légumineuses du Gabon (Mém.l'Inst.Ét.Centra-fr. 1, 1948, pp. 284; tab. I-VIII).
Many genera common to Central Africa and Malaysia treated.
- Perry, Lily M.: The genus Freycinetia in Fiji (J.Arn.Arb. 31, 1950, 208-213).
- - - - : Note on the Myrtaceae of Fiji (J.Arn.Arb. 31, 1950, 350-371).
- Pichon, M.: Classification des Apocynacées xxix. Le genre Neokeithia (Bull.Mus.Hist.Nat. Paris 21, 1949, 375-377, 1 fig.).
Provisionally the plant is inserted as representative of a new group: Tabernaemontanaea-Neokeithiinae.
- - - - : Classification des Apocynacées xxv. Echitoidées et Supplément aux Pluméroïdées. (Mém.Mus.Nat.Hist.Nat. Nouv.Sér. B.Botan. 1, 1950, p.172 pp. 11 pl.).
Keys to genera, generic descriptions and synonymy, and sometimes keys to species.
- - - - : Les glandes nodales des Apocynacées et leurs modifications (Bull.Mus.Hist.Nat. 21, 1949, 467-473).
- - - - : Revision des Apocynacées des Mascareignes et des Seychelles (Mém.Inst.Sc.Madagascar, sér.B, t. 2, 1949, 140 pp. 11 pl.).
- - - - : Classification des Apocynacées xii. Parsonia et les Artia de l'herbier du Muséum (Not.Syst. 14, 1950, 4-21).
- Polak, B.: Verslag ener tournee naar de Kapuas en Kapuas me-
ren van 18 Sept./30 Oct. 1949. (Internal stencilled Report of the Pedological Institute, Bogor, Java, Nov. 1950, 32 pp., maps and photos).
Description, vegetation and country to the headwaters of Kapuas river with discussion of peat formations in this area.
- - - - : Occurrence and fertility of tropical peat soils in Indonesia (Contr.Agric.Res.Stat.Bogor no 104, 1950, 3-6).
- - - - : De Rawa Lakbok, een eutroof laagveen op Java (Med. Alg.Proefst. Landb.Buitenzorg no 85, 1949, p.1-60, map, 8 photos).
Description of flora and soil of an eutrophic swamp; full abstracts in English.
- - - - : Kort verslag ener tournee naar de Rawa Pening (Midden Java) (Bogor, Java, 1950, folio, mimeograph, 9 pp. 4 photos, map).
Lake-swamp in Central Java; vegetation, peat formation; topography.

- Quisumbing, E.: Orchid companions - Ferns (Philip.Orch.Rev. 3, no 2, 21-28, 6 fig.).
Popular, uses of ferns and occurrence.
- - - - : A new Dendrobium from the wilds of Mindanao (Philip. Orch.Rev. 3, 1950, no 3, p.9-10, 2 fig.).
Dendrob. uniflorum Griff. var. angustum Quis.n.var.
- - - - : The genus Renanthera of the Philippines (Philip.Orchid.Rev. 3, no 2, 1950, 3-11, many fig.).
5 spp. with fig. descript. and key, and a selected list of Renanthera hybrids.
- Raalte, M.H. van: Root formation by the petioles of Ageratum houstonianum Mill. as a test for auxin activity in tropical countries (Ann.Bog. 1, 1950, 13-26).
Useful test plant for auxin studies.
- Raizada, M.B.: A case of teratology in Eriocaulon (Science & Culture 14, 1949, 387-388).
Floral proliferation (as is shown in Malaysia: often in E.longifolium. - Ed.).
- - - - : Botanical name changes (Ind.For.Sept. 1948, 3 pp.).
Some new comb. in Sapot., Eugenia, Commelin. Gram.
- - - - : Some interesting plants from Orissa (J.Bomb.Nat. Hist.Soc. 48, 1949, 667-680).
Enumeration; one undescribed sp. of Dimeria.
- - - - : Balsa wood (Ind.For. 73, 1947, 155-163).
Botanical and silvicultural notes on Ochroma lagopus.
- Razi, B.A.: A bibliographical account of systematic botany in India (J.Mysore Univ.sect. B. 10, 1950, 59-66).
- - - - : An account of the forests of Mysore (J.Mysore Univ. sect. B.10, 1950, 47-58).
- - - - : A contrib. towards the study of the dispersal mechanisms in flowering plants of Mysore (South India) (Ecol. 31, 1950, 282-286).
- - - - : An index to collections of flowering plants of Mysore as represented in herbaria I-II (J.Mysore Univ. sect. B. 11, 1950, 1-55).
- Reeder, J.: Notes on Xanthoxylum and Fagara in China (J.Arn. Arb. 32, 1951, 67-72, pl. 1-2).
- - - - : Panicum lutescens an untenable name (Rhodora 53, 1951, 27-30).
- - - - : New and noteworthy Gramineae from New Guinea (J.Arn. Arb. 31, 1950, 320-328).
- Reiner, E.: Wirkungen von Vulkanausbrüchen auf Halmaheira (Natur u.Volk 80, 1950, 323-331, 7 fig.).
Vulcanic eruptions in Halmaheira 1933-1934.

- Ruinen, J.: Microscopy of the "lutoids" in Hevea latex (Ann. Bot. 1, 1950, 27-48, 3 fig. 1 pl.).
- Rupp, H.M.R.: The Schlechter collection of Orchidaceae in the National Herbarium of New South Wales (Contr.N.S.W. Nat.Herb. 1, 1950, 304-311).
Ca 400 dupl. of New Guinea Orchids are present at Sydney.
- Sarawak Museum Journal vol.V. number 2, Sept. 1950.
Richly illustrated mostly devoted to language, folklore, ethnography of Sarawak people with notes on some plants and birds. Edited by T.Harrison.
- Sato, M.M.: Notes on the luminous Fungi found in the Botanic Gardens, Buitenzorg (Journ. Japan.Bot. 25, 1950, 137-138, in Japan).
- Sax, K.: Oakes Armes 1874-1950. (J.Arn.Arb. 31, 1950, 335-349).
Portr. Biogr. Bibliogr.
- Schade, R.: Die pflanzlichen Symbiosen 2 (Auf.Jena, Fischer, 1948, 187 pp., illustrated).
- Slooff, W.C.: Het huidige standpunt inzake het openspringen van de onrijpe nootmuskaatvrucht (Landbouw 22, 1950, 411-415).
Data on the unprofitable premature opening of nutmeg fruits.
- Smith, A.C.: Studies of Pacific Island plants, VI. New and noteworthy flowering plants from Fiji (J.Arn.Arb. 31, 1950, 137-187).
- - - - : Studies of Pacific Island plants VI-VII (J.Arn.Arb. 31, 1950, 137-171).
- - - - : Studies of Pacific Island plants VIII. The Fijian species of Lauraceae (J.Arn.Arb. 32, 1951, 27-58).
Keys, descriptions, notes.
- Smith, L.S.: Phyllanthus clamboides (F.v.M.) Diels. A little known North Queensland plant (North Q.Natur. 15, 1947, 1-2).
Incl. notes on Phyllanthus sect. Leichhartia: one new name for the N.Guinean P.insignis (K.Sch.) J.J. S. = P. schumanniana L.S.Smith.
- Smith, J.J.: Icones Orchidacearum malayensium. Additamenta (Reinwardtia 1, 1950, 1-26, pl. 1-12).
Plates of 54 Malaysian orchids described by Smith, as the final continuation of the plates appeared in Bull.Bot.Gard.Btzg, Suppl. vol.3.
- Steenis, C.G.G.J.van: Notes on the genus Wightia (Scroph.) (Bull.Bot.Gard.Btzg III, 18, 1949, 213-227, 2 fig.).

- Only 2 spp. and a variety are distinguished; the genus is assigned to the Scrophulariaceae. Notes on ecology, syn., and distrib.
- - - - : Account of Javan plants collected by C.F. Hornstedt in 1783-1784 (Acta hort.Berg. 15, 1949, 39-43, 1 map).
Identifications of this old herb.; short biogr. of Hornstedt.
- - - - : Exploratie en inventarisatie (Chron.Nat. 106, 1950, 343-344).
Discussion of major projects for exploration in Indonesia.
- - - - : Carel Cornelis Schröter. In memoriam (Ann.Bog. 1, 1950, 1-2, portr.); also (in Dutch) in Chron.Nat.106, 1950, 433.
Biogr. note on the untimely death of the Curator of the Mountain Gardens at Tjibodas, Java. Cf.Fl.Mal. Bull. p. 190.
- - - - & M.J.van Steenis-Kruseman: General part (Fl.Mal. I, 1, 1950, p.i.-clii, 26 fig., 3 maps).
Incl. introduction, private collections, errors and mistakes in labelling and localization of Malaysian plants, etymology, technique of plant collecting, delimitation of the Malaysian flora, chronology of Malaysian collections, desiderata for future exploration, sources of information, 70 samples of facsimile handwritings.
- Steenis-Kruseman, M.J.van: Special part (Fl.Mal. I, 1, 1950, 638 pp. + 200 photos).
Alphabetical list of Malaysian plant collectors up to 1950, each collector provided with a short biography, itinerary, data on his collections, pertaining literature and sources of biogr.data. Contains over 3000 names and a geographical index.
- Steyaert, R.L.: Note sur des Cassia africaines et asiatiques de la section Chamaecrista avec description de nouvelles espèces (Bull.Jard.Bot. de l'Etat 20, 1950, 233-268; ill.).
Special attention to the interpretation of *Cassia mimosoides* L.; also some other *Cassias* occurring in SE.Asia.
- Suessenguth, K. & H.Heine: Diagnoses novae plantarum in Borneo septentrionali (Mitt.Bot.Staatssamml.München, Heft 2, 1950, 57-61).
New species in *Balanophora*, *Eriocaulon*, *Walsura*, *Cyclea*, *Kibara*, *Heliconia*, all based on the Kinabalu collections by the Clemenses.

- Suessenguth, K.: Amaranthaceae etc. (Mitt.Bot.Staatssamml.München, 1, 1950, 1-19).
Zizyphus borneensis Merr. var. kinabalui n.var.
- Tan, B.S.: Tacca cristata (Sarawak Mus.Journ. 5, 1950, p.391-392, pl. xxi).
Note and description.
- Tardieu-Blot: Celastracées nouvelles et litigieuses d'Indochine (Not.Syst. 14, 1950, 43-49).
- Thirumalacher, M.J.: Notes on some Indian Ustilagineae (Fungi) I-II (Lloydia 13, 1950, 165-178).
- Troll, W.: Botanische Notizen I (Abh.Math.Nat.Wiss.Kl.Akad.Wiss. Mainz 1950, 343-358, 18 fig.)
Flower morph. and parallelisms in Ceropogia & Brillantaisia.
- Vautier, S.: La vascularisation florale chez les Polygonacées (Candollea 12, 1949, 220-343, 63 fig.).
- Wit, H.C.D.de: Changes in the International rules of botanic nomenclature by the 7th Int.Bot.Congr. at Stockholm
An unofficial review (Fl.Mal.Bull. 7, 1950, 197-231).
- Yamazaki, T.: Notulae ad Scrophulariaceas Asiae orientalis (1) (J.Jap.Bot. 25, 1950, 209 seq.).
Centranthera tranquebarica (Spreng.) comb. n., Hemiphragma heterophyllum Wall. var. dentatum (Elm.) comb. n., Melasma arvense (Bth.) Hand. - Mazz.
- Zaneveld, J.S.: Naar de eilanden van de Radja-ampat groep (Vakblad v.Biol. 1950, p. 61-69).
Report on a fishery visit to isl. of NW New Guinea.
- - - & D.G. Montagne: Boompjes eiland (Tijd.Kon.Ned.Aardr. Gen. 67, 1950, 715-745, 6 fig. map, 6 photos).
Report on a visit to a coral islet in the W.Java Sea, 108° 23' E, 5° 56' S. Mangrove and algal ecology.